## Bonaire: Zero Cases Day Vaccinations Begin; Peak Cases Afterwards



## Bonaire, Sint Eustatius and Saba

At peak and rising

Undated 11-58 AM EDT

COVID-19 infections in Bonaire, Sint Eustatius and Saba are at their peak — the highest daily average reported — now at **39** new infections reported each day.


There have been **866** infections and **6** coronavirus-related deaths reported in the country since the pandemic began.

Daily reported trends

New infections

Daily new infections —





#### Bonaire Public Health Department

Vaccination Registry

Health Declaration Form

FN .

### Health check for your COVID-19 vaccination registration on Bonaire

Bonaire has started to vaccinate its residents for COVID-19. All residents of Bonaire who are 18 years and older may be vaccinated\*. We are using the following vaccination schedule. However, this may change if more vaccines become available or there are fewer available, or if the guidelines change. Please closely monitor the announcements in the local media: it may be possible that matters will move forward faster than initially expected, and that it will be your turn sooner than you thought. Starting from 22 February 2021: all health care workers. Starting from 1 March 2021: all residents age 60 years and over. Starting from the beginning of May 2021: all other persons aged between 18 and 60 years.

## When someone asks me why I'm not getting the vaccine:

### **Error loading**

Please try again later

## **READ THE CAPTION**

# 3/19 VAERS Update

Event Category	Vaccine	⇒ Events Reported 🖜	Percent ← (of ↑↓ 38,444)
Death	COVID19 (COVID19 (MODERNA)) (1201)	845	2.20%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	923	2.40%
	COVID19 (COVID19 (UNKNOWN)) (1202)	6	0.02%
	Total	1,774	4.61%
Life Threatening	COVID19 (COVID19 (JANSSEN)) (1203)	2	0.01%
	COVID19 (COVID19 (MODERNA)) (1201)	570	1.48%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	672	1.75%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.00%
	Total	1,245	3.24%
Permanent Disability	COVID19 (COVID19 (MODERNA)) (1201)	350	0.91%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	412	1.07%
	Total	762	1.98%

# February 19th

Event Category	Vaccine	⇒ Events Reported 🖜	Percent ← (of ↑↓ 15,923)
Death	COVID19 (COVID19 (MODERNA)) (1201)	382	2.40%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	559	3.51%
	COVID19 (COVID19 (UNKNOWN)) (1202)	4	0.03%
	Total	945	5.93%
Life Threatening	COVID19 (COVID19 (MODERNA)) (1201)	271	1.70%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	353	2.22%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.01%
	Total	625	3.93%
Permanent Disability	COVID19 (COVID19 (MODERNA)) (1201)	136	0.85%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	190	1.19%
	Total	326	2.05%

# February 8th

Event Category	Vaccine	⇒ Events Reported 🏕	Percent (of 11,249)
Death	COVID19 (COVID19 (MODERNA)) (1201)	206	1.83%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	298	2.65%
	COVID19 (COVID19 (UNKNOWN)) (1202)	2	0.02%
	Total	506	4.50%
Life Threatening	COVID19 (COVID19 (MODERNA)) (1201)	153	1.36%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	231	2.05%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.01%
	Total	385	3.42%
Permanent Disability	COVID19 (COVID19 (MODERNA)) (1201)	62	0.55%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	99	0.88%
	Total	161	1.43%

# February 12th

Event Category	Vaccine	⇒ Events Reported 🏕	Percent (of 12,697)
Death	COVID19 (COVID19 (MODERNA)) (1201)	271	2.13%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	387	3.05%
	COVID19 (COVID19 (UNKNOWN)) (1202)	2	0.02%
	Total	660	5.20%
Life Threatening	COVID19 (COVID19 (MODERNA)) (1201)	201	1.58%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	270	2.13%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.01%
	Total	472	3.72%
	COVID19 (COVID19 (MODERNA)) (1201)	89	0.70%
Permanent Disability	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	124	0.98%
	Total	213	1.68%

# March 5th

Event Category	Vaccine	⇒ Events Reported 🔠	Percent ← (of  ↑↓  25,212)
Death	COVID19 (COVID19 (MODERNA)) (1201)	578	2.29%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	699	2.77%
	COVID19 (COVID19 (UNKNOWN)) (1202)	5	0.02%
	Total	1,282	5.08%
Life Threatening	COVID19 (COVID19 (MODERNA)) (1201)	410	1.63%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	500	1.98%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.00%
	Total	911	3.61%
Permanent Disability	COVID19 (COVID19 (MODERNA)) (1201)	228	0.90%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	272	1.08%
	Total	500	1.98%

## March 12th

Event Category	Vaccine	⇒ Events Reported 🎁	Percent  ← (of   31,079)
<b>Death</b>	COVID19 (COVID19 (MODERNA)) (1201)	712	2.29%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	833	2.68%
	COVID19 (COVID19 (UNKNOWN)) (1202)	6	0.02%
	Total	1,551	4.99%
Life Threatening	COVID19 (COVID19 (MODERNA)) (1201)	497	1.60%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	607	1.95%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.00%
	Total	1,105	3.56%
Permanent Disability	COVID19 (COVID19 (MODERNA)) (1201)	294	0.95%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	359	1.16%
	Total	653	2.10%

# February 26th

Event Category	Vaccine	⇒ Events Reported 🎁	Percent (of 19,907)
Death	COVID19 (COVID19 (MODERNA)) (1201)	475	2.39%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	631	3.17%
	COVID19 (COVID19 (UNKNOWN)) (1202)	5	0.03%
	Total	1,111	5.58%
Life Threatening	COVID19 (COVID19 (MODERNA)) (1201)	344	1.73%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	425	2.13%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.01%
	Total	770	3.87%
Permanent Disability	COVID19 (COVID19 (MODERNA)) (1201)	184	0.92%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	231	1.16%
	Total	415	2.08%


## January 29th

Event Category	Vaccine	⇒ Events Reported 🖜	Percent ← (of ↑↓ 9,845)
Death	COVID19 (COVID19 (MODERNA)) (1201)	118	1.20%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	213	2.16%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.01%
	Total	332	3.37%
Life Threatening	COVID19 (COVID19 (MODERNA)) (1201)	103	1.05%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	170	1.73%
	Total	273	2.77%
Permanent Disability	COVID19 (COVID19 (MODERNA)) (1201)	38	0.39%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	68	0.69%
	Total	106	1.08%

## January 28th

Event Category	Vaccine	⇒ Events Reported 🏕	Percent ← (of ↑↓ 7,844)
	COVID19 (COVID19 (MODERNA)) (1201)	64	0.82%
Death	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	118	1.50%
	Total	182	2.32%
	COVID19 (COVID19 (MODERNA)) (1201)	58	0.74%
Life Threatening	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	115	1.47%
	Total	173	2.21%
	COVID19 (COVID19 (MODERNA)) (1201)	20	0.25%
Permanent Disability	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	46	0.59%
	Total	66	0.84%

### bmj Article Response



So the next couple slides are a response to this article and it reveals some pretty massive and unreported realities.

There are at least two previous examples of vaccines increasing the risk of illness from the target disease for the first week or two: The unconjugated PRP Hib vaccine increased the risk of Hib disease 2.6-fold in children within 7 days of vaccination, probably because vaccination produced a transient decrease in protective antibody. (https://www.ncbi.nih.gov/books/NBK236299/ pages 250-261)....A Danish study of pandemic influenza A/H1N1 vaccine among people with chronic diseases found a 3.58 risk increase of hospitalization for influenza 1 to 7 days after vaccination, CI 2.27 to 5.64, and a 2.12 risk increase of laboratory-confirmed infection, CI 1.58 to 2.87. (Table 2, Emborg et al, BMJ 2011;344:d7901)

A massive matched case-control study of the Pfizer vaccine in Israel found 62% VE against severe Covid-19 disease and 72% VE in preventing deaths for days 14 through 20 after the first dose. However, the results were biased against the unvaccinated controls: On day 1 there were already 359 documented infections in controls and 172 in the vaccinated group, and 227 versus 90 symptomatic cases, respectively. (Table S7, Dagan et al. NEJM online Feb 24, 2021. DOI:1056/NEJMoa2101765)

The vaccines may be effective, but we will need more transparency from vaccine authorities as we continue to study vaccine effectiveness and adverse effects.

ALLAN S. CUNNINGHAM 16 March 2021

Article Related content Article metrics

Rapid responses Response

#### Rapid Response:

Why don't Covid-19 vaccine trials report statistics for the first 14 days?

Dear Editor,

Recently a pediatric colleague sent me this preprint link to a Danish cohort study of the Pfizer Covid-19 vaccine in long-term care facility residents and healthcare workers. (https://www.medrxiv.org/content/10.1101/2021.03.08.212) It showed real-world effectiveness of two doses of the mRNA vaccine: 64% and 90% VE in the two groups respectively beyond seven days after the second dose.

However, from 0 to 14 days after the first dose the risk of Covid-19 infection was actually increased in vaccine recipients: in the LTCF residents VE was -40%, CI -62% to -2%; among healthcare workers VE was -104%, CI -118% to -91%.(Table 2).....By contrast, statistics for the 0 to 14 days after the first dose were not reported in the randomized trials of the Pfizer, Moderna, or AstraZeneca vaccines. (Polack et al, NEJM 2020;383:2603. Baden et al, NEJM 2021;384:403. Voysel et al, Lancet 2021;397:92) Why not? Are the manufacturers hiding negative data?

### **More Direct Messages**


Hello! Im so thankful for you work. I watch your stories almost everyday. I'm curious if you have heard about any side effects with vision and eyes?

My mom got vaccine in USA a few weeks ago. She got very sick right after .. worse reaction than from COVID. But she still thinks it is for the best .

Then last week she started having problems with her vision... couldn't see in one eye and then "cobweb" in the other eye. So she had some eye surgery

Maybe it's not related but I wanted to check if you heard of others having vision problems . Thanks agai

There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh)



My neighbors, in their early 70s, had second dose of vaccine last Thursday. Neither felt well after but he was starting to feel better. She didn't feel good yesterday and went upstairs to lay down. When he checked on her, she was dead. This is in Marietta, GA. I don't know what vaccine it was yet. They are not having an autopsy.

#### Hello

My 93 year old step father had his first vaccine 3 weeks ago .. been ill ever since with h flu like symptoms.. this morning he's been rushed into hospital with severe breathing problems.. other wise a very fit and healthy man

My MIL got her first does last week (she doesn't remember which one but it was either moderna or Pfizer) 4 days later she woke up with such severe sciatic pain and inflammation in her back that she was literally screaming. Her doctor told her he can't give her steroids because it might make the shot less effective but neither see the connection. We are trying to persuade her to report it or collect enough information ourselves to file a report.

I wasn't going to write until I saw a story almost identical to what happened to my uncle. My uncle got the first Moderna shot and developed very severe diarrhea and a 104-105 fever. He reported it as a response to the vaccine. His fever and aggressive diarrhea persisted for about a week and then the fever went down while the stomach problems remained. He ended up going to the hospital where he was told he had an infection. He was diagnosed with C diff. I saw someone else had a relative with the same experience. My uncle spent several weeks in the hospital - at times barely able to walk before going to rehab and eventually going home. The drs. at the hospital said there was no connection with the vaccine. Since my uncle originally reported there was a connection and since the timing seemed so correlated I had trouble believing these doctors. My family defaulted to trusting the hospital doctors and mostly reframing it as unrelated.

Wow... how is your uncle doing now.?

5:46 PM

Sorry I sent twice wasn't sure if it went through. He's doing better now. Was pretty scary but he' finally out of both the hospital and rehab. Thanks for keeping track of the adverse reactions. I wish more of the media would.

There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh)

For information about vaccines, visit https://vaccine.guide.

Just wanted to let you know my moms husband was in the hospital with covid, they put him in coma for month etc and he recovered and came back. He is a kidney transplant too so he is on low immune medicine, anyways. They decided to jab him. I got to watch this with my own eyes.

He started being able to walk, he couldn't breathe properly all of his joints were hurting and he basically got the same symptoms as when he got sick with covid first time but only worse as he is weaker now.

On the 10th day we had to lie to the hospital and make matters "worse" for them to take him in, now he is hospitalized with blood clots on his lungs and water in them too.

Two doctors in Denmark too that we are familiar with, has gotten the same after gotten the jab. It's the Pfizer they all got.

Anonymous share 🤎



He started not being able to walk\* sorry any typos

I've been following this page for a while but was hoping to never have to share a personal experience on here. My colleague told us a month ago his 90 year old father was about to get vaccinated and I immediately got a bad gut feeling and told him to keep us updated. Today he came back to work and shared that his father had passed away 3 days ago "due to covid".

After giving my condolences I immediately asked if he had received the vaccine. He told us that he did, and that he passed away 14 days after his first dose. Not sure which one but the most common one in Sweden being used is Pfizer. He also told us his dad was in very good health and hadn't had Covid for this entire time and he got sick only after getting the shot.

He looked as if he was finally connecting the dots and I told him and my group of colleagues about this page and they were all in awe that these vaccine deaths are happening at such a big scale and especially that it's not being reported by the media.

I had the AstraZeneca vaccine vesterday morning around 10am and I was very pro vaccine and open to it. I was fine for several hours till around 8pm but started to feel weak and nauseous which I thought was to be expected so went to bed to sleep it off. I woke up at 1am shivering and feeling near enough brain dead, I took my temperature and it was 39.7c. I have never had a temperature run that high, I could sleep and felt like I was physically dying and burning up. My temperature is still running high a day later at 38c and I feel like I've been hit by a truck. The side effects were not made clear to me and I had no idea that they would be this severe. I had COVID earlier in the year and I didn't feel half as bad as this. After researching the vaccine side effects I was astounded at the frequency they occur. Had I known the reaction from my body would have been so severe I would not have taken it and I am now having serious doubts about taking the second dose of the vaccine!

### **Effects of Informed Consent**

Thank you so much for your work, because of these posts, my sister, who works in a care facility for the elderly, has changed her mind and is now doing her own research! Thanks to you!

Your page is what changed my sweet dads mind. Who has lived in extremely healthy life and has bad genes and has had for heart attacks. He's an athlete. Never smoked, never been overweight. None of those things. And he was convinced because he has heart conditions that he needs the vaccine because Covid will kill him And thanks to you and Kim alberts, he's not getting it

Informed consent is the act of agreeing to allow something to happen, or to do something, with a full understanding of all the relevant facts, including alternatives.

I showed my parents your page and they have agreed to say NO to the "v". Thank you!!!!!!

Thank you so much for all the information. We decided against vaccinating my Dad in a care home this week with Moderna vaccine, so glad we didn't cave into pressure now

### **Direct Messages**

Hello! Im so thankful for you work. I watch your stories almost everyday. I'm curious if you have heard about any side effects with vision and eyes?

My mom got vaccine in USA a few weeks ago. She got very sick right after .. worse reaction than from COVID. But she still thinks it is for the best .

Then last week she started having problems with her vision... couldn't see in one eye and then "cobweb" in the other eye. So she had some eye surgery

Maybe it's not related but I wanted to check if you heard of others having vision problems . Thanks agai

Hey, not looking to have my name shared with it but just stumbled on your account and figured I'd share my experience. 25y/o male, fairly healthy (6'5, 245lbs) Pfizer offer due to work. Had my reservations but had social pressure and said why not. 5 hours after the first shot I got a fairly intense headache, light sensitivity, lost my balance and felt like a low grade fever. Taking the 20 steps from my bedroom to my bathroom L had to grab onto walls and hold myself up because I kept falling over. Felt bad for about 3 days with switching between chills and hot flashes. 2nd shot and I prepared a little more so. Felt a little off that night, but the 2nd day had a 103F fever all day, 3rd day 99F and headaches, 4th day I was fairly back to normal. I don't get my flu shot ever, and out of the bunch of people from my work I've talked with, most of them experienced much more mild symptoms. Just me and 3 others got serve reactions.


Hi there, Wanted to share my grandma's story.

Her health is managed by my uncle and my cousin who is a MD.

Grandma is currently 98, turning 99 next month. In remarkable health for her age and still very sharp mentally and physically agile. My cousin took Grandma to get the first dose of the covid-19 vaccine January 15. Even though she'd had and survived covid-19 the fall of 2020. Since then she's gotten her second round of the vaccine as well.

Last night, March 13 she was hospitalized for a heart attack. She is currently fine but her doctor, and no one in the extended family draws any correlation to the vaccination except myself my sister and my mother.

Sharing with hopes another guardian of an elder will get wise.
















2

That's terrible. Did they get there covid shots?

I know wit was horrible finding them like that aswell. They did but the outbreak started 2 days before, we didn't know it was Covid until a day after their shots! It didn't make much difference thh

Tons of doctors saying the shots are calling deaths.

I actually agree.... Nicky Jackson had hers at work aswell and she was so poorly for a week, she couldn't get out of bed and she had all the Covid symptoms yet she was negative then the week after she was positive and she even had an ambulance out, she ended up in hospital overnight



Sorry to respond so late. So I am a nurse and I work on a cardiac floor. Last week I had a 79 y/o male that received his second dose of Pfizer and hours after he was having balance issues and a headache. His blood pressure was out of sight and he ended up having a stroke. He had multiple health problems. Diabetes, hypertension. But he went from being able to walk and now he isn't able.

Another patient I had received her first shot of Pfizer and was having issues with her heart failure. Already diagnosed before the shot but since she had issues with fluid. She also may need a pacemaker.

Spoken to a friend who had her first shot... she ended up in hospital had to call an ambulance cause she was so scared of the reaction she had. Shes currently scared of getting the 2nd shot and doesnt know what to do x

I just found you from Just the Inserts. My husband is a teacher and they just had a big push in his district for the vaccine and a bunch of teachers (honestly the majority of the district + subs) got the 2nd shot all the same time(Wednesday I believe). So many of the teachers are now sick that they are having to split classes with the remaining teachers that didn't get the shot. My husband didn't get the shot, nor will he. I had covid in December and he, nor any of our children got it.

Hi,

My mother in law had the first dose of the Covid vaccine on a Sunday and the next day she passed out. She was taking to the ER with a 200 high blood pressure and they found out a blood clot in her brain that

The doctors of course said that stroke was unrelated to the vaccine.

There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh)







3

dreading seeing posts like this I knew it was coming

It's shocking isn't it... it didn't help those residents at all. And the ones who died where the ones you would least expect.

Thankfully I didn't get the vaccine and I wasn't pressured into either... people make comments like it's selfish for us not to have as it were looking after vulnerable people... I think that's ridiculous. It doesn't stop any transmission at all, it doesn't cure it, and it barely helps people!




Double-tap to like

During a CrossFit class I was participating in. one of the athletes, a 20 something year old, fit, female athlete sat down beside me on a rower and informed me she had just received her 2nd COVID vaccination that morning. Everything seemed fine until a few minutes after completing the work out where she proceeded to go to the bathroom and upon coming out, her eyes had become red and swollen. She immediately called the location where she had received her vaccination with no response. As minutes ticked by, her eyes continued to swell up. One of our coaches got her a couple of ice packs to put over her eyes. We asked if she had any history of allergies, she had none. By the time she had called her best friend to come pick her up, her eyes were nearly swollen shut. Before leaving, she stated, "don't get the covid shots."

We are still waiting to hear more information about her at this point.

3:37 PM

Update: She went to ER. Her white blood cell count came back low and she went into kidney failure. No prior health issues. Is going to be seeing a specialist.



I was talking with my coworker one day who asked me if I was going to get the vaccine and I said absolutely not, I'm not a guinea pig. She replied with , "that's a smart decision. I got mine and felt like it gave me covid. I wouldn't do it again if I could go back ."

Hello, please keep my message completely anonymous but feel free to share on your story / posts.

My next door neighbour passed away last week 24 hours after having the covid vaccine. We're unsure which of the vaccines he had but we're based in the UK.

He was a 73 year old man who was fit and active, he did, however, have some underlying health problems.

We were told by his now widowed wife that the cause of death was "bleed on the brain".





CAPE TOWN - "I have been experiencing headaches, severe muscle pain and fatigue since I received the Johnson Johnson vaccine on February 24," said a Western Cape healthcare worker, who spoke to IOL on condition of anonymity.

The healthcare worker also claimed she had to pay out of her own pocket to visit a doctor after experiencing adverse side effects lasting longer than the normal 2-3 days.

"My GP had to prescribe me oil which I need to take daily or won't get through the day and 2 Panados 3 times a day just to survive. How are they doing research if they are not listening to people who got the vaccine?."

However, according to co-principal investigator of the Johnson&Johnson implementation study, Professor Glenda Gray, some of the severe allergic reactions could have been avoided if healthcare workers were forthcoming about their allergies.

"A lot of healthcare workers are scared that we are going to withhold the vaccine and so they don't tell us and it's always a catastrophe afterwards. We do need to know if you have allergies, so we can manage the vaccine with you," said Gray during the Desmond Tutu Health Foundation webinar on Saturday.

"We are not going to withhold a vaccine. We would rather work with you to do it properly and we have had some people, who have had severe allergies who called us before they got the vaccine. We were able to manage that whole process much better. Don't be scared to tell us if you have had any severe allergies from vaccines."

Speaking at the same webinar, Dr Simbarashe Takuva revealed out of the 145 215 (as of 12 February) vaccinations, about 3 030 adverse events had been reported.

Takavu said some of the common adverse effects reported in the Sisonke implementation study included a small swelling, redness, induration/hardness and a rash. He said they had not seen any adverse events that were of concern.

There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh)

## Criminal Investigation

**NEW YORK POST** 

a

NEWS













Italy opens manslaughter case after teacher dies hours after getting AstraZeneca vaccine

By Lee Brown

March 16, 2021 | 8:32am | Updated



Prosecutors in Italy have launched a manslaughter investigation after a music teacher there died hours after getting the controversial AstraZeneca COVID-19 vaccine.

Sandro Tognatti, 57, got jabbed in his hometown of Biella on Saturday afternoon and went to bed that night with a high fever, his wife, Simona Riussi, told Italian media.

She called an ambulance the next morning but the clarinetist could not be saved, she said.

Prosecutors in the northern Italian region of Piedmont opened the probe into his death later that day, according to the Italian wire service Agenzia Nazionale Stampa Associata (ANSA).

They also seized nearly 400,000 shots of the AstraZeneca vaccine from the same batch.

So far, officials have insisted there has yet to be a direct link between Tognatti's death and his shot.

The criminal investigation is to be "completely sure" that the death "cannot be attributed to the above-mentioned inoculation," prosecutor Teresa Angela Camelio said in a statement.


Italy on Monday joined a growing group of mostly European nations temporarily suspending the UK vaccine amid alarming reports of blood clots in some participants.

They were joined Monday by France and Germany, with the likes of Ireland, Denmark, Norway, the Netherlands, Bulgaria, Luxembourg and Thailand having already suspended its use.

AstraZeneca — which developed the shot with Oxford University — says the vaccine is safe, an assertion backed up by the World Health Organization.

The vaccine has yet to be approved for use in the US — but the drugmaker is reportedly pushing for emergency-use approval by the end of this month.

# **Stories from Facebook**



UPDATE: Facebook has hidden some of these pictures, too graphic!!!!!

NOW, AFTER 2 WEEKS OF SITTING HERE, FACEBOOK IS THREATNING TO PUT ME IN FACEBOOK JAIL FOR 3 DAYS FOR POSTING THESE PICTURES! WHY!? NO BLOOD, NO PRIVATE PARTS... WHAT THE HECK! HOW IS THIS BREAKING COMMUNITY STANDARDS?????

I'm so worried, my daughter got the first Pfizer jab and this is what happened over night, notice how it started as blisters and now is like itchy, swolen, leather... she's not getting the second jab, thank goodness... but OMG, look how stolen her feet are!!!!



Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh)

For information about vaccines, visit https://vaccine.guide.












There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh)

46











Yet another night of crap. On the strongest dose of sodium valporate known to man. Been off the drink for a very long time I don't do drugs. Got out the shower and thats all I remember apart from waking up a few minutes later face down by the loo. I tell you an inch closer and I could have killed myself. And to top it off ended up in the Royal free as I was coming back from the shop... an again that's all remember apart from my neighbour came out of this door and saw me having another fit. Now I'm fucking wide awake. I suppose I'm going on of a shit downer things could be worse. Had my covid vaccination last week so still here at least I'm not on a ventilator.





Update on my daughter after her horrid reaction to the first Pfizer jab... she's responding to cellulitis treatment... sure hope she is ok long term and relieved that she isn't interested in having a baby, because that window is most likely shut now... I guess we wait, watch and pray!





# Pfizer Public Assessment Report March 9th, 2021



#### Other toxicity studies

No such studies have been done.


#### **Toxicity conclusions**

The absence of reproductive toxicity data is a reflection of the speed of development to first identify and select COVID-19 mRNA Vaccine BNT162b2 for clinical testing and its rapid development to meet the ongoing urgent health need. In principle, a decision on licensing a vaccine could be taken in these circumstances without data from reproductive toxicity studies animals, but there are studies ongoing and these will be provided when available. In the context of supply under Regulation 174, it is considered that sufficient reassurance of safe use of the vaccine in pregnant women cannot be provided at the present time: however, use in women of childbearing potential could be supported provided healthcare professionals are advised to rule out known or suspected pregnancy prior to vaccination. Women who are breastfeeding should also not be vaccinated. These judgements reflect the absence of data at the present time and do not reflect a specific finding of concern. Adequate advice with regard to women of childbearing potential, pregnant women and breastfeeding women has been provided in both the Information for UK Healthcare Professionals and the Information for UK recipients.

#### 3.5 Ecotoxicity/Environmental Risk Assessment

It is agreed that, in accordance with CHMP guidance

# FDA "Gene Therapy" Definition And Moderna & BioNtech's SEC Filings



#### BioNtech's SEC Filing Source: https://www.sec.gov/Archives/edgar/data/1776985/0001193 12519241112/d635330df1.htm

Application, or MAA, to the EMA, and similar marketing applications to comparable global regulatory authorities, for each product candidate and, consequently, the ultimate approval and commercial marketing of any product candidates.


Failure to obtain marketing approval for a product candidate will prevent us from commercializing the product candidate in a given jurisdiction. We have not received approval to market any biopharmaceutical product candidates from regulatory authorities in any jurisdiction, and it is possible that none of our product candidates, or any product candidates we may seek to develop in the future, will ever obtain regulatory approval. We have limited experience in filing and supporting the applications necessary to gain marketing approvals and may need to rely on third-party contract research organizations, or CROs, regulatory consultants or collaborators to assist us in this process. To our knowledge, there is no current precedent for an mRNA-based immunotherapy such as the type we are developing being approved for sale by the FDA, European Commission or any other regulatory agency elsewhere in the world. Although we expect to submit BLAs for our mRNA-based product candidates in the United States, and in the European Union, mRNA therapies have been classified as gene therapy medicinal products, other jurisdictions may consider our mRNA-based product candidates to be new drugs, not biologics or gene therapy medicinal products, and require different marketing applications. Securing regulatory approval requires the submission of extensive preclinical and clinical data and supporting information to the various regulatory authorities for each therapeutic indication to establish the product candidate's safety and efficacy. Securing regulatory approval also requires the submission of information about the product manufacturing process to, and inspection of manufacturing facilities by, the relevant regulatory authority. Any product candidates we develop may not be effective, may be only moderately effective, or may prove to have

21

Shortened Link: https://bit.ly/3cwKEOL

## BioNtech's SEC Filing Source:

https://www.sec.gov/Archives/edgar/data/1776985/0001193 12519241112/d635330df1.htm



Shortened Link: https://bit.ly/3cwKEOL

#### Moderna's SEC Filing Source: https://www.sec.gov/Archives/edgar/data/1682852/0 00168285220000017/mrna-20200630.htm

medicine uneconomical or noncompetitive with other therapies;

65

#### **Table of Contents**

- failure to timely advance our programs or receive the necessary regulatory approvals or a delay in
  receiving such approvals, due to, among other reasons, slow or failure to complete enrollment in
  clinical trials, withdrawal by trial participants from trials, failure to achieve trial endpoints, additional
  time requirements for data analysis, data integrity issues, Biologics License Application, or BLA, or
  the equivalent application, discussions with the FDA or EMA, a regulatory request for additional
  nonclinical or clinical data, or safety formulation or manufacturing issues may lead to our inability to
  obtain sufficient funding; and
- the proprietary rights of others and their competing products and technologies that may prevent our mRNA medicines from being commercialized.

Currently, mRNA is considered a gene therapy product by the FDA. Unlike certain gene therapies that irreversibly alter cell DNA and could act as a source of side effects, mRNA-based medicines are designed to not irreversibly change cell DNA; however, side effects observed in gene therapy could negatively impact the perception of mRNA medicines despite the differences in mechanism. In addition, because no product in which mRNA is the primary active ingredient has been approved, the regulatory pathway for approval is uncertain. The number and design of the clinical trials and preclinical studies required for the approval of these types of medicines have not been established, may be different from those required for gene therapy products, or may require safety testing like gene therapy products. Moreover, the length of time necessary to complete clinical trials and to submit an application for marketing approval for a final decision by a regulatory authority varies significantly from one pharmaceutical product to the next, and may be difficult to predict.

Shortened Link: https://bit.ly/2NitVGl

## Moderna's SEC Filing Source:

https://www.sec.gov/Archives/edgar/data/1682852/0 00168285220000017/mrna-20200630.htm


a sec.gov UNITED STATES SECURITIES AND EXCHANGE COMMISSION Washington, DC 20549 FORM 10-Q (Mark One) ☑ QUARTERLY REPORT PURSUANT TO SECTION 13 OR 15(d) OF THE SECURITIES EXCHANGE ACT OF 1934 For the quarterly period ended June 30, 2020 ☐ TRANSITION REPORT PURSUANT TO SECTION 13 OR 15(d) OF THE SECURITIES EXCHANGE ACT OF 1934 For the transition period from to Commission File Number: 001-38753 moderna Moderna, Inc. (Exact Name of Registrant as Specified in Its Charter) Delaware 81-3467528 (State or Other Jurisdiction of Incorporation or (IRS Employer Identification No.) Organization) 200 Technology Square 02139 Cambridge, Massachusetts (Address of Principal Executive Offices) (Zip Code) (617) 714-6500 (Registrant's Telephone Number, Including Area Code)

Shortened Link: https://bit.ly/2NitVGl





As the kids say, lolcatz. Though Moderna avoids calling what it does gene therapy (in part because regulators historically look harder at gene therapy than other biologics), the scientific literature is less discreet. Katalin Kariko invented the idea back in 1990; she would know.



4:57 PM · 3/14/21 · Twitter for iPhone

## 





Contents lists available at S

### European Journal of Pharmaceutic

journal homepage: www.elsevi

Review article

### Current prospects for mRNA gene delivery

Ayako Yamamoto a,1, Michael Kormann a,1, Joseph Roseneck

#### ARTICLE INFO

Article history: Received 13 November 2007 Accepted in revised form 2 September 2008 Available online xxxx

Keywords: Gene therapy Gene delivery mRNA

#### ABSTRACT

Replication-deficient viruses have be their high transfection efficiency. unwanted immune responses remain vectors have been intensively invealthough their gene transfer efficiency dominately attributed to the insuffici RNA (mRNA) has recently emerged a ery field. This strategy combines seve is a major obstacle for pDNA, can be risk of insertional mutagenesis can be omitted; (iv) repeated application is vector-induced immunogenicity may of mRNA gene delivery and discuss i

#### 1. Introduction

Gene transfer vehicles based on mRNA have emerged as attractive alternatives to vehicles made of DNA for the potential treatment of genetic disorders or (anti-tumor) vaccination [1–4]. Its successful application has been demonstrated in cancer immunotherapy [5,6], not only because it is possible to deliver all epitopes of entire antigens in one step together but manipulation as well as purification are rather simple, too. In addition, this strategy has several advantages in terms of pharmaceutical safety because mRNA does not integrate into the genome and the transfection re-

to 95% transf most nucle expre

Th nonvi mRN/ tions transo TLR3,












<sup>&</sup>lt;sup>a</sup> Department of Pediatrics, Ludwig-Maximilians, University, Munich, Germany


<sup>&</sup>lt;sup>b</sup> Department of Pharmacy, Free University of Berlin, Berlin, Germany



apologize for the inconvenience.



In vitro–transcribed mRNA (IVT mRNA) is emerging as a new class of drug that has the potential to play a role in gene therapy that once was envisioned for DNA.<sup>1</sup> Although first described as a therapeutic in 1992,<sup>2</sup> IVT



There are currently no FDA approved COVID-19 vaccines on the ma Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r2 For information about vaccines, visit https://vaccine.guide.

)



LOGIN / REGISTER Q





#### The Beneficial Aspects of mRNA-based Gene Transfer

Synthetic mRNA has emerged as an efficient gene transfection tool, and a wide range of therapeutic applications have been developed (17). Prolonged intracellular persistence of mRNA is a basic prerequisite for synthetic mRNA to be effectively used in gene therapy. mRNA-based gene have significantly enhanced translational efficience of foreign mRNA in host cells, mainly owe to the discovery of 5'mRNA anti-reverse cap analogs (ARCA), the insertion of additional untranslated regions, and poly(A) tails (15, 18-20). To summarize, compared with pDNA delivery in gene therapy, mRNA-based gene treatment has more significant virtues: (i) pDNA is translated into the nucleus and



LOGIN / REGISTER Q





## **Therapeutic** Prospects of mRNA-**Based Gene Therapy** for Glioblastoma

V' ' T 1274 CI '

	Xiang	jun Tang 12.31	, Snenqi
Zh	ang¹†,	Rui Fu²,	Li Zhang <sup>2</sup> ,
	Kuanı	ming Huang	², 🔔 Hao
Per	ng², 🔝	Longjun Da	ai <sup>2,4*</sup> and
Qia	anxue	Chen¹*	
<sup>1</sup> De	partmer	nt of Neurosurg	gery, Renmin
Hos	spital of	Wuhan Univers	sity, Wuhan, China
<sup>2</sup> Department of Neurosurgery, Taihe			
Hos	spital, H	ubei University	of Medicine,
Shiy	yan, Chi	na	
<sup>3</sup> Department of Neurosurgery, Affiliated			
Hospital of Xi'an Jiaotong, University Health			
Scie	ence Ce	nter, Xi'an, Chir	na
<sup>4</sup> Department of Surgery, University of British			

There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh) For information about vaccines, visit https://vaccine.guide.

Columbia, Vancouver, BC, Canada

# Marvin Hagler Dies at 66 Post Vaxx



#### heavy.

Q

Heavy.com > Sports > Heavy on UFC

## Controversy Rages After Death of Boxing Legend [LOOK]

2K Views 18 Shares

By Kelsey McCarson Updated Mar 13, 2021 at 11:52pm



Boxing legend Marvelous Marvin Hagler died on Saturday, March 13, at age 66 according to a post made by Hagler's wife Kay on the boxing champ's official Facebook fan club page. The news was later confirmed by the Associated Press.

Hagler was one of the most celebrated fighters in boxing history, but a post on Instagram made by one of Hagler's biggest boxing rivals has caused a major controversy to rage across the internet about the former middleweight champion's death.

About an hour before Hagler's death was announced, Thomas "Hitman" Hearns postec,



View Profile

thomashitmanhearns O

28.4k followers

View More on Instagram


00

U

4,355 likes

thomashitmanhearns

A real true warrior Pray for the king and his family.. he's in ICU fighting the after effects of the vaccine! He'll be just fine but we could use the positive energy and Prayer for his Full Recovery!



## News Coverage of Haley Link Brinkmeyer



A physical therapist died at her home in January just two days after she received a COVID-19 vaccine.

Haley Link Brinkmeyer, 28, died January 21 after she received an mRNA shot believed to be either the Pfizer/BioNTech or Moderna vaccine, according to the COVID Blog.

The blog, which is operated by COVID Legal USA, aims to publish articles that minimize the effectiveness of masks and vaccines amid the pandemic and helps people file litigation against companies enforcing mandatory vaccine policies.

Brinkmeyer's death shocked her family, her mother Shauna O'Neill Link told the blog.

In what appears to be a Facebook comment to another user, Link allegedly spread conspiracy theories that the vaccine was created for 'depopulation.'

'My 28 year old daughter took the vaccine on a Tuesday and she was dead by Thursday,' Link allegedly said in the comment, which was shared by the blog.



Haley Link Brinkmeyer, pictured with her husband, died January 21 after she received an mRNA shot believed to be either the Pfizer/BioNTech or Moderna vaccine



'We will put our faith in God to give us strength as we try to understand why. Please pray for Haley and Evan and their families. Lastly if you have kids give them a hug today and tell them you love them.'


The young physical therapist worked at North River Health Campus, a senior living community in Evansville, Indiana, the blog reported.

North River Health Campus posted photos and a message about COVID vaccines to Facebook on January 20, around the same time she got the shot, according to the blog.

'Appropriately themed "Shots of Hope," our halls were adorned with all of the colors of the rainbow. Residents and staff alike rolled up their sleeves to do their part to slow the spread of this terrible virus, the senior living center captioned the post.

It was not immediately clear if Brinkmeyer received the jab at that time.

According to her obituary, the family asked for to donations to The Haley Link Brinkmeyer Foundation - created to provide assistance and medicine for diabetes patients.



Link's Facebook account appears to have since been deleted. DailyMail.com has reached out to Brinkmeyer's husband, Evan Brinkmeyer, for more information and additional comment.

Brinkmeyer met her husband while attending Reitz High. The high school sweethearts were crowned homecoming king and gueen and were married for two years.

She graduated from University of Evansville in 2018 with a doctorate in physical therapy and was a member of AOII Sorority, according to her obituary.



Haley Link (center left) with husband Evan Brinkmeyer (by her side in orange shirt) and her mom Shauna O'Neill Link

'Our hearts have been broken upon the passing of Evan's wife and high school sweetheart Haley Link Brinkmeyer. No words can express the depths of the loss being felt by Haley and Evan's families,' father-in-law James Brinkmeyer posted on Facebook.

#### **READ THE CAPTION**

### 3/12 VAERS Update

Event Category	Vaccine	⇒ Events Reported 🔠	Percent (of 14 31,079)
<b>Death</b>	COVID19 (COVID19 (MODERNA)) (1201)	712	2.29%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	833	2.68%
	COVID19 (COVID19 (UNKNOWN)) (1202)	6	0.02%
	Total	1,551	4.99%
Life Threatening	COVID19 (COVID19 (MODERNA)) (1201)	497	1.60%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	607	1.95%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.00%
	Total	1,105	3.56%
Permanent Disability	COVID19 (COVID19 (MODERNA)) (1201)	294	0.95%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	359	1.16%
	Total	653	2.10%

## March 5th

Event Category	Vaccine	⇒ Events Reported 🔠	Percent (of 19 19 25,212)
Death	COVID19 (COVID19 (MODERNA)) (1201)	578	2.29%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	699	2.77%
	COVID19 (COVID19 (UNKNOWN)) (1202)	5	0.02%
	Total	1,282	5.08%
Life Threatening	COVID19 (COVID19 (MODERNA)) (1201)	410	1.63%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	500	1.98%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.00%
	Total	911	3.61%
Permanent Disability	COVID19 (COVID19 (MODERNA)) (1201)	228	0.90%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	272	1.08%
	Total	500	1.98%

### January 29th

Event Category	Vaccine	⇒ Events Reported 🔠	Percent ← (of ↑↓ 9,845)
Death	COVID19 (COVID19 (MODERNA)) (1201)	118	1.20%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	213	2.16%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.01%
	Total	332	3.37%
Life Threatening	COVID19 (COVID19 (MODERNA)) (1201)	103	1.05%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	170	1.73%
	Total	273	2.77%
	COVID19 (COVID19 (MODERNA)) (1201)	38	0.39%
Permanent Disability	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	68	0.69%
	Total	106	1.08%

## February 12th

Event Category	Vaccine	⇒ Events Reported 🏕	Percent (of 12,697)
Death	COVID19 (COVID19 (MODERNA)) (1201)	271	2.13%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	387	3.05%
	COVID19 (COVID19 (UNKNOWN)) (1202)	2	0.02%
	Total	660	5.20%
Life Threatening	COVID19 (COVID19 (MODERNA)) (1201)	201	1.58%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	270	2.13%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.01%
	Total	472	3.72%
Permanent Disability	(COVID19 (COVID19 (MODERNA)) (1201)	89	0.70%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	124	0.98%
	Total	213	1.68%

# February 19th

Event Category	Vaccine	⇒ Events Reported 🎁	Percent ← (of 15,923)
Death	COVID19 (COVID19 (MODERNA)) (1201)	382	2.40%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	559	3.51%
	COVID19 (COVID19 (UNKNOWN)) (1202)	4	0.03%
1	Total	945	5.93%
Life Threatening	COVID19 (COVID19 (MODERNA)) (1201)	271	1.70%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	353	2.22%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.01%
	Total	625	3.93%
Permanent Disability	COVID19 (COVID19 (MODERNA)) (1201)	136	0.85%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	190	1.19%
	Total	326	2.05%

# February 26th

Event Category	Vaccine	⇒ Events Reported 🏕	Percent (of 19,907)
Death	COVID19 (COVID19 (MODERNA)) (1201)	475	2.39%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	631	3.17%
	COVID19 (COVID19 (UNKNOWN)) (1202)	5	0.03%
	Total	1,111	5.58%
Life Threatening	COVID19 (COVID19 (MODERNA)) (1201)	344	1.73%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	425	2.13%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.01%
	Total	770	3.87%
Permanent Disability	COVID19 (COVID19 (MODERNA)) (1201)	184	0.92%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	231	1.16%
	Total	415	2.08%

## February 8th

Event Category	Vaccine	⇒ Events Reported ᡝ	Percent ← (of ↑↓↓ 11,249)
Death	COVID19 (COVID19 (MODERNA)) (1201)	206	1.83%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	298	2.65%
	COVID19 (COVID19 (UNKNOWN)) (1202)	2	0.02%
	Total	506	4.50%
Life Threatening	COVID19 (COVID19 (MODERNA)) (1201)	153	1.36%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	231	2.05%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.01%
	Total	385	3.42%
Permanent Disability	COVID19 (COVID19 (MODERNA)) (1201)	62	0.55%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	99	0.88%
	Total	161	1.43%

# January 28th

Event Category	Vaccine	⇒ Events Reported 🔠	Percent  (of 14 7,844)
	COVID19 (COVID19 (MODERNA)) (1201)	64	0.82%
Death	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	118	1.50%
	Total	182	2.32%
Life Threatening	COVID19 (COVID19 (MODERNA)) (1201)	58	0.74%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	115	1.47%
	Total	173	2.21%
	COVID19 (COVID19 (MODERNA)) (1201)	20	0.25%
Permanent Disability	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	46	0.59%
	Total	66	0.84%

# February 19th

Event Category	Vaccine	⇒ Events Reported 🖜	Percent ← (of ↑↓ 15,923)
Death	COVID19 (COVID19 (MODERNA)) (1201)	382	2.40%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	559	3.51%
	COVID19 (COVID19 (UNKNOWN)) (1202)	4	0.03%
	Total	945	5.93%
Life Threatening	COVID19 (COVID19 (MODERNA)) (1201)	271	1.70%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	353	2.22%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.01%
	Total	625	3.93%
Permanent Disability	COVID19 (COVID19 (MODERNA)) (1201)	136	0.85%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	190	1.19%
	Total	326	2.05%

#### **Stories from Facebook**





UPDATE. After 5 days of abdominal cramping, I went to the doc and was diagnosed with a UTI and given antibiotics. I don't know if I had a mild UTI before I got the first shot. If I had known, I would've gotten the shot later. I think that my immune response exacerbated the UTI symptoms. If this isn't cleared up by my second shot appointment, I will postpone it.

\*\*\*\*\*\*\*\*\*\*

Thanks for adding me to this group. I live in rural Northern California. The vaccine that is being distributed in our community is the Moderna vaccine. We don't have a choice in vaccine manufacturers. I received my first shot last Saturday. Within 10 minutes of getting the shot, I felt flush, my face became beet red, but, I had no other issues. That night, I had a sore arm and really nothing else of note. The next day was pretty much the same except I was a bit fatigued, not the usual energy level at all which was expected. However, by Monday morning I started feeling lower abdominal pressure which manifested into horrible abdominal cramping. This continued throughout the day and by evening, culminated into a pulse rate of 122, BP of 154/85 and a temp of 101.1 (my base body temp is 96.7). I deliberated going to the ER because of the abdominal cramping and extreme tenderness when palpating my lower left abdomen. But, I decided to tough it out and tried to sleep. I developed a horrible headache that spanned across my forehead; that's when I decided to take two Tylenol. I was finally able to sleep. I woke up drenched in sweat. My vitals were normal. However, I still have abdominal tenderness and discomfort. When I eat, especially. Has anyone else experienced the same side effects,? I am concerned because, previous to this

There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh)

For information about vaccines, visit https://vaccine.guide.



I have had the Pfizer vaccine. The first dose on 13/1, no side effects at the time, just a bit of a sore arm for 24 hours. 13 days post vaccine I developed a bad headache on right side, 16 days post vaccine got a rash on right forehead/temple, 18 days post vaccine developed a facial swelling on right cheek in front ear. I sought advice from a doctor today and was immediately diagnosed with shingles. It seems too much of a coincidence as I am fit and healthy, age 55, have only had one day off work sick in 5 years, no underlying health conditions ,and no new stress. My GP told me it is likely the vaccine reactivated dormant varicella-voster virus in my spine. I wondered if anybody else has been diagnosed with shingles post-vaccine?





Anyone else here had a signicantly bad reaction to the Pfizer Vaccine?

I had a severe allergic reaction to Pfizer vaccine, no past reactions to various past/regular vaccines. I'm on Day 18 after dose 1 and still VERY ill w/nothing that really helps OTC fir my many symptoms: runny nose, congestion/cough, wheezing, shortness of breath, fatigue/exhaustion, feeling feverish (very low grade fever), triggered constant mild migraine since shot. nauseau, diarrhea, face rash (resolved) but feels like face burning/hypersensitive, minor body aches (worse before), itchy eyes/inner ears/throat, sinus pain and insomnia. No issues w/injection site. I've had 2 COVID tests, flu and strep tests (all negative) and an allergy consult thru work (useless) since that's how I got vaccine. My PCP is tracking symptoms, making reccs as best she can, and this is all so new for everyone. I'm quite scared to get my second dose in 3 days and am advised to do so and plan to since I already started. I'm very worried I'll get even sicker, aside from missing more work. This is all incredibly stressful and so unpredictable! Any thoughts/ideas are appreciated.



Minnie Jay shared her first post.

₩ New Member · 6d · 🖪

Hi, I had my first dose of the Astra Zeneca vaccine yesterday. I was fine initially, but as time went on, symptoms began to develop and were at their worst during the night.


I keep fluctuating between being too hot and too cold, shaking uncontrollably and the arm that was injected feels very sensitive and sore, I can't touch it or bear weight on it without pain. I had a pervasive, visceral headache all night but luckily now it comes and goes. Cold/flu like symptoms are fairly common so it didn't surprise me too much.

There is one symptom that concerned me because I haven't seen it listed anywhere or heard of anyone else getting it after the vaccine. It was a very strong tingling sensation in my chest, a bit like bugs crawling beneath it and it lasted for many hours, accompanied by palpitations and temporary shortness of breath. I've had uncomfortable chest sensations before in the past from anxiety or panic attacks, and unrelated chest pains, but this felt completely different and not like anything I have experienced before. It's hard to accurately describe. It wasn't painful as such, but it was genuinely frightening. I usually have a high tolerance to physical discomfort due to chronic pain and Cerebral Palsy, but this had me scared and in tears. Fortunately, this has subsided today and I hope it stays that way.

Has anyone else experienced this or other, related strange side effects at all?



6 Comments





Dayna Ward asked a question 🛭 .



New Member · Feb 7 · 🖪

I received my second dose this past Monday at 11am, by 4om tiredness hit, went home slept until noon on Tuesday, felt brain fog, extreme exhaustion, dizzy, headache nausea, achy, chills, fever, slept until Wednesday around 2pm, tired but thought I was past the worst part, went to work Thursday, tired but I expected that. Woke up Friday very feverish, achy, ate and threw it up, was nausea all day all night, Dr. gave me anti nausea medicine, Saturday all day in bed, today, Sunday, feeling extreme exhaustion, but no nausea. Disclosure - I have ulcerative colitis but in compete remission and no steroids for treatment. I was expecting a couple of days of effects, but it's nearly been a week. Anyone else experience my side effects?



9 Answers







Karen Engmann Tucker shared her first post.

1st Moderna vaccination at 11a. By 11:30a felt wobbly (not dizzy) when walking & standing. My cognitive ability to think & reason was gone! It felt like empty space in my brain. I fought to hold my eyelids open. By noon I couldn't hold my eyelids open any longer & fell into a deep sleep for 3 hours. Woke up feeling foggy brained & groggy & my eyes felt like they were bulging. At 3am, 16 hours after receiving the shot my throat felt thick, dry & very difficult to swallow. I ended up in the ER. ER doctor said my tonsils were swollen & tested me for strepp which came back negative. I didn't have a sore throat but my tonsils were swollen. I haven't had swollen tonsils in 30 years so I know it was my body's reaction to the vaccine. I was given Allegra & an injection of benedryl at the hospital. My swollen tonsils went down shortly after receiving meds & was sent home. Headache followed which lasted a day. Wobbliness lasted 3 days. I will not be getting the second dose.



There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh)



#### Becky Ann shared her first post.

₩ New Member · Feb 8 · 🖪

Had my first vaccine OXFORD on Wednesday the 3rd of feb.

I have an immune deficiency and bronchiectasis.

Felt achy and tired and that was it.

Last night my vision went and I could only see partially, followed by flashing. Called the ambulance and have to have tests for a mini stroke!

Now something doesn't feel right!



42 Comments

...



Like ל'ח





Send





Hello! I received my 1st dose of Pfizer on Jan 7 and had mostly arm pain and light malaise and headache that completely resolved by Jan 9. My arm was so painful the 2nd day that my daughter had to put my hair in a ponytail for me. Had my 2nd Pfizer vaccine yesterday, Jan 29. Almost immediately I started experiencing a metallic taste in my mouth that has persisted- now over 24 hours. About 10 hours after vaccine I started feeling headache, body ache, increased arm soreness, fatigue, malaise, and some perceptual disorientation. Waking up today with arm soreness, fatigue, and metal taste in my mouth.

I kept hunting to see if anyone else had had these experiences - the disorientation especially concerning once we start vaccinating more broadly - people should know if they shouldn't be flying planes, driving busses etc within a period of time after vaccination.


The metal taste is irritating. I would say it has dissipated a little since last night.


Anyone else have similar experiences?

<b>₩</b> 😥 17		34 Comments
Like	Comment Comment	Send

#### Virginia Beth Ellington Mother of @beccaingle











#### AstraZeneca Withdrawn from Use in 5 Countries





in Europe prompt investigation into Oxford-AstraZeneca vaccine

Austria and Italy have stopped using a batch of the jab, while Denmark, Iceland and Norway have halted use of the vaccine.

By Amy Coles, news reporter

(1) Thursday 11 March 2021 14:58, UK

There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh)

For information about vaccines, visit https://vaccine.guide.

Boris Johnson has previously said he is "very confident" about all the vaccines being used and that he has "no doubt that vaccines generally are going to offer the way out" of the pandemic.

An AstraZeneca spokesperson said "Patient safety is the highest priority for AstraZeneca.

"Regulators have clear and stringent efficacy and safety standards for the approval of any new medicine, and that includes COVID-19 Vaccine AstraZeneca.

"The safety of the vaccine has been extensively studied in Phase III clinical trials and Peer-reviewed data confirms the vaccine has been generally well tolerated."

Oxford University declined to comment on the reports.

"It is currently not possible to conclude whether there is a link. We are acting early, it needs to be thoroughly investigated," Danish health minister Magnus Heunicke said on Twitter.

Søren Brostrøm, director of the National Board of Health, added: "It is important to emphasise that we have not opted out of the <u>AstraZeneca</u> vaccine, but that we are putting it on hold.

Professor Anthony Harnden, from the Joint Committee on Vaccinations and Immunisations, told Sky News there is no reason to doubt the safety of the jab in the UK.

He said: "People shouldn't be worried, we have given 11 million doses and our regulator reviews the safety reports as they come in."

He said evidence to suggest there was more instances of blood clots in the vaccinated population, than the general population "just isn't there".

"So far, no causal relation between the vaccine and the blood clot events has been established," Ms Darias said, adding that the European regulator is evaluating the situation.

Professor Stephen Evans from the London School of Hygiene and Tropical Medicine said: "The problem with spontaneous reports of suspected adverse reactions to a vaccine are the enormous difficulty of distinguishing a causal effect from a coincidence.

"This is especially true when we know that <u>COVID-19</u> disease is very strongly associated with blood clotting.

"A sensible approach is to investigate and be sure that the benefit and risk balance is in favour of the vaccine."

European countries - including Denmark, Norway, Austria, Italy and Iceland - have suspended use of the Oxford-AstraZeneca jab after reports of blood clots in vaccinated people.

The European Medicines Agency is now launching an investigation but at present there is no firm evidence to suggest the two are linked and incidents of clotting have not been reported in the UK.

Denmark, Norway and Iceland have suspended the rollout of the vaccine, while Italy and Austria have stopped using a certain batch as a precaution.

The Danish Health and Medicines Authority said the rollout out of the jab would be paused for at least 14 days while investigations are carried out. They did not say how many reports of blood clots there had been.

He added it is already known that COVID can cause "quite severe blood clots".

And Dr Phil Bryan, MHRA Vaccines Safety Lead said: "The Danish authorities' action to temporarily suspend use of the vaccine is precautionary whilst they investigate.

"Reports of blood clots received so far are not greater than the number that would have occurred naturally in the vaccinated population."

It comes as Austrian authorities said they were halting the use of a batch of the vaccine after two people also developed clots.

The first person developed multiple thrombosis (formation of blood clots within blood vessels) and died 10 days after vaccination, while another was hospitalised with pulmonary embolism (blockage in arteries in the lungs) but is now recovering. Two further cases linked to the batch were also reported.

The affected batch of one million doses was delivered to 17 EU countries, the Austrian national competent authority said.

Italy has also banned the use of the same batch as a precaution, its medicines authority said on Thursday.

It is not likely to have been used in the UK, Sky's science correspondent Thomas Moore said.

As of 9 March, 22 cases of thromboembolic events had been reported among the three million people given the vaccine in the European Economic Area.

There have been reports in Estonia, Lithuania, Luxembourg, Latvia - but not at a higher rate than would be expected in the general population. These nations have stopped inoculations from the batch while investigations continue.

Spain has not registered any such cases and will continue administering the shots, health minister Carolina Darias said on Thursday.

The AstraZeneca rollout in the EU has been bumpy due to shortages, delays and <u>concerns from some</u> states over its use in over 65s.

The vaccine was approved for all adults by the EU's drugs regulator but it is up to each member to set out its own policy, with many initially saying an early trial did not have enough data on the effectiveness on over 65s.

In the UK, the AstraZeneca vaccine has helped the rollout progress at speed since it began being used alongside the Pfizer vaccine in January, with 22,809,829 people now given a first jab.

#### Nursing Home Outbreak: 9 had both doses, 8 had 1 dose

#### **LOCAL NEWS**

#### 17 Brenham nursing home residents contract COVID-19 after getting shots

Brandon Walker, Reporter **Aaron Barker**, Senior Digital Editor

Published: March 9, 2021, 10:31 pm

Tags: Brenham, Coronavirus, Vaccine, Nursing Homes, Local



Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh)

For information about vaccines, visit https://vaccine.guide.

BRENHAM, Texas – Seventeen residents of a Brenham nursing home contracted coronavirus after being either partially or fully vaccinated against the virus with an inoculation created to prevent people from developing a severe illness.

Officials at Focused Care at Brenham said Tuesday that

nine of the 17 residents who have tested positive for

COVID-19 were fully vaccinated, while the remaining eight had received only the first of the two doses.

Nanette Riedell-Mendez said her 95-year-old mother, Francine Riedell, received her second dose of the Pfizer vaccine Jan. 28. She said she got a call March 1 from the nursing home telling her that her mother had tested positive. She said her mother collapsed Sunday and had to be hospitalized.

"She seems to be doing well," Riedell-Mendez said.

"Recuperating and she's not intubated. She's not on oxygen, from what I understand."

In addition to the residents, six staff members have also tested positive. Two of the six had received one dose, while a third had received both doses. The remaining three had not been vaccinated.

Δrl

Dr. Pedro Piedra, of the Baylor College of Medicine, said vaccines don't prevent infection, but they work hard at stopping people from getting seriously ill.

"It doesn't preclude you from getting infected, but the risks are considerably lower," Piedra said.

Piedra said that's what Pfizer's 95% efficacy rate measured.

#### Canadian Nursing Home Outbreak 82% of Residents Vaccinated



Two staff members and 10 residents have tested positive at the Cottonwoods long-term care facility in Kelowna, which has 221 publicly funded beds. Henry said that all staff and residents at the home were offered immunizations and that there was very high uptake of the vaccine. She said some of the cases were among people who had received two doses of the vaccine.

"This serves to remind us that, while we are confident vaccine is very effective and prevents severe illness and death, it doesn't necessarily mean that all transmission will be stopped."

Click here for more stories from CBC
 Kelowna

Henry added the province will give new guidance by the end of the month that will allow for increased visits at long-term care centres.

A new outbreak of COVID-19 has been declared at the Cottonwoods Care Centre in B.C.'s Interior Health region where staff and residents had already received vaccines, the provincial health officer announced Monday


The B.C. Centre for Disease Control has confirmed on its website that 82 per cent of residents had been vaccinated as of Feb. 15. The centre does not provide information about how many staff were immunized.

In a live news conference, Provincial Health Officer Dr. Bonnie Henry said being vaccinated doesn't mean transmission will be stopped and that precautions must remain in place for seniors and care homes.

"You can have transmission even when people are fully vaccinated," she said. "The illness seems to be milder and doesn't transmit as much [and we] won't see rapid explosive outbreaks."

There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh) For information about vaccines, visit https://vaccine.guide.

# Kassidi Kurill Autopsy Ordered













"Did the vaccine cause this? I think that would be very hard to demonstrate in autopsy," he said.

Erik can think of only one instance where you would see a vaccine as the cause of death on an official autopsy report and that would be in an immediate case of Anaphylaxis. One where a person received the vaccine and died almost instantaneously.

"Short of that" he said, "it would be difficult for us to definitively say this is the vaccine."

A more likely result, would be a lack of answers or an "incomplete autopsy."

The autopsy, he said, can provide answers to a family when no disease or red flags or found. As Erik explained, "that we don't see a competing cause of death." That lack of answers may help them understand if the vaccine was a possible cause.

There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh) For information about vaccines, visit https://vaccine.guide.



#### heavy.

2

Heavy.com > News > Breaking News

## How to Get a COVID-19 Vaccine at Target

11.9K Views · 2 Shares

By <u>Stephanie Dube Dwilson</u>
Updated Feb 25, 2021 at 2:06pm



There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh) For information about vaccines, visit https://vaccine.guide. any retail stores and pharmacies are starting to offer COVID-19 vaccinations. While some select Target stores are among those offering vaccinations, they are doing so in a different way than many other retail locations. Here is how you can schedule a COVID-19 vaccination at a Target location near you.

#### Select Target Stores Are Offering COVID-19 Vaccinations, But Only Through CVS

Unlike many other locations, you can't schedule a vaccination at a Target store directly on Target's website. You'll need to go through CVS.

#### Target Is Paying Frontline Employees to Get the Vaccine

Target, meanwhile, is paying its frontline employees to get the vaccine, the chain announced. Target is providing up to four hours of pay (two hours for each vaccine dose) to hourly team members who get the vaccine. They're also providing free Lyft rides up to \$15 each so members can get to and from their vaccine appointments.

Chief Human Resources Officer Melissa Kremer said in a statement: "Taking care of our team has been at the heart of every decision we've made since the coronavirus started, and this point in the pandemic is no different. As more vaccines become available, especially for frontline and essential workers, we'll help our team members across the country get the information and access they need. As we have for the past year, we'll continue to invest in our team's pay and benefits so they can take care of themselves, each other and our guests."

There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh) The vaccinations at Target are set up this way because the pharmacies that are at Target retail stores are all run by CVS. Because of this, CVS is handling Target's vaccinations rather than Target itself. In 2015, Target announced that CVS Health had acquired Target's pharmacy and clinic businesses and would be operating all of Target's instore pharmacies.

To find the closest CVS Pharmacy at a Target near you, you can check the locator <u>here</u>. However, not all of these locations are going to be distributing COVID-19 vaccines.

There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh) For information about vaccines, visit https://vaccine.guide. Target's COVID-19 page reads: "Target is working in close partnership with CVS to provide dressing rooms within our stores for CVS to administer coronavirus vaccines, following state and federal guidelines. Head to CVS.com to determine your eligibility and see if there's a location near you currently offering the vaccine."

#### Can I get a vaccine at my Target store?


Target is working in close partnership with CVS to provide dressing rooms within our stores for CVS to administer coronavirus vaccines, following state and federal guidelines. Head to CVS.com to determine your eligibility and see if there's a location near you currently offering the vaccine.

Target

There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh)

For information about vaccines, visit https://vaccine.guide.


# united states DAILY COVID-19 CASES



did the vaccines cause the decline?

swipe to find out

#### LET'S LOOK AT THE TIMELINE\*



Would vaccines be the cause for Covid-19 case decline in the United States if only 9.4% of Americans were fully vaccinated two months after the peak?

#### **RESOURCES**

Daily Trends in Number of COVID-19 Cases in the United States Reported to CDC

https://covid.cdc.gov/covid-data-tracker/#trends\_dailytrendscases

FDA Emergency Use Authorization Dates

https://www.fda.gov/emergency-preparedness-and-response/mcm-legal-regulatory-and-policy-framework/emergency-use-authorization #vaccines

Number of COVID-19 Vaccinations in the US

https://covid.cdc.gov/covid-data-tracker/#vaccination-trends

CDC statement: Two weeks after completing two-dose vaccination series

https://www.cdc.gov/coronavirus/2019-ncov/vaccines/fully-vaccinated.html

WHO PCR test cycling enforcement

https://www.who.int/news/item/20-01-2021-who-information-notice-for-ivd-users-2020-05

CDC reports: Americans just want their lives back

https://www.cdc.gov/coronavirus/2019-ncov/more/fully-vaccinated-people.html

9.4% of Americans are fully vaccinated against COVID-19

https://www.npr.org/sections/health-shots/2021/01/28/960901166/how-is-the-covid-19-vaccination-campaign-going-in-your-state

#### LET'S LOOK AT THE TIMELINE\*

Dec 11, 2020 Pfizer authorized for emergency use Dec 14, 2020 First COVID-19 vaccines administered Dec 18, 2020 Moderna authorized for emergency use Jan 4, 2021 Forty thousand Americans complete twodose vaccine series Jan 8, 2021 COVID-19 cases peak Jan 18, 2021 Per the CDC, the earliest those vaccinated with 2-doses would be considered "fully vaccinated" + protected Jan 20, 2021 World Health Organization enforces PCR test cycling limits

### **AU Health Minister Sick Post-Vaxx**



There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh)

For information about vaccines, visit https://vaccine.guide.

Federal Health Minister Greg Hunt will spend the night in hospital after being admitted with a suspected infection.

A brief statement from the minister's office said the 55-year-old would be kept overnight for observation and take antibiotics and fluid during his stay.

The Victorian Liberal MP is expected to make a full recovery, and his condition is not considered to be linked to him receiving the COVID-19 vaccine last month.

It comes as fellow federal ministers Christian Porter and Linda Reynolds are away on mental health leave amid separate rape allegation scandals.

Australian Associated Press

There are currently no FDA approved COVID-19 vaccines on the market.

Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh)

For information about vaccines, visit https://vaccine.guide.

# CDC: Fully vaccinated people can now meet without masks/social distancing!

Me: \*meeting without masks/social distancing for the past year\*



## Erik David Mueller, RN

Hey there my name is Erik Mueller and I am a registered nurse in upstate New York. I got COVID back in April 2020. Back in the Spring everyone seemed to be asking the question, "how long will people with COVID be protected with antibodies?"

Since then the narrative seems to be controlled with "getting the experimental mRNA (AKA Vaccine) is the only true means of protection."

Let it be known to the world that 10 months later I still have enough antibodies in my system to donate my plasma to help heal critical COVID patients. Its interesting that they're not donating plasma from people who had the experimental mRNA



Ive got the cure raging through my veins!

There are currently no FDA approved COVID-19 vaccines on the market.

Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh)

For information about vaccines, visit https://vaccine.guide.

#### **COLLECTION STATISTICS**

10375475	Quantity	Total Volume (L)	
This Month	0	0	
This Year	1	0 824	
Lifetime	1	0 824	

#### **COLLECTION HISTORY (1)**

Collection ?	Туре	Date	Site	Unit Drawn?
-	Plasma COVID, First D, Non-GHA	02/11/2021	229	M

#### **GENERAL**

Collection Number: 21

Test Code: COVID Antibody

Result Value: 0.07

Result Method: Sample Tested

Lab Site ID: 901

Result Date: 02/18/2021

There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh)


For information about vaccines, visit https://vaccine.guide.

## Source is FDA (page 7): https://bit.ly/3c7F05v

# These are the qualifications for donating plasma if you've gotten a Covid-19 vaccine.

To ensure that COVID-19 convalescent plasma collected from donors contains antibodies directly related to their immune responses to SARS-CoV-2 infection, you should not collect COVID-19 convalescent plasma from:

- Individuals who have received an investigational COVID-19 vaccine as a participant in a clinical trial, or received an authorized or licensed COVID-19 vaccine, unless they:
  - had symptoms of COVID-19 and a positive test result from a diagnostic test approved, cleared, or authorized by FDA (i.e., individuals who meet the qualification for evidence of COVID-19 described in section III.B.1.a.1 above), AND
  - 2) received the COVID-19 vaccine after diagnosis of COVID-19, AND
  - are within 6 months after complete resolution of COVID-19 symptoms.



#### Conclusion:

Wild Covid antibodies > vaccine antibodies

For the purposes of treating Covid patients, Erik was able to donate plasma almost 10 months after initial infection/recovery due to the persistance of the virus antibodies in his system. This is incredible and it's a testament to the fact that the antibodies last much longer than the "3 month" talking point that's been parroted over and over again ad nauseam. The body's ability to develop natural immunity is far and above superior to even that of modern medicine, and it's no competition. Points 1) -3) on the outline from the FDA on the previous slide seem to indicate that you can only donate plasma if you've had a positive Covid test AND got the vaccine after that positive test, AND 6 months has not transpired since you fully recovered from your last Covid symptom. In other words, if you haven't had Covid before your vaccine, you cannot donate

There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh) For information about vaccines, visit https://vaccine.guide.

plasma to treat other Covid positive patients.

## Erik David Mueller, RN

So some good news and bad news. The bad news is the first guy I spoke with was misinformed and I did not have enough antibodies for donation.

The good news is that antibodies were still present at a level of 0.07 or about 5% of the level needed for donation to critical COVID pts but infinitely more than people not infected. Its also important to note that the genetic code for making more antibodies is usually stored for 7 years or more.

Its not as exciting but still relevant and the point should still be that people who have had COVID

- a) Should not get the experimental mRNA
- b) Should be treated as immune for at least 10 months.



There are currently no FDA approved COVID-19 vaccines on the market.

Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh)

For information about vaccines, visit https://vaccine.guide.

So, how long were you donating plasma for? When was the last time you donated?




Just the one time about two weeks ago

So still 9 months later! That's incredible.



Yeah just about 10 months. April 21st to February 11th



There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh)

For information about vaccines, visit https://vaccine.guide.

### AstraZeneca suspended in Austria




News

Q

Austria SUSPENDS jabs with batch of Astra-Zeneca vaccine after one person died and another fell ill after taking the shots

By Lydia Catling and Chris Pleasance and Ross Ibbetson and Chris Jewers For Mailonline and Max Aitchison For The Daily Mail

06:24 EST 07 Mar 2021, updated 11:20 EST 07 Mar 2021



There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh) For information about vaccines, visit https://vaccine.guide. 'Currently there is no evidence of a causal relationship with the vaccination,' BASG said.

Swiss newspaper Niederoesterreichische Nachrichten as well as broadcaster ORF and the APA news agency reported that the women were both nurses who worked at the Zwettl clinic.

BASG said blood clotting was not among the known side effects of the vaccine and confirmed it was pursuing its investigation vigorously to completely rule out any possible link.

'As a precautionary measure, the remaining stocks of the affected vaccine batch are no longer being issued or vaccinated,' it added.

AstraZeneca has been approached for comment. It is not clear which factory the batch of vaccines came from.

The vaccine company said it was in contact with Austrian authorities and would fully support the investigation.

There are currently no FDA approved COVID-19 vaccines on the market.

Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3cTKCSM)

For information about vaccines, visit https://vaccine.guide.

- Batch of AstraZeneca vaccines suspended after death of 49-year-old woman
- Another 35-year-old woman developed pulmonary embolism and is recovering
- Suspended batch as a precaution and agencies are investigating the incidents

Austria has suspended vaccinations with a batch of AstraZeneca's coronavirus jabs as a precaution following the death of one person and the illness of another after the shots.

A 49-year-old woman died as a result of severe coagulation disorders, while another 35-year-old woman developed a pulmonary embolism, an acute lung disease caused by a dislodged blood clot, and is recovering, the Federal Office for Safety in Health Care (BASG) said.

The agency confirmed it had received two reports 'in a temporal connection' with a vaccine from the same batch in the district clinic of Zwettl, Lower Austria.

There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3cTKCSM)

# **Facebook**



There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh)

For information about vaccines, visit https://vaccine.guide.



Has anyone heard any reports of a person getting the vaccine and 2 days later having a

totally altered mental state?

Like

( | Comment

Send





Courtney **Court** 

and have been struggling with insomnia quite badly ever since. I literally cannot fall asleep organically and it's caused anxiety and panic. I'm not saying that it is necessarily related to the vaccine, but it is pretty coincidental that it started that day

2d Like Reply




There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh) For information about vaccines, visit https://vaccine.guide.



There are currently no FDA approved COVID-19 vaccines on the market.


Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh)

For information about vaccines, visit https://vaccine.guide.



There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh)

For information about vaccines, visit https://vaccine.guide.



There are currently no FDA approved COVID-19 vaccines on th Safety and efficacy testing is ongoing. (Source: FDA https://bit.l For information about vaccines, visit https://vaccine.gu





Face rash day five post Moderna 1st shot. Super itchy. Scalp, face, back of hands and bra-line. Anybody else? I've heard/read Covid arm arrives 5 days post first injection. Nothing for face. And I don't use filler injections.



There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh)

For information about vaccines, visit https://vaccine.guide.



24 hrs in woke up still all side effects and itch red face and rash all over chest .. anyone else same ?? Dr says severe allergic reaction to the vaccine



24 hrs in woke up still all side effects and itch red face and rash all over chest .. anyone else same ?? Dr says severe allergic reaction to the vaccine







36 Answers

















There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh)



Amy Vandercapellen asked a question @ .



₩ New Member · 10h · 🖬

I had my first Moderna vaccine 1/23 at 10am. Neuropathy in my hand (vaccinated arm) within minutes. My arm as sore to the touch in a few hours. At almost exactly 10 hours post vaccine became EXTREMELY exhausted to the point I was barely able to talk. (I'm very chatty by nature) I noticed my arm was hot, hard, red and a raised spot at the injection spot. I was not concerned

All seemed normal till about 2 am. I woke up sweating profusely and the room was spinning and felt nauseous. I made my way to the bathroom for fear of being sick, but couldn't sit up due to the room spinning. I called my husband in to help me. We checked my temp and was at 102.9. I slept the whole next day fever off and on. Sore arm for 10 days itchy arm still comes and goes. I still feel like I need so much more sleep than pre vaccination.

I am scheduled to get shot #2 next week and I'm very worried about what I'm going to have to deal with.

Any else deal with similar issue first shot? How did the second one go?




1 Answer





There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh) For information about vaccines, visit https://vaccine.guide.



...

Hi everyone. About 5 minutes after my second Pfizer dose, I experienced a rush of an internal heat feeling. I felt sudden warmth inside to my left arm, chest, and hip (injection was on in left arm). It only lasted about 2 minutes or less, but I notified the staff in case I was having an allergic reaction. My vitals were fine. A few days later, I felt the heat rush again to my left arm and chest. Then about 2 weeks later, I felt it again to my left side of chest. It was more brief every time, but it scared me. It caused me to feel short of breath, and my heart raced every time, although all of it passes quickly. Anyone experience this? One of the workers at the vaccination site said she had seen about 15 people experience that effect. I have never felt something like that before.



6 Answers





There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh) For information about vaccines, visit https://vaccine.guide.

# **READ THE CAPTION**

# 3/5 VAERS Update

Event Category	Vaccine	⇒ Events Reported 🖜	Percent  ← (of   ②5,212)
<b>Death</b>	COVID19 (COVID19 (MODERNA)) (1201)	578	2.29%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	699	2.77%
	COVID19 (COVID19 (UNKNOWN)) (1202)	5	0.02%
	Total	1,282	5.08%
Life Threatening	COVID19 (COVID19 (MODERNA)) (1201)	410	1.63%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	500	1.98%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.00%
	Total	911	3.61%
Permanent Disability	COVID19 (COVID19 (MODERNA)) (1201)	228	0.90%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	272	1.08%
	Total	500	1.98%

# February 19th

Event Category	Vaccine	⇒ Events Reported 🔠	Percent ← (of ↑↓ 15,923)
Death	COVID19 (COVID19 (MODERNA)) (1201)	382	2.40%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	559	3.51%
	COVID19 (COVID19 (UNKNOWN)) (1202)	4	0.03%
	Total	945	5.93%
Life Threatening	COVID19 (COVID19 (MODERNA)) (1201)	271	1.70%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	353	2.22%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.01%
	Total	625	3.93%
	COVID19 (COVID19 (MODERNA)) (1201)	136	0.85%
Permanent Disability	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	190	1.19%
	Total	326	2.05%

## January 29th

Event Category	Vaccine	⇒ Events Reported 🖜	Percent ← (of ↑↓ 9,845)
	COVID19 (COVID19 (MODERNA)) (1201)	118	1.20%
Death	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	213	2.16%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.01%
	(1201)  COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)  COVID19 (COVID19 (UNKNOWN)) (1202)  Total  COVID19 (COVID19 (MODERNA)) (1201)  Ife COVID19 (COVID19 (MODERNA)))	3.37%	
	(COVID19 (MODERNA))	103	1.05%
Life Threatening	(COVID19 (PFIZER- BIONTECH))	170	1.73%
	Total	273	2.77%
	(COVID19	38	0.39%
Permanent Disability	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	68	0.69%
	Total	106	1.08%

## February 19th

Event Category	Vaccine	⇒ Events Reported 🖜	Percent ← (of ↑↓ 15,923)
Death	COVID19 (COVID19 (MODERNA)) (1201)	382	2.40%
Death	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	559	3.51%
	COVID19 (COVID19 (UNKNOWN)) (1202)	4	0.03%
	Total	945	5.93%
	COVID19 (COVID19 (MODERNA)) (1201)	271	1.70%
Life Threatening	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	353	2.22%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.01%
	Total	625	3.93%
	COVID19 (COVID19 (MODERNA)) (1201)	136	0.85%
Permanent Disability	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	190	1.19%
	Total	326	2.05%

# February 8th

Event Category	Vaccine	⇒ Events Reported 🖜	Percent (of 11,249)
	COVID19 (COVID19 (MODERNA)) (1201)	206	1.83%
Death	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	298	2.65%
	COVID19 (COVID19 (UNKNOWN)) (1202)	2	0.02%
	Total	506	4.50%
	COVID19 (COVID19 (MODERNA)) (1201)	153	1.36%
Life Threatening	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	231	2.05%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.01%
	Total	385	3.42%
Permanent Disability	COVID19 (COVID19 (MODERNA)) (1201)	62	0.55%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	99	0.88%
	Total	161	1.43%

# February 12th

Event Category	Vaccine	⇒ Events Reported 🖜	Percent ← (of 12,697)
	COVID19 (COVID19 (MODERNA)) (1201)	271	2.13%
Death	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	387	3.05%
	COVID19 (COVID19 (UNKNOWN)) (1202)	2	0.02%
	Total	660	5.20%
	COVID19 (COVID19 (MODERNA)) (1201)	201	1.58%
Life Threatening	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	270	2.13%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.01%
	Total	472	3.72%
	COVID19 (COVID19 (MODERNA)) (1201)	89	0.70%
Permanent Disability	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	124	0.98%
	Total	213	1.68%

# February 26th

Event Category	Vaccine	Evente 13	Percent
	COVID19 (COVID19 (MODERNA)) (1201)	475	2.39%
Death	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	631	3.17%
	COVID19 (COVID19 (UNKNOWN)) (1202)	5	( ^~~
	Total	1,111	
	COVID19 (COVID19 (MODERNA)) (1201)	344	1.73%
Life Threatening	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	425	
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.01%
	Total	770	2
	COVID19 (COVID19 (MODERNA)) (1201)	OVID19 ODERNA))	
Permanent Disability	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	231	1.16%
	Total	415	2 0004

## January 28th

Event Category	Vaccine	⇒ Events Reported 🖜	Percent ← (of ↑↓ 7,844)
	COVID19 (COVID19 (MODERNA)) (1201)	64	0.82%
Death	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	118	1.50%
	Total	182	2.32%
	COVID19 (COVID19 (MODERNA)) (1201)	58	0.74%
Life Threatening	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	115	1.47%
	Total	173	2.21%
	COVID19 (COVID19 (MODERNA)) (1201)	20	0.25%
Permanent Disability	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	46	0.59%
	Total	66	0.84%

## **Direct Messages**

So my grandpa who is from NY lives here in NV with the rest of my family. The rest of his family still lives in NY like his brothers and mom. His mom (my great-grandma) who is 94 years old lives in a nursing home in NY. begged my family not to let her get the vaccine because she had already survived COVID back in august. She had mild symptoms and totally fought it like a trooper and came out fine! Come January they were offering everyone the Pfizer vaccination and she decided she would because she gets the flu shot every year.... well Jan. 25 she received her first shot and she called my grandpa and complained of a headache and sore arm but other than that felt fine. They found her in her room the next morning Jan. 26 and she had suffered a stroke on the same side she received her shot. When we got the news she was in pretty bad shape. They had put her into hospice care and she passed the next day on Jan. 27.

There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh) Hello! Im so thankful for you work. I watch your stories almost everyday. I'm curious if you have heard about any side effects with vision and eyes?

My mom got vaccine in USA a few weeks ago. She got very sick right after .. worse reaction than from COVID. But she still thinks it is for the best .


Then last week she started having problems with her vision... couldn't see in one eye and then "cobweb" in the other eye . So she had some eye surgery

Maybe it's not related but I wanted to check if you heard of others having vision problems . Thanks agai

I got the Pfizer vaccine (1st dose January 14 2nd dose February 4) I have had a burning sensation from a lymph node at the base of my neck since the first one and after the second one it just became more intense. Two weeks later i still have this burning sensation along with a constant sore throat. I wish I didn't give in to pressure to get it. I hope these side effects go away soon. I will never get this vaccine again.

A woman I work with has been all for the vaccine. She got her shot 2 days ago and is "fine" but told me she's been nauseous and lightheaded since (plus some arm pain). She jokingly told me with how she's been feeling she doesn't know if she feels comfortable getting the second shot

Ya duh 😳



Hi. Do you have any information on menstrual cycles? I was on day 2 of my normal 5 day period. I received the vaccine and INSTANTLY my period stopped. I literally had a few drops of brown blood for a couple hours after and then nothing! This was all after the second dose of the Moderna vaccine. Not pregnant, no medications, no significant PMH. Upon asking everyone I know at the hospital this has happened to one other girl. She was starting her period that morning got the vaccine and then it stayed light brown all day then nothing!



Hi. Just an update on my menstrual cycle. 2
Graphic because I'm an RN. Got my period on time. A few large about 4-6 mm dark brown clots. Thousands and I kid you not, 2 mm's of tiny brown blood clots. Not tissue, blood clots. I filled my menstrual cup up 1/2 the way in 4 hours today. Very unusual for me for 4 hours especially to start the cycle. It's all brown old blood. I truly now believe the Covid vaccine is effect blood clotting.

My mother was a lung cancer patient receiving KEYTRUDA and ellimpta (so?) every 3 weeks since last June... her tumor load had decreased 50% and she had no adverse reactions/side effects from this regimen...she received dose 1 of the Pfizer vax the afternoon of Feb 6... on Tuesday Feb 9 she received her infusion, the oncology nurses stated she was doing actual jumping jacks reporting how awesome she was feeling... the early morning of Feb 10 she had my father call an ambulance bc she was having crushing pain in her upper chest/ shoulder/upper arm - they thought she was having a heart attack. Did a cardiac Cath, totally clear arteries - thought a pulmonary embolism, nope clear also - her cardiac function was a 10 (adult normal a 55) and she was intubated out on pressers - at 5pm doctors told everyone who wanted to say goodbye to come - I am the oldest of 8 children with 7 of us local and my sister in Portland jumped on a plane to come

She miraculously made it through the night until my sister came but about 3pm

Thursday Feb 11 she coded... they brought her back but we de used not to do again as docs told us no hope bc her heart was destroyed - we removed her from ventilator about 8:30pm and she did not breathe on her own... 2 of my sisters were with her ...

Janice was 77yo and a wife of 54 years, mother of 8 and grandmother of 32...we laid her to rest yesterday

Her oncologist Dr Bonomi at Rush in Chicago believes a reaction between COVID vax and KEYTRUDA caused her catastrophic heart failure, he asserted she had NOUNDERLYING HEART PROBLEMS as he had been monitoring her for any such complications over the past 8+ months of treatment... he stated he would contact the FDA and put on MedWatch...I plan to report via VAERS this coming weekend

#### Sinovac Reaction

A 68-year-old man died, six days after taking his second dose of Sinovac.

He had <u>no health issues</u> and was <u>fine before</u> the shot.

But, almost immediately after the second dose, his health started deteriorating fast. He got high fever, double pneumonia (although CV negative), vomiting, diarrhea, some strange brown spots on his legs, he was shaking and thus had difficulty walking. And, on the sixth day, he passed away. This happened in Serbia, Europe.

1:45 PM

Wow. What is your relation to this guy? Or was it in the news??

That's my best friend's dad. He died on February 23, today was the funeral. He was in perfect health, active every day. Vaccine destroyed him.

First hand information. He went for the second dose, and came back sick... On the last day, he seemed to be doing a little better. But died suddenly. Was watching tv, and died.

#### Rheumatoid Arthritis Gone...

Slides 2 & 3 (next two) are the original story. The 4th slide includes a 3 week update and a 6 week update. I am not advocating or endorsing anything, here. But this would be considered a "reaction. We must take people at their word and remain as consistent as possible. This is the **only** good reaction I've received ("not getting Covid" or "not having any adverse reactions" are not reactions).

This is probably pure coincidence but I suffer from Rhuematoid Arthritis and am currently on Methotrexate . I'm always aching and in pain and really tired. Especially stiffness in the mornings.

However, I received the Pfizer jab last Wednesday. No issues.

I woke up on Thursday morning and got out of bed and it took me a while to twig on that I had no stiffness aches or pained and felt incredibly well. It was as if my immune system was busy elsewhere and leaving my joints etc alone. This is Monday afternoon. I'm feeling better than I have in two years. I understand it won't last but enjoying the feeling of being 'normal'.

What the-

Um... that's incredible. May I share?

I'm not sure if you should. I wouldn't want to give people false hopes. It probably is just coincidence but it's a strange one. I'm not complaining though. If you think it is ok to share then go ahead.

> ldk. I'm sharing all the stories that I can. This is like a 1 in a million reaction. What a blessing!

That's if it isn't coincidence. Wouldn't it be amazing if this was an indication to another way of treating RA because this is a horrible disease

> I'm so sorry..... glad it's seemingly working to eliminate. That in your body. Please keep me up to date with your progress.

Yes I will. Thank you. Stay safe /



Hi there! Just an update. Almost 3 weeks post Pfizer 1st dose and I'm still active disease free. I was looking to see if anyone had commented on my last weeks update and couldn't find it. A couple of people did ask. I'm back walking 4 miles every other day.

6:42 AM

Just a wee update. I'm now 6 weeks and 2 days post COVID-19 vaccine 1. I still have no noticeable active Rheumatoid Arthritis in my body. I I have a date for my 2nd jab in March. I have contacted Pfizer and Research into RA @Glasgow uni.

I do wonder what response my immune system will have with it. However I will still be having it. Both my parents are active 88 and 80 year olds they have had their vaccination without any issues 3 weeks ago. My dad has insulin dependent Diabetes. I said I would update you.

9:08 AM

Thank you so much for sharing all this with me! I will share soon!

10:28 AM

Only if you feel it's appropriate. I respect anyone's decision whether to have or not to have the Covid vaccination.



There are currently no FDA approved COVID-19 vaccines on the Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/

For information about vaccines, visit https://vaccine.guid

### 1st Reported Reaction in Australia



Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh)

For information about vaccines, visit https://vaccine.guide.

- Health worker was intensive care after getting the vaccine at the Gold Coast
- The worker has a history of anaphylaxis and was treated in intensive care
- About 300,000 doses of Covid vaccines will be distributed across the country

A health worker has gone into anaphylactic shock after receiving the Pfizer coronavirus vaccine.

The worker was intensive care after getting the vaccine at Gold Coast University Hospital on Thursday.

A Gold Coast Health spokesperson said the worker has a history of anaphylaxis and recovered quickly.

'The response was prompt and effective and the patient received the appropriate treatment and has since recovered,' they told 9 News.

'Anaphylaxis has been identified as a possible side effect from any vaccination.

'Staff are well prepared for this and stringent processes are in place to manage such reactions.'

People who suffer from allergic reactions or anaphylaxis must tell health care staff before getting the vaccine.

There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3cTKCSM)



# Teacher, 36, Dies One Week After Vaccination







REPORT

CORONAVIRUS: MAPS, STATISTICS, ADVICE

#### A 36-year-old teacher from Leszno is dead. There are autopsy results

FA ME ( 03/03/2021, 12:04 / update: 12:27



apnews.com



### **AP NEWS**

Top Stories Topics ✓ Video Listen



Poland began vaccinating teachers Friday with the AstraZeneca vaccine, and some had misgivings about being put in line for a vaccine they believe is less effective than the others.

The spokesman announced that the examination of the bodies and their autopsy had been carried out on the day of death. - This preliminary opinion shows that the death was due to natural causes - says Wawrzyniak.

#### It wasn't death from the vaccine

When asked about local media reports that the woman had vaccinated a few days earlier against COVID-19, he replied that investigators did not associate the death with the vaccine.

- The expert took blood and further tests will be carried out to assess the cause of death. It is about histopathological and toxicological tests - he said.

The 36-year-old was a teacher at the Economic School Complex in Leszno. She took the vaccine dose on February 22. Initially, she had a fever and complained of pain in her arm, but after one day her symptoms subsided.

A 36-year-old teacher died in Leszno. Local media reported that the woman had taken a dose of the coronavirus vaccine a few days earlier. As the prosecutor informed us, an investigation was initiated in this case and an autopsy was carried out. The study shows that she died of natural causes.

The woman's death took place on Monday, March 1, in her home in Leszno.

Around 4.30 in the morning, the husband of the 36-year-old called an ambulance; rescuers resuscitated her, the doctor declared her dead.



A large increase in infections. Check the new data of the Ministry of Health

The police and the prosecutor's office were notified about the case. - The prosecutor performed the activities on the spot. **An investigation has been initiated**, which is being conducted by the District Prosecutor's Office in Leszno, the spokesman of the District Prosecutor's Office in Poznań, Łukasz Wawrzyniak, tells tvp.info.

There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3cTKCSM)

For information about vaccines, visit https://vaccine.guide.

### Israel's Vaccine Data Worse than Covid

Please read every slide very carefully.
This is a detailed re-analysis of data
that was given positive spin by the
Ministry of Health in Israel

עמוד ראשי עדכונים חיפוש RSS מי אנחנו עמוד ראשי	נקים ישראל
בלוגים - אינדקס הצטרפות בקרה על החדשות התחבר	NAKIM
ה לארגון נקים שולמית חוה יוסף מ- ראש העין <mark>דוד בן גוריון וראשית השת"פ עם האויב בשואה עד ת של היום</mark> The uncovering of the vaccination data in Israel reveals a frig	להפקרות הבטחוני htening picture
ת בנושא חבא	צפה בנושא הקודם :: צפו
הודעה	מחבר
The uncovering of the vaccination data in נושא ההודעה: 19:59 15.02.21 נושא הרודעה: Israel reveals a frightening picture	חיים יטיב דובר של 'נקים'
2.March.2021 update:	

The horror continues. The deaths among those vaccinated should be added to the numerous AVC and cardiac events reported just after vaccination that are not included among COVID-19 deaths which about double the deaths among those vaccinated, whose numbers remain unknown and which we will try to find in the coming days.

At this point we state that vaccinations caused more deaths than the coronavirus would have during the same period.

Among those vaccinated and above 65, 0.2% of those vaccinated died during the 3-week period between doses, hence about 200 among 100000 vaccinated. This is to be compared to the 4.91 dead among 100000 dying from COVID-19 without vaccination, see below. This should not be confused with the COVID-19 0.279 deaths among 100000 reported for those who completed the vaccination process, meaning 2 weeks after the second dose, see below table from the Ynet article.

<b>y</b> –			מקורונה	נפטרים ו
	יעילות	מחוסנים לחלוטין (שיעור ל-100 אלף איש)	לא מחוסנים (שיעור ל-100 אלף איש)	גיל
	-	אין	0.01	15-44
	89.7%	0.0196	0.19	45-65
	94.3%	0.279	4.91	65+

Age	Unvaccinated per 100000	Vaccination complete per 100000	Efficiency
15-44	0.01	None	-
45-65	0.19	0.0196	89.7%
65+	4.91	0.279	94.3%

We bring a very important example from the article, in relation to the table provided by the Ministry of Health. As per the text "However, 546 among the dead were such that were not at all vaccinated or got the first vaccination dose within two weeks before their death" differs from the table. This is clearly unfounded because all data presented in the table and provided below describe only COVID-19 patients that got at least the first vaccination dose. This is clear from examining the table. The grand total is 43781 COVID patients who got the first or the second vaccine dose. Among the total of 660 deaths, 546 got only the first dose. The data in the table, rather than indicating the vaccine efficiency, indicate the vaccine's adverse effects.

	Community	Low	Mean	Serious	Critical	Died	Total
> 60 years	13075	323	314	865	183	636	15396
1 <sup>st</sup> dose	10724	259	277	742	152	546	12700
0-13d	6235	147	166	465	81	344	7438
>13d	4489	112	111	277	71	202	5262
2 <sup>nd</sup> dose	2351	64	37	123	31	90	2696
0-6d	1043	24	11	57	13	51	1199
7-14d	1037	32	25	56	17	35	1202
>14d	271	8	1	10	1	4	295
< 60 years	28018	138	92	166	37	24	28475
1 <sup>st</sup> dose	25926	125	87	153	34	22	26347
0-13d	19461	96	66	124	29	17	19793
>13d	6463	29	21	29	5	5	6552
Other	2						2
2 <sup>nd</sup> dose	2092	13	5	13	3	2	2128
0-6d	1167	8		4	1	2	1182
7-14d	761	4	4	8	2		779
>14d	164	1	1	1			167
All ages	41093	461	406	1031	220	660	43871



This surprisingly shows that most serious hospitalized cases on February 10 or at a near date were in fact vaccinated with the first dose or up to two weeks after the second dose. See the table of the vaccinated patients showing 1031 serious and 220 critical cases at the time the table was done. This matches the article in hebrew from February 1st 2021 "Can one show that the vaccine from Pfizer is today's major cause for high death rates in Israel and the world?".


However, this is not the last surprise we get from examining the data from the Ministry of Health.

We can substract the number of people with the first vaccine dose on January 19 2021 from that on February 10 2021. During these 21 days, 1331881 Israeli citizens got the first dose. The table shows that 568 among these died, hence 0.042% and that 39047 among them became a COVID-19 case, hence 2.9 %.

For the 2nd dose we focus on data specific to two weeks after the 2nd vaccination according to the table.

From January 26 to February 10 2021 909102 Israeli citizens got the 2nd vaccine dose. Among these according to the table, 92 died, 0.01%. Hence, during the 5 weeks since the first dose at least 0.05% of first dose recipients died. This death rate relates mainly to a relatively young population whose vaccination stated on January 19, a period during which most vaccinated were below 65.

In order to estimate the death rate of those above 65 which were mostly vaccinated before that period we use data reported by the USA-based VAERS.





#### Not Secure — nakim.org

The uncovering of the vaccination data in Israel reveals a frightening picture

Analyses below of an article promoting COVID-19 vaccination enable to uncover all vaccination data and a frightening situation

#### Second draft

On February 11 2021 Ynet (the most known Israeli News website) published a confused and confusing article entitled "Vaccination efficiency data in Israel, and its rapid effects on the young".

Our reanalyses of these data explain why during the massive vaccination project initiated mid-December 2020 during a confinement, daily new confirmed COVID-19 cases failed to decrease as they do during confinements, and, more importantly, why numbers of serious, critical and death cases increased during that period that covered at least one month. From mid-December to mid-February (two months), 2337 among all Israeli 5351 official COVID-deaths occurred. Our analyses indicate orders of magnitude increases in deaths rates during the 5-week long vaccination process, as compared to the unvaccinated and those after completing the vaccination process. Presumably, asymptomatic cases before vaccination, and those infected shortly after the 1st dose, tend to develop graver symptoms than those unvaccinated.

The Ynet article is organised in an exciting way and uses data provided in an erroneous way by the Ministry of Health. It is unclear whether this was intentional to prove the vaccine's efficiency or if this was done erroneously because the provided data were misunderstood. Note that in Israel, all vaccines are from Pfizer.

This scary picture also extends to those below 65, among which, for the 5 weeks during the complete vaccination process 0.05%, meaning 50 among 100000, died. This is to be compared to the 0.19 per 100000 dying from COVID-19 and that are not vaccinated in that age group, as per the above table. Hence the death rate of this age group increased by 260 during this 5-week period of the vaccination process, as compared to their natural COVID-19 death rate.

A simple way to pass these points across relate to the monthly COVID-19 deaths rates since the start of the pandemic and until mid-December, 3014 deaths, hence 3014/9 = 334.9 deaths per month. Monthly death rates since mid-December are 2337/2 = 1168.5 deaths per month, hence 3.5 times greater.

We conclude that the Pfizer vaccines, for the elderly, killed during the 5week vaccination period about 40 times more people than the disease itself would have killed, and about 260 times more people than the disease among the younger age class. We stress that this is in order to produce a green passport valid at most 6 months, and promote Pfizer sales.

These estimated numbers of deaths from the vaccine are probably much lower than actual numbers as it accounts only for those defined as COVID-19 deaths for that short time period and does not include AVC and cardiac (and other) events resulting from the inflammatory reactions in tens of reports documented on the NAKIM site, which themselves are only the iceberg's tip, see here.

This does not account for long-term complications described in a criminal complaint filed in December 2020 in France and which was translated to english, see here.

Looking back, this explains why the serious COVID-19 cases increased as vaccination started, and why cases started to decline when vaccination was opened to the young and continue to decline as the vaccination national campaign is losing its momentum.



For that purpose we need first to understand that the provided table describes the state of COVID-19 patients that got the first or the second vaccine dose at given dates, as started in the article "...emerges from the data that among 856 patients above 60 years in serious state hospitalized at this time..." we assume that the article published February 11 reflects the situation in hospitals the previous day, hence February 10 2021, or February 11 2021.

On February 10, the number of serious active cases was 1056 according to the control panel of the Ministry of Health, see photo below.



### First Reported Death in Hong Kong



A diabetic man who received the Beijing-made Sinovac vaccine on the first day of the SAR's inoculation program last Friday died two days later, with health authorities making the announcement last night after a two-day delay.

The man, 63, with diabetes and bronchitis received his first dose of Sinovac's CoronaVac jab at Kwun Chung Sports Centre in Jordan -- a private-run institution Virtus Care -- last Friday and two days later he developed acute shortness of breath and died on Sunday in hospital, the Department of Health announced last night.

Hospital Authority said the recipient headed to accident and emergency department of Queen Elizabeth Hospital last Sunday with shortness of breath.

He was diagnosed of bronchitis, with condition deteriorating quickly.


He soon fell into a coma and passed away at 6am. Sources said medics were not aware of the man's Covid-19 vaccine history upon his admission, and suspected he had contracted Covid-19.

Only upon checking the clinical message system when they found out he had received the Sinovac vaccine two days before his death.

The department's statement last night did not explain the delay in its announcement and only said it was seeking more information on the man's case from the Hospital Authority for investigation.

"So far it is uncertain (whether his death) is related to the vaccine," the statement said, adding his case will be passed to the Expert Committee on Clinical Events Assessment Following Covid-19 Immunisation as soon as possible.

His death will also be passed to the Coroner's Court. So far, 40,000 people have received the first dose of Sinovac shot, among 254,000 registered.





TOKYO (Reuters) - A Japanese a woman in her 60s died from a brain haemorrhage three days after receiving a Pfizer coronavirus vaccination, the health ministry said on Tuesday, adding that there may not be a link between the two.

The woman was vaccinated on Friday and is suspected to have suffered a brain haemorrhage three days later, on Monday, it said. It was Japan's first reported death following a vaccination.


"The brain haemorrhage that is suspected as a cause is relatively common among people from their 40s to their 60s, and at this time, based on examples overseas, there does not seem to be a link between brain haemorrhages and the coronavirus vaccine," the ministry quoted Tomohiro Morio, a doctor advising the government, as saying.

Japan became the last member of the Group of Seven leading industrialised nations to begin its vaccination drive, on Feb. 17.

It has so far received three shipments of vaccine developed by Pfizer and BioNTech.

Japan officially approved Pfizer's vaccine last month, the first such approval in the country as it steps up efforts to tame infections in the run-up to the Summer Olympics.

Reporting by Ritsuko Ando; Editing by Andrew Heavens and Nick Macfie



"It may be a coincidental case, but there is a <u>need to</u> gather more information and make an assessment in upcoming working groups."

Pfizer officials in Japan were not immediately available for comment. Pfizer said in November the efficacy of its vaccine was consistent across age and ethnic groups, and that there were no major side effects, a sign that the immunisation could be employed broadly around the world.

Global health authorities have praised the fast development of safe and effective COVID vaccines, but have warned people with serious underlying health conditions to take medical advice first.

## Sukhdeo Kirdit







III SUBSCRIBE E-PAPER

STOCK MARKET BSE

BSE 50296.89

447.05(0.90%

Home > Nation

# Maharashtra man dies after getting second dose of COVID-19 vaccine

He complained of giddiness after some time while he was seated in the waiting hall at the civic-run inoculation centre

Published: 02nd March 2021 09:01 PM | Last

Updated: 02nd March 2021 09:01 PM A+ A A-



There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh)

For information about vaccines, visit https://vaccine.guide.

#### By PTI

THANE: A 45-year-old man died shortly after he was administered the second dose of a COVID-19 vaccine in a hospital in Bhiwandi in Maharashtra's Thane district on Tuesday, officials said.

Sukhdeo Kirdit, employed as the driver of a local doctor, took the shot around 11 AM.

He complained of giddiness after some time while he was seated in the waiting hall at the civic-run inoculation centre, they said.

"He was rushed to IGM Hospital nearby where doctors declared him dead on arrival," an official said.

Bhiwandi Nizampura Municipal Corporation Health Officer Dr KR Kharat said the cause of Kirdit's death would be known after the postmortem report comes in, adding that Kirdit's medical history, records etc.were being checked.

Kirdit's family said he was a healthy person who had left home in the morning to take the second dose of the vaccine.

## Ghazi Zoabi, 23, dies post-vaxx

♠ timesofisrael.com



## THE TIMES OF ISRAEL



# 2 Israeli men in their 20s die of COVID-19 in a day

Neither had preexisting health conditions; both collapsed in their homes

By TOI STAFF

26 Feb 2021, 4:09 am | 3



Neither man was reported to have any underlying health conditions.

The deaths come as officials have warned the virus is increasingly



Hospital staff wearing safety gear work in the coronavirus ward of Shaare Zedek hospital in Jerusalem on February 3, 2021. (Yonatan Sindel/Flash90)

causing serious symptoms in younger people and pregnant women, a shift that has been blamed on new variants of the disease.

Israel's largest HMO issued a report Thursday on the British coronavirus variant, which it says was the likely cause of a 70 percent rise last month in serious COVID-19 cases among unvaccinated Israelis.

Two Israeli men in their twenties with <u>no</u> <u>preexisting health conditions</u> died of COVID-19 within hours of each other on Thursday.

Ghazi Zoabi, 23, from the northern city of Nazareth, collapsed in his home and was hospitalized in critical condition. Doctors later pronounced his death.

He had received the first dose of the coronavirus vaccine, according to Hebrew media reports.

Another man, 26, who was not identified, died earlier Thursday in Jerusalem. The resident of Ras al-Amud was brought to Hadassah Mount Scopus hospital in serious condition, where he tested positive for the virus. He died in the hospital.

There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3cTKCSM)



This is tendentious but I will answer: pregnant women were excluded from the trials. A few women did get pregnant; they are being followed. The only fetal studies in the mRNA vaccines were in rats. They showed 2-2.3x fetal loss in rats that got the vaccine compared to placebo...



Tim Carney @ @TPCarney · 7h

Were there zero pregnant women in the clinical trials for all three vaccines?

Show this thread

3:56 PM · 2/28/21 · Twitter for iPhone



...

.@US\_FDA did not publicize those findings. EMA noted and dismissed them. Neither asked for more animal trials; studies in pregnant women are going ahead.

@cdcgov has now received dozens of reports of post-vaccination miscarriages, including late term, when miscarriage is rare.

4:02 PM · 2/28/21 · Twitter for iPhone



415lb AUM @DeadLiftCapital · 2h Replying to @AlexBerenson @US\_FDA and @CDCgov

Not exactly? twitter.com/DeadLiftCapita...



415lb AUM @DeadLiftCapital · 2h

Replying to @Z\_Deputy19 @AlexBerenson and 2 others

When you search VAERS, there are 31 total reports of miscarriages, and the latest recorded is at 7.5 weeks, so Alex may be stretching the truth by just a bit, unsurprisingly. Here's the search of VAER...


01



Alex Berenson @ @AlexBerenson · 1h I'll correct the record before I block you because I don't want your nonsense confusing people. Mid/late term miscarriages don't always show up under miscarriage in VAERS (technically, a third-term miscarriage is called a stillbirth). Here's one of several, this at 18 weeks. Bye.



## Menstrual Stories from Reddit





I told my husband that last night. If it caused a week of erectile dysfunction the news would be all over it.

3


...

### (deleted) 29d

I think because if people talked about it, they would get censored, called an antivaxxer, then told they don't follow science because vaccines don't do any harm, only good.

Obviously I disagree and I would never berate someone ever, but especially not for experiencing something. Unfortunately, that is the point where society is at, especially with vaccines. Any adverse reaction is all in your head, not real, and has nothing to do with the vaccine. Its really sad because women should be able to discuss this openly, but the backlash may make it hard for most. Its hard to be berated when you're just trying to see if anyone else had a similar response to it.

介5♥ □ Reply



9	SunmerCup 30d  Mine was 4 days late. Unsure if this is related to the shot. I've only had the 1st shot though. Back cramps seem be a little harsher than usual.  1 2 1 Reply 1	••
	viola_goddess 30d  Mine was 4 days early and much heavier than normal.  Very very weird for me since I'm on the pill  2  Reply  Reply	••
	opensaysnoone 30d  Mine wouldn't end and was heavier than normal after the vaccine  ↑ 2  Reply	••
	coffeeandleggings 29d	••

I had the first dose of moderna on 1/14. Period arrived on time, as expected, with its usual misery, lol.

Limp_Comb_2115 20d 8 days late, still nothing
Embarrassed-Half-994 30d  Mine was early and it's pure hell. Way worse then my normal periods  1 3 5 Reply 1
fairoaks2 30d  My daughter had covid and is having strange changes.  Not much information we can find
Helloooooo_NURSE 29d  Oh really? Even the disease itself causes disruptions. Maybe just a function of the spike protein or something.  1 To Reply +
<pre>     secretactorian 29d     What kind of changes?     1</pre>
Fairoaks2 29d  Heavy with clotting during usual cycle. Spotting between   ↑ ↑ ▼ □ Reply ⊕

0	guccibikini9999	
7		

It's been 2 weeks since vaccine and my period is 11 days late. Not common for me. .

30d

☆ 10 

○ Reply 

①

4



#### simplytreefood 30d

Ive shared lots of times so wont bore you. You can check my history. I was a year into menopause. I got my 1st shot and had a whole normal cycle. Terrible PMS and all. Its funny because i never had pms in my life. 2nd shot.. Same thing





#### jillianryb 30d

I'm SO curious about the hormonal component as well. Mine came 4 days early... which is pretty much unheard of. My coworker also had a strange affect on her cycle.

I haven't heard any official mentions of this in the media, but from reading here... It's definitely happening to females!





I feel like there needs to be at least a mention of it. I'm a medical Provider and even I don't know how to increase the awareness other then filling out a form that gets sent to the CDC.





So after going down the Reddit rabbit hole it appears it's pretty common. I don't want to sound an alarm but why is this not being discussed more? I know women's health concerns are often overlooked so I hope that's not the case. I know we can cry "stress and illness" causes a disruption but why have past illnesses and stress never done this to me? I was sick all basic training and obviously mentally stressed. I deployed to iraq. I've had a horrible case of mono. A life full of typical illnesses and certainly my fair share of stress and I've never been more than a day late. Why this shot?

secretactorian 29d

This! Why aren't folks reporting it? TALK ABOUT IT.

Go to the websites and report adverse responses – fucking up menstrual cycles and causing bleeding *is an adverse affect*. If men were all of a sudden out of whack, they'd pay attention to it.



GI\_ARNP 🎤 29d

I told my husband that last night. If it caused a week of erectile dysfunction the news would be all over it.

⊕ Reply ⊕

## **UK Yellow Card Reports**



There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3r20WFh)

For information about vaccines, visit https://vaccine.guide.


#### What is a Yellow Card

The Yellow Card scheme is a mechanism by which anybody can voluntarily report any suspected adverse reactions or side effects to the vaccine. It is very important to note that a Yellow Card report does not necessarily mean the vaccine caused that reaction or event. We ask for any suspicions to be reported, even if the reporter isn't sure if it was caused by the vaccine.

Up to and including 14 February 2021, the MHRA received and analysed 26,823 UK Yellow Cards from people who have received the COVID-19 mRNA Pfizer/BioNTech vaccine. These reports include a total of 77,207 suspected reactions (i.e. a single report may contain more than one symptom). The first report was received on 9 December 2020.

Up to and including 14 February 2021, the MHRA received and analysed a total of 31,427 UK reports of suspected ADRs to the COVID-19 Oxford University/AstraZeneca vaccine. These reports include a total of 114, 625 suspected reactions (a single report may contain more than one symptom). The first report was received on 4 January 2021.

Additionally, up to and including 14 February 2021, the MHRA received 177 Yellow Card reports where the brand of vaccine was not specified by the reporter.



"At this time, data are not available to determine how long the vaccine will provide protection, nor is there evidence that the vaccine prevents transmission of SARS-CoV-2 from person to person."

- the fda

## ACCORDING TO THE FDA,

The issuance of an EUA is different than an FDA approval (licensure) of a vaccine, in that a vaccine available under an EUA is not approved. In determining whether to issue an EUA for a product, the FDA evaluates the available evidence to determine whether the product may be effective and also assesses any known or potential risks and any known or potential benefits If the product meets the effectiveness standard and the benefit-risk assessment is favorable, the product is made available during the emergency. Once a manufacturer submits an EUA request for a COVID-19 vaccine to the FDA, the agency then evaluates the request and determines whether the relevant statutory criteria are met, taking into account the totality of the scientific evidence about the vaccine that is available to the FDA.



# FDA Issues Emergency Use Authorization for Third COVID-19 Vaccine

Today, the U.S. Food and Drug Administration issued an emergency use authorization (EUA) for the third vaccine for the prevention of coronavirus disease 2019 (COVID-19) caused by severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2). The EUA allows the Janssen COVID-19 Vaccine to be distributed in the U.S for use in individuals 18 years of age and older.

At this time, data are not available to determine how long the vaccine will provide protection, nor is there evidence that the vaccine prevents transmission of SARS-CoV-2 from person to person.

## **J&J Receives FDA EUA**

## SE NEWS



CORONAVIRUS

# FDA grants emergency authorization to Johnson & Johnson vaccine

The new vaccine is the first single-dose shot for Covid-19 protection.



"We're in a race between the virus mutating, with new variants coming out that can cause further disease, and stopping it," said Dr. Jay Portnoy, a professor of pediatrics at the University of Missouri-Kansas City School of Medicine and a member of the advisory committee.

"The fewer people who are infected with the virus, the less opportunity it has to emerge as a more virulent strain."

President Joe Biden released a statement after the announcement, calling the decision "exciting news for all Americans, and an encouraging development in our efforts to bring an end to the crisis."

Doses are expected to begin shipping Monday, starting with about 4 million of them. Johnson & Johnson, which developed the vaccine in partnership with Janssen Pharmaceuticals, said that 20 million doses will be available by the end of March.

That will be enough to fully vaccinate 20 million people, because the Johnson & Johnson vaccine is given as a single dose. The other available vaccines, from Pfizer-BioNTech and Moderna, are given as two doses each, three to four weeks apart.

#### Related



NEWS

Here are the states with the best – and worst – vaccination track records

Though the Johnson & Johnson vaccine will be given as a single dose, the company is studying the impact of a second dose.

On Friday, members of the FDA's panel of independent experts wondered what would happen if a two-dose formulation is ultimately authorized.

Dr. Paul Offit, a vaccine expert at the Children's Hospital of Philadelphia, suggested it might be difficult to communicate the change to those who only received the one dose.

"You can see where that would be confusing to people where they may be thinking, 'Maybe I didn't get what I need?""

An FDA analysis, posted online Wednesday, found the vaccine to be safe and effective. The single shot was shown to be 86 percent effective at preventing severe disease. In the U.S., the shot was found to be 72 percent effective at preventing moderate to severe disease. In South Africa, where a worrisome variant is circulating, that number was lower: 64 percent.

## Download the NBC News app for full coverage of the coronavirus outbreak

Dr. Richard Besser, president and CEO of the Robert Wood Johnson Foundation and a former acting director of the Centers for Disease Control and Prevention, applauded the FDA's decision.

"With three Covid-19 vaccines now available, the number of cases and deaths around the country continuing to fall, and Congress taking steps toward approving additional critically needed economic relief, I have never been more encouraged that we might be finally turning the corner on this pandemic," he said in a statement.

Still, Besser said that Americans must remain vigilant, adhering to mask-wearing, distancing and limiting travel. "Whether and when the pandemic ends is – as it has always been – largely up to us."

In December, the FDA authorized Covid-19 vaccines from Pfizer-BioNTech and Moderna. Two more vaccines, from AstraZeneca and Novavax, are completing Phase 3 clinical trials, and are expected to apply for FDA authorization in the spring.

Feb. 27, 2021, 3:23 PM PST / Updated Feb. 27, 2021, 4:08 PM PST

#### By Sara G. Miller and Erika Edwards

The Food and Drug Administration granted emergency use authorization to Johnson & Johnson's Covid-19 vaccine on Saturday, adding a third vaccine to the U.S. arsenal to fight the pandemic.

"The authorization of this vaccine expands the availability of vaccines, the best medical prevention method for COVID-19, to help us in the fight against this pandemic, which has claimed over half a million lives in the United States," said Acting FDA Commissioner Dr. Janet Woodcock, in a statement.

#### Full coverage of the coronavirus outbreak

The decision comes one day after an advisory committee to the FDA voted unanimously in favor of recommending the vaccine.

## **READ THE CAPTION**

## 2/26 VAERS Update

Event Category	Vaccine	⇒ Events Reported 🏕	Percent ← (of 19,907)
	COVID19 (COVID19 (MODERNA)) (1201)	475	2.39%
Death	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	631	3.17%
	COVID19 (COVID19 (UNKNOWN)) (1202)	5	0.03%
	Total	1,111	5.58%
	COVID19 (COVID19 (MODERNA)) (1201)	344	1.73%
Life Threatening	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	425	2.13%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.01%
	Total	770	3.87%
	COVID19 (COVID19 (MODERNA)) (1201)	184	0.92%
Permanent Disability	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	231	1.16%
	Total	415	2.08%

## January 28th

Event .	Vaccine	Events	Percent
Category	vaccine	Reported 1	← (of †↓ 7,844)
	COVID19 (COVID19 (MODERNA)) (1201)	64	0.82%
Death	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	118	1.50%
	Total	182	2.32%
	COVID19 (COVID19 (MODERNA)) (1201)	58	0.74%
Life Threatening	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	115	1.47%
	Total	173	2.21%
	COVID19 (COVID19 (MODERNA)) (1201)	20	0.25%
Permanent Disability	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	46	0.59%
	Total	66	0.84%

# February 12th

Event Category	Vaccine	⇒ Events Reported ↑↓	Percent (of 12,697)
	COVID19 (COVID19 (MODERNA)) (1201)	271	2.13%
Death	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	387	3.05%
	COVID19 (COVID19 (UNKNOWN)) (1202)	2	0.02%
	Total	660	5.20%
	COVID19 (COVID19 (MODERNA)) (1201)	201	1.58%
Life Threatening	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	270	2.13%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.01%
	Total	472	3.72%
	COVID19 (COVID19 (MODERNA)) (1201)	89	0.70%
Permanent Disability	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	124	0.98%
	Total	213	1.68%

# February 8th

Event Category	Vaccine	⇒ Events Reported 🛂	Percent (of 11,249)
	COVID19 (COVID19 (MODERNA)) (1201)	206	1.83%
Death	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	298	2.65%
	COVID19 (COVID19 (UNKNOWN)) (1202)	2	0.02%
	Total	506	4.50%
	COVID19 (COVID19 (MODERNA)) (1201)	153	1.36%
Life Threatening	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	231	2.05%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.01%
	Total	385	3.42%
	COVID19 (COVID19 (MODERNA)) (1201)	62	0.55%
Permanent Disability	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	99	0.88%
	Total	161	1.43%

# January 29th

Event Category	Vaccine	⇒ Events Reported 🖜	Percent ← (of ↑↓ 9,845)
	COVID19 (COVID19 (MODERNA)) (1201)	118	1.20%
Death	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	213	2.16%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.01%
	Total	332	3.37%
	COVID19 (COVID19 (MODERNA)) (1201)	103	1.05%
Life Threatening	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	170	1.73%
	Total	273	2.77%
	COVID19 (COVID19 (MODERNA)) (1201)	38	0.39%
Permanent Disability	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	68	0.69%
	Total	106	1.08%

# Fern passed a few days after her 2nd Vaccination









So sorry.



She was wonderful. But I know every person that's lost was wonderful in their own way








#### Q O A II T 8 likes e Today's a rough day. We spent the morning saying goodbye to my sweet grandma and she went to be with Jesus. Just going to throw a few thoughts out there- and I'm sure this post will get some cov attention and a nice little badge that will tell you all about how SAFE the shot is... But you might want to use DuckDuckGo and search about the v@x and strokes in the elderly. Not saying that's exactly what caused my grandma's death today, but she did have a stroke and she received her second v@x a few days ago. I'll tell you what makes me the most angry- TODAY is the FIRST TIME I was able to TOUCH my grandma since this covid crap started last year. Only when she was on her deathbed would they let us be near her her. If the v@x didn't kill her the isolation did. So much evil. #do bu #isheallysale #mylearthuits

### Disinformation

Disinformation is false or misleading information that is spread deliberately to deceive. This is a subset of misinformation. **Wikipedia** 





- The safety of COVID-19 vaccines is a top priority. The FDA uses a set of criteria to evaluate the safety and effectiveness of vaccines.
- You may need more than one shot for maximum effectiveness. Some COVID-19 vaccines require two doses. Once you receive your first dose, ask about the second dose of the same vaccine before leaving.
- Talk to your health care provider. Your doctor can answer questions about the COVID-19 vaccine and when you should get it.



#### STAY INFORMED

Visit our <u>COVID-19 website</u> for the most up-to-date information on testing and the vaccines.

#### bcbsil.com

#### You Don't Have Any Violations

Read our Community Guidelines to learn what we allow on Instagram and how you can help us report and remove what we don't.

See Community Guidelines

The *Maa' Hest Qalam* actor's health had deteriorated after contracting the virus.

#### READ MORE



Kuwaiti actor Mishari Al-Balam hospitalised with Covid-19 Lebanese member of parliament Jean Obeid dies of Covid-19 Kuwaiti TV personality
May Al-Aidan
announced the actor's
hospitalisation on
Saturday, writing that
his health had suffered
because of low levels of
oxygen in his blood.

Hypoxaemia is one of the more severe symptoms of Covid-19

"Your prayers to our brother, the artist Mishari Al-Balam," she wrote on her Twitter page.

Al-Balam posted a photo of himself on his Instagram account one week ago, confirming that he had Covid-19.

Don't forget me in your prayers," he wrote.

On February 11, the actor had shared a video as he received the first dose of a Covid-19 vaccine, urging his followers to also get vaccinated.


Kuwaiti actor Mishari al-Balam died on Thursday after contracting Covid-19.

The 48-year-old star had been in intensive care at Kuwait's Jaber Al Ahmad Al Jaber Al Sabah Hospital since Saturday.


His cousin, Hassan al-Balam, who is also an actor, confirmed the news on Instagram on Thursday evening.



# **Facebook**








I got my 2nd dose of the moderna vaccine on Monday. I have run a temp since Monday afternoon.... for the most part between 101 and 102. However on Monday night it reached 104.9, I took cold showers and slept on ice packs to keep it under 105. The massive lump on my arm just continues to grow.... I don't feel totally awful anymore that only lasted a day, still alittle dizzy, achy but not as bad as b4.... anyone else have similar issues. I had covid arm with the first shot it showed up 10 days after the shot and lasted a few days. I have spoken to nurses and my doctor, I do know I have had a severe reaction... I just wonder if anyone else has as well and how long it lasted. I really want to avoid the ER. I should add I have been taking antihistamines as well as advil / tylenol.









Hi everyone! I just left the doctor and they put me on a holter monitor for 24 hours. I had my first Pfizer vaccine on January 18th and soon after started having pretty severe heart palpitations. After a few days of severe palpitations they decreased a bit. They continued to lessen over time, but never completely went away. I had my second shot on February 8th and the heart palpitations became pretty severe again. Once again they lessened over time, but have yet to completely go away. I searched the group and saw heart palpitations are mentioned guite a bit, but I didn't see anybody who has experienced them as long as me. Has anybody had heart palpitations for this long after receiving the vaccine? I'm just trying to figure out if this is a vaccine side effect or if I could possibly have something more going on as they are driving me crazy!



There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3cTKCSM)



...

Had the Moderna Vaccine on Saturday. I have an allergy to Bactrim, (hives). Waited 30 minutes with no reaction. As I was driving home, My face below my nose, started to tingle and go numb. This spread to my lips and tongue inside my mouth. I took Benadryl. and drove back to the vaccine site. EMT said because it was after 30 minutes it probably was not an allergic reaction, but just my body fighting off the pretend virus it things it has. He refered me to the ER as I started to get a red rash on neck and chest and he was concerned that the numbness was going to go into my airway. The ER gave me more Benadryl and Pepsid and sent me home. Other than this, I felt fine. The next day, my face was not numb, but my tongue still had some numbness and it felt like I had eaten hot pizza and burned my mouth. Sore arm on day 2, stomach cramps and UTI symptoms. Tired. 3rd day, no physical symptoms, but mouth still feels a little weird. Loss of apatite. The mouth numbness was scary. Especially because I didn't feel that the Benadryl helped improve symptoms. IF that spread into my airway, it would have effected my breathing. Not sure if I want to chance it with a second vaccine.

<b>₩</b> 🕽 😖 24		19 Comments
Like	Comment Comment	Send

### Stefanie

I registered with Washington's Department of Health, It will give you several injection sites to go to to choose the location of choice. I chose Legacy Salmon Creek because that's where my boss went. They have the Moderna vaccine. I'm 51, have Type 1 (insulin dependent) diabetes, and I work in the dental field. Legacy e-mailed me a special code that I had to enter to register. and it popped up with several date options. I've had my first injection (sore arm for two days as well), and I'm due for my second one this Sunday). I hear the second vaccine hits you like a ton of bricks. We were told by a pt who's a nurse to start taking multi vitamins, zinc, vitamin C, Vitamin D, and Airborne a week before your second vaccine. I've been taking all of those but the airborne, and taking a natural immunity capsule. Fingers crossed that I don't get sick. My boss developed COVID like symptoms and they lasted about 10-12 hours. I'm hearing from some people it could last up to four days (the crummy feeling that is). Fingers crossed!



5 hrs Like Reply More




5 hrs Like Reply More

There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3cTKCSM)

For information about vaccines, visit https://vaccine.guide.





There are currently no FDA approved COVID-19 vaccines on the market. Safety and efficacy testing is ongoing. (Source: FDA https://bit.ly/3cTKCSM)

For information about vaccines, visit https://vaccine.guide.

# Vaccine News



τT



WHO agrees compensation fund <u>for serious</u>
COVAX vaccine side effects

Reuters | Feb 22, 2021 12:40PM ET



Be the first to comment »



Countries funding their own COVID-19 vaccine procurement also plan their own liability programmes.

The WHO-agreed plan, which has been under discussion for several months, is designed to cover serious side effects linked to any COVAX-distributed vaccines until June 30, 2022, to COVAX's Advance Market Commitment-eligible economies - a group of 92 poorer states which includes most African and Southeast Asian countries.

The programme will be financed initially from donor funding to the AMC as an extra charge on all doses of COVID-19 vaccines distributed through COVAX. Applications can be made via a portal at http://www.covaxclaims.com from March 31, 2021, the WHO said.

Seth Berkley, chief executive of the GAVI vaccine alliance which co-leads COVAX, said the agreement on the compensation fund was "a massive boost" for COVAX, which aims to secure equitable global access to COVID-19 vaccines.

#### By Kate Kelland

LONDON (Reuters) - The World Health Organization has agreed a no-fault compensation plan for claims of serious side effects in people in 92 poorer countries due to get COVID-19 vaccines via the COVAX sharing scheme, resolving a big concern among recipient governments.

The programme, which the WHO said was the first and only vaccine injury compensation mechanism operating on an international scale, will offer eligible people "a fast, fair, robust and transparent process", the WHO said in a statement.

"By providing a no-fault lump-sum compensation in full and final settlement of any claims, the COVAX programme aims to significantly reduce the need for recourse to the law courts, a potentially lengthy and costly process," the statement said.

Questions of how compensation claims would be handled in the event of any serious COVID-19 vaccine side effects, which are likely to be very rare, had been a worry for countries due to get COVID-19 shots via the COVAX plan.


"It helps those in countries who might have such effects, manufacturers to roll out vaccines to countries faster, and is a key benefit for lower-income governments procuring vaccines through (COVAX)," Berkley said.

The WHO said it was also working with the insurance firm Chubb (NYSE:CB) to secure insurance coverage for the programme.

Written By: Reuters

SI

## **Vaccine News**



As Moderna ramps up its COVID-19 vaccine efforts and has made one of the speediest moves from a hyped-up preclinical biotech to a commercial entity hoping to help save the world, its chief medical officer, Tal Zaks, M.D., Ph.D., is set to leave for pastures new.

Zaks "will be leaving the company in late September" after six years at the biotech. Moderna quietly announced his exit near the end of its financials this morning, which focused heavily on its boosted manufacturing efforts for its mRNA COVID-19 vaccine as well as new trials against variants and for use in children.

Moderna said it has retained Russell Reynolds to "recruit for a new CMO with global and commercial experience," coming after the company went from an early clinical biotech just a few months ago to today, when it has FDA emergency clearance for its pandemic shot and is scaling up the launch of its vaccine as it prepares to file several biologics license applications over the next few years.

COVID-19 is, however, just one of many targets the company is going after, with a swath of shots on multiple targets—including the chikungunya virus, autoimmune diseases, HIV and Zika vaccines—as well as work in immuno-oncology in its broad pipeline.

"I would like to thank Tal for his tremendous impact on Moderna's success over the last six years. Tal joined us when we were a preclinical company," said CEO Stéphane Bancel. "His guidance and contributions were important in helping Moderna get to where we are today.

"Through his leadership over the past year in Moderna's response to the COVID-19 pandemic, Tal has made a contribution that extends beyond Moderna to all of society. I have enjoyed having him as my partner and wish him all the best as he embarks on the next leg of his career." It was not made public where Zaks will be moving to next.

Zaks leaves a rich man: He has earned tens of millions of dollars since the start of the pandemic last year, according to filings with the SEC, regularly selling shares that are allowed under the SEC's rules and have seen him make around \$1 million a week, but have earned the ire of some observers. This comes after Moderna's stock has soared on its COVID vaccine promise, putting it in the Premier League alongside Pfizer/BioNTech, and nabbing billions in government cash for trials at the same time.

Moderna was up 3.5% premarket.

### **Direct Messages**

Hi. I'm a caregiver and I take care of a 102 year old woman who's fairly health (still has her mind, has a pace maker but overall healthy.) she had her first dose about 18 days ago (Pfizer) she's going in for her second dose and I pray everything goes fine but about a week and half ago she started period like spotting. Seeing this post made me put 2 & 2 together.

Healthy\*
Going in for second dose today\*

Work on a cardiac floor and your post about heart failure is spot on. I can't begin to tell you how many people we've had with heart issues post vaccination

Registered Nurse at a large hospital in the Denver area. Pfizer and Moderna currently being administered at our hospital, several nurses have had to call off due to adverse reactions, some after the first dose and many after the second dose. Symptoms nurses have complained about range from, sore/ painful at injection site, fever, chills, body aches, dizziness, vertigo, lethargy and migraine lasting 1-3 days.

My mother had the vaccs 2 weeks ago. She was admitted to hospital several days ago, Last Rites have now been given. I'm told her heart is giving up & oxygen levels very low. A friend of mine reports her aunt collapsed the night she had the vaccs & died a few days later in hospital. Another friend's father had a stroke 2 weeks after the vaccs. I don't believe any of this is a coincidence.

Since my 84 y/o Father in law received his first Pfizer shot in January, he has struggled with constant dizziness. Between the first and second vac, he even fell over and hit his head but still proceeded to get his 2nd shot blaming typical vertigo for it. My MIL refuses to believe the vaccines are to blame. She told me last night that his meclizine isn't even touching his dizziness this time and she doesn't understand why. She blames his age, even though he didn't have this impairment before. She said he is even walking funny now, shuffling his feet like he can't pick them up. I don't understand why people are not questioning these side effects, and people like him are not getting reported to VAERS because of it.

My mother works for the NHS and basically felt her job depended on her taking the vaccine. She was constantly harassed about why she didn't want it until she eventually gave in and had the jab. She was very ill for 4 days and had to remain off work. She had severe headache and nausea and only after 9 days did she begin to feel 'like herself' again . . . She is refusing the second jab and has reported the effects the vaccine had on her but the hospital she works at accused her of having a 'weak immune system' and that's why she had the reaction!!! My mother is fighting fit at 62 years old, hasn't had cov! d at all even after working throughout the last year and I am outraged that she felt she had no choice but to take this experimental poison.

2:49 PM

Which manufacturer did they give her?

11:32 PM

Oxford one. She's had new side effects more recently too, like regular headaches, sudden pain in lymph nodes near her breast etc not sure if they're connected but she's concerned.

My daughters 5th grade teacher passed out today live on their class zoom meeting, she got her second dose last night. She looked very pale, mumbled words, mentioned her arm was very sore and skin and sensitive.

I got the Pfizer vaccine (1st dose January 14 2nd dose February 4) I have had a burning sensation from a lymph node at the base of my neck since the first one and after the second one it just became more intense. Two weeks later i still have this burning sensation along with a constant sore throat. I wish I didn't give in to pressure to get it. I hope these side effects go away soon. I will never get this vaccine again.



1

They're calling this the "moderna arm" it happens a week after your vaccine and you get a small red bump that's itchy and hard and warm at the touch.

I had one after I got my vaccine And it was there for 3 days and went away. It just depends on the person.

## Just got my covid vaccine I'll keep ya updated

But I will tell ya

Some of my class mates got it Thursday and 6 were out of class yesterday Bc they they all felt sick the next day.

Also if you do post mine on you page I just request you leave out my name Thanks 😝

Of course I will leave out your name. Thanks for staying in touch with me. Also, as you've probably already seen, people can be pretty ugly in the comments. Just keep that in mind. There's no possible way for the to moderate it all.

Goodness Rona rage is a real thing

4:57 PM

Best way to describe it
I feel like i got hit my a truck

2

Hi again! Just to let you know many of my husband's colleagues (doctors and nurses) that were vaccinated with sinopharm are now ill. They are covid positive and symptomatic now. Some developed severe symptoms and called in sick.

My hubby didn't receive the shot but started feeling a sore throat after being around his colleagues.

He is kinda fine but his siblings are now covid positive and very ill.

Possibly, I am infected too so I am waiting for symptoms to develop

I wonder if my hubby got the virus from his vaccinated colleagues and passed to his siblings and perhaps me.

So my grandpa who is from NY lives here in NV with the rest of my family. The rest of his family still lives in NY like his brothers and mom. His mom (my great-grandma) who is 94 years old lives in a nursing home in NY. I begged my family not to let her get the vaccine because she had already survived COVID back in august. She had mild symptoms and totally fought it like a trooper and came out fine! Come January they were offering everyone the Pfizer vaccination and she decided she would because she gets the flu shot every year.... well Jan. 25 she received her first shot and she called my grandpa and complained of a headache and sore arm but other than that felt fine. They found her in her room the next morning Jan. 26 and she had suffered a stroke on the same side she received her shot. When we got the news she was in pretty bad shape. They had put her into hospice care and she passed the next day on Jan. 27. 😔

Please do not use my name at all

I am hairdresser and see a lot of people.

I recently had a client come in who is a
doctor. She performs autopsies for a
hospital. She has been doing autopsies on
people who have passed after receiving the
vaccine. They are trying to figure out why
people are dying. She said that they literally
can't figure out why they have passed. The
vaccine isn't leaving an trace. However she
did say the lungs of someone who has died
of Covid are even scarier.

No worries!! I know you receive tons! But i am glad you got to see my message. Finally, the vaccination campaign started in my country. Healthcare workers first. My husband is a doctor and he refused to take it, despite peer pressure. The virtual signaling is being over the top here too. I also forgot to mention that some volunteers of the sinopharm clinical trial developed guillain-barré syndrome. Again, they were silenced and gaslit.

In Norway an fully vaccinated elderly patient at a nursing home has got an covid-19 infection (tested negative before)

So far here in Norway has 607 died of covid-19. total since last year.

93 people has died of the vaccine. First vaccine vas given ca 2 months ago

#### Norwegian newsarticle

https://www.ostlendingen.no/over-1-200-meldinger-om-bivirkninger-av-vaksiner-i-norge/s/5-69-1092510

Ingen av meldingene om bivirkninger gir grunnlag for å endre anbefalingene om bruken av koronavaksiner i Norge, slår Legemiddelverket fast.

Det er hi<u>ttil behandlet</u> 93 meldinger om dødsfall etter vaksinering hos eldre pleietrengende, de fleste sykehjemsbeboere. Snittalderen her var 87 år.

 Flere av de vaksinerte i denne gruppen er svært skrøpelige. Det er derfor ventet at det vil inntreffe dødsfall i tidssammenheng med vaksinasjon, uten at det trenger å være en årsakssammenheng, skriver
 Legemiddelverket.

(©NTB)



So far the vaccine appears more deadly than the virus itselves, comparing the timeframe

### **Vaccine News**



"I keep thinking about that. Why am I one of the lucky ones?" she says. "And I think that makes me feel like, I need to keep providing the information that we need."

So, when the clinic called her in <u>January</u> and offered to reveal her actual vaccine status it was an easy call for her. She agreed to keep participating in the two-year follow-up study.

Participants provide periodic nose swabs and saliva samples, to see if they've been infected. They also give blood so scientists can better understand how the vaccine is providing protection.

Mott was one of about 650 volunteers who took the experimental Moderna vaccine at a company called Johnson County Clinical Trials in Lenexa, Kan. Dr. Carlos Fierro, who runs the study there, says every participant was called back after the Food and Drug Administration authorized the vaccine.

"During that visit we discussed the options, which included staying in the study without the vaccine," he says, "and amazingly there were people — a couple of people — who chose that."

Scientists may be able to infer some of this, for example if it becomes evident that vaccinated people commonly fall ill after exposure to virus variants. Further safety information is also being collected by the Centers for Disease Control and Prevention, as well as the FDA, based on the experience of millions of people who have now taken the shots.

MEDICAL TREATMENTS

# Should Coronavirus Vaccine Trials Be Unblinded?



But clinical trials that include a placebo group are the surest and most definitive ways to gather information about vaccine effectiveness. "I think over time we'll get that data," Fierro says, even without a placebo group.

Scientists have already collected data from the vaccine studies that could help them identify how individuals' immune systems have responded to vaccination. That could eventually let them identify immune system features, called correlates of protection, that could strongly indicate vaccine effectiveness.

He suspects those individuals got spooked by rumors about the vaccine. But everybody else who had the placebo shot went ahead and got the actual vaccine. So now Fierro has essentially no comparison group left for the ongoing study.

"It's a loss from a scientific standpoint, but given the circumstances I think it's the right thing to do," he says.

People signing up for these studies were not promised special treatment, but once the FDA authorized the vaccines, their developers decided to offer the shots.

Dr. Steven Goodman, a clinical trials specialist at Stanford University, says losing those control groups makes it more difficult to answer some important questions about COVID-19 vaccines.

"We don't know how long protections lasts," he says. "We don't know efficacy against variants — for which we definitely need a good control arm — and we also don't know if there are any differences in any of these parameters by age or race or infirmity."

But because the best evidence comes from a controlled study, Goodman is thinking about how those could be conducted ethically, now that there are effective vaccines available.

One option is to identify people who are in groups that are not currently eligible for a vaccine, as is happening now with children. Another option is to conduct studies in other parts of the world, where vaccines simply aren't available. But that raises ethical issues, as well: Why not provide those countries vaccine, rather than recruiting them for a study?

"But the fact is we do have an unfair world and there are inequities in global health and financing," Goodman says. So, offering people a chance to participate in a study could be ethical. "The countries themselves may demand it," he says, as they work to understand the risks that virus variants pose to their populations.

Another option is to run a study in which all participants get vaccinated, but not right away. After two months, for example, people would get a second treatment — either the real vaccine if they originally got the placebo, or vice versa. One key here, Goodman says, is that nobody should know which was which. That way people wouldn't change their behavior, which itself could influence the outcome of a trial because people who know they are vaccinated might take greater risks.

The appearance of virus variants "may really scramble things up because there may be certain variants where the efficacy of all vaccines might be so low that we're basically back to zero," Goodman says. "We might have to go back to placebo-controlled trials. It's hard to know."

That's the worse-case scenario. The vaccines currently in use in the United States seem to work well against the variant first seen in the United Kingdom and appear to offer at least partial protection from the variant identified first in South Africa, but more evasive new variants could emerge in the months and years to come.

Fierro sees another possibility. Perhaps in a year or two the existing vaccines will have proven so effective that COVID-19 becomes not much more than a nuisance. Under those circumstances, the risk of participating in a study that has a placebo option would be low enough to be acceptable, say, for young people who have not yet been vaccinated.

You can contact NPR Science Correspondent Richard Harris at rharris@npr.org.

covid-19 vaccine covid-19 clinical trials bioethics

Tens of thousands of people who volunteered to be in studies of the Pfizer-BioNTech and Moderna COVID-19 vaccines are still participating in follow-up research. But some <u>kev questions</u> won't be easily answered, because many people who had been in the placebo group have now opted to take the vaccine.

Even so, there's valuable information to be had in the planned two-year follow-up studies. And that motivated Karen Mott, a 56-year-old job counselor who stuck with the continuing study.

"I've been taking prescription medicine for the last 25 years," she says, referring to antiseizure drugs she takes. In order to show those drugs worked, people previously volunteered to take them when they were still experimental, "so I felt it was my way of giving back."

Mott, who lives in the Overland Park, Kan., got a strong reaction to the second shot, so she correctly surmised she had received the Moderna vaccine, not the placebo. She was sad to read that one of the volunteers in the placebo group did die of COVID-19.

# **Facebook Threads**







#### Aimee

Interesting to hear all of the delayed effects. I had the first dose of Moderna on Jan 15th. Just had some arm soreness for about 36 hours and slept super well for the 6 nights after. However, one week after the vaccine I noticed that I had a lower heart rate variability (I used a Garmin Vivosmart 4) based on the Garmins Bodh Battery and stress scores overnight. It's been going on for the past few night and I feel like my resting heart rate is a bit elevated as well. Glad to know there are others with delayed effects

2h Like Reply



### Ashli

I had delayed symptoms and a hive formed at injection site one week later and night sweats started 1.5 weeks later too

1h Like Reply



#### Jessica

One of my coworkers and I both had ipsilateral axillary lymph node pain and swelling from pectoral region to mid axilla for 4-5 days. No redness that we were aware of. Mine started 6 days and hers 7 days following Moderna injection

1h Like Reply



## Hanna Ashlee

1h Like

Reply








I had the exact same arm soreness and lymph node swelling/pain after my first dose. You're not alone!

55m Like Reply





### Karla

I'm due for my 2nd Phizer shot this weekend. A family member was told to expect a more severe reaction with the 2nd shot and to allow 1 or 2 days. The reaction, from what I read, is your body's immune response kicking into high gear. I've since read articles saying the same thing so I'm expecting it.

But, as it was with Stephanie everyone will react differently. Expect and prepare for the worst and hope for the best! Get you COVID vax reaction kit ready! Hot tea, chicken soup, heating pad, blankets...

Good luck.

9h Like Reply








Janice Salvas

Karla Yes I read the same article and it was kind of encouraging to me because it's your body kicking butt you against the Covid virus!


But yes I will make sure I have the next day off after my second shot 🥖

9h Like Reply











#### Doali Burgo

My husband got Moderna. The 2nd dose hit him more than the 1st one on the next day. Tylenol wasn't enough. He was sent home earlier from work because he wasn't ok. He slept for hours during the day and had the chills and weakness. He was fine after the 2nd day.

3

9h Like Reply

10



### Suzanne Manualdin

My 97 year old Mom had both Moderna shots and had no reaction to either of them.

9h Like Reply

20



### Julie Kirkman

My mom (late 60s) just got her 2nd Pfizer shot yesterday morning. She was fine the day of, but it hit her today. Not terrible, but she's been pretty tired and feeling achey so rested in bed all day.

9h Like Reply

10



### Michael Rettzo

My mom is 80 and she is doing fine after her second shot

9h Like Reply

2 00



# **Guinda Casey**

Totally fine with the second shot.

8h Like Reply

10

# Important Updates from the

these next few slides are from a iusttheinserts

# CAN AN EUA BE REVOKED?

**Yes.** According to the FDA, the EUA that was granted in March 2020 for a drug that was determined to no longer be effective in treating COVID was revoked in June 2020. It was revoked also due to ongoing serious cardiac adverse events and other serious side effects.

Q. Why was the Emergency Use Authorization (EUA) for hydroxychloroquine sulfate (HCQ) and chloroquine phosphate (CQ) revoked?

A. FDA has a responsibility to regularly review the appropriateness of an Emergency Use Authorization (EUA), including review of emerging scientific data associated with the emergency use of an authorized product. Based on FDA's continued review of the scientific evidence available for hydroxychloroquine sulfate (HCQ) and chloroquine phosphate (CQ) to treat COVID-19, FDA has determined that the statutory criteria for EUA as outlined in Section 564(c)(2) of the Food, Drug, and Cosmetic Act are no longer met. Specifically, FDA has determined that CQ and HCQ are unlikely to be effective in treating COVID-19 for the authorized uses in the EUA. Additionally, in light of ongoing serious cardiac adverse events and other serious side effects, the known and potential benefits of CQ and HCQ no longer outweigh the known and potential risks for the authorized use. This conclusion warrants revocation of the EUA for HCQ and CQ for the treatment of COVID-19.

If the Pfizer vaccine is determined to no longer be effective in preventing COVID and serious adverse reactions occur within 3 months, will the FDA revoke the EUA?

Personally, the precendent set by the FDA for revoking EUAs has

been met. These are not effective products at preventing infection + transmission and should be

removed from the market until a better product is created.

The updated guidance outlines the FDA's scientific recommendations for modifications to authorized vaccines. For example, the FDA expects that manufacturing information will remain generally the same for an authorized vaccine and a modified vaccine candidate from the same manufacturer. For clinical data, the guidance recommends that a determination of effectiveness be supported by data from clinical immunogenicity studies, which would compare a recipient's immune response to virus variants induced by the modified vaccine against the immune response to the authorized vaccine. Manufacturers are also encouraged to study the modified vaccine in both naïve (non-vaccinated) individuals and in individuals previously vaccinated with the authorized vaccine. Additionally, the guidance outlines the FDA's recommendations for assessments of safety to support an EUA for a modified vaccine. Finally, the guidance states that further discussions will be necessary to decide whether in the future, modified COVID-19 vaccines may be authorized without the need for clinical studies.

# This is from an FDA update emailed to me.



Coronavirus (COVID-19) Update: FDA Issues Policies to Guide Medical Product Developers Addressing Virus Variants

Suite of Guidances Addresses Vaccines, Diagnostics and Therapeutics

# Vaccines

The FDA updated its October 2020 guidance, <a href="Emergency Use Authorization for Vaccines to Prevent COVID-19">Emergency Use Authorization for Vaccines to Prevent COVID-19</a>, to provide recommendations to vaccine developers, including those who have already received emergency use authorization (EUA) for their COVID-19 vaccines and are seeking to amend their EUA to address new variants. At this time, available information suggests that the FDA-authorized vaccines remain effective in protecting the American public against currently circulating strains of SARS-CoV-2. However, if there is an emergence of SARS-CoV-2 variant(s) in the U.S. that are moderately or fully resistant to the antibody response elicited by the current generation of COVID-19 vaccines, it may be necessary to tailor the vaccines to the variant(s).

# Hold the FDA accountable.

Basically, the FDA is paving the way for Pfizer + Moderna to create modified mRNA vaccines for any variants. This would mean those already

vaccinated would most likely be recommended to get another round of these modified shots that may or may not have clinical trial safety data.

# Vaccine News



Pfizer does not relinquish responsibility for the effects of the vaccine to Brazil

Natália André, from CNN, in Brasilia



The pharmaceutical Pfizer will not close deals with the Ministry of Health if the Brazilian government does not accept to assume responsibility for eventual side effects of the vaccine.

According to Senator Ranfolfe Rodrigues (Rede-AP), who met with the company, on Monday morning (22), the immunizer is being used in 69 countries and there were problems with responsibility in a few, such as, for example, Brazil, Venezuela and Argentina.

The congressman went to the Official Residence of the Senate to participate in the virtual meeting with Pfizer, Johnson & Johnson and other bodies, which are discussing vaccine contracts around the world, which was led by Congress President Rodrigo Pacheco (DEM-MG).

"It is no longer a matter of controversy or an arm wrestling with the federal government. We want to have dialogue. (...) we are not proposing the suppression of Anvisa. But Pfizer made the first proposal to the Ministry of Health in June 2020, "said Randolfe after the meeting.

This week, Provisional Measure 1026/2021 should be voted on in the Chamber of Deputies. The original text is from the federal government, but, in Congress, an amendment appeared that proposes that Brazil take responsibility for the effects that may arise. After the House approves, the Senate must deliberate and then go to presidential sanction.

"It is not possible that Chile managed to vaccinate 10% of its population and Brazil only 2.5%, experiencing a blackout of vaccines. Pfizer tried to do business in June last year and even today the MS has not removed the obstacles. Congress just wants to help, "explained Randolfe, before the meeting.

The senator also said that the president of the Senate would meet with the Minister of Health, Eduardo Pazuello, still on Monday (22). And that Congress should create a Bill, "more ready, more complete, that has an arbitration court, without embargo and without prejudice to help the STF. It is a more detailed project, which is not possible in a PM. The MP is more urgent, the PL will help in the future."



# 1/ WHY DO THEY KEEP DOING THIS? WHY WILL THEY NOT BE HONEST?

You're about to hear a whole bunch of how do I put this politely? - optimistic
stories about vaccinations out of
Scotland. National-level data show 85%
efficacy, etc.

# THE DATA TELL A ENTIRELY DIFFERENT STORY...

# ■■ AT&T • 2:13 PM 61% ■ poseidon01.ssrn.com

AstraZeneca) COVID-19 vaccines have demonstrated high efficacy against infection in phase 3 clinical trials and are now being used in national vaccination programmes in the UK and several other countries. There is an urgent need to study the 'real-world' effects of these vaccines. The aim of our study was to estimate the effectiveness of the first dose of these COVID-19 vaccines in preventing hospital admissions.

Methods: We conducted a prospective cohort study using the Early Pandemic Evaluation and Enhanced Surveillance of COVID-19 (EAVE II) database comprising of linked vaccination, primary care, Real-Time Polymerase Chain Reaction (RT-PCR) testing, hospitalisation and mortality records for 5.4 million people in Scotland (covering ~99% of population). A time-dependent Cox model and Poisson regression models were fitted to estimate effectiveness against COVID-19 related hospitalisation (defined as 1- Adjusted Hazard Ratio) following the first dose of vaccine.

Findings: The first dose of the BNT162b2 vaccine was associated with a vaccine effect of 85% (95% confidence interval [CI] 76 to 91) for COVID-19 related hospitalisation at 28-34 days post-vaccination. Vaccine effect at the same time interval for the ChAdOx1 vaccine was 94% (95% CI 73 to 99). Results of combined vaccine effect for prevention of COVID-19 related hospitalisation were comparable when restricting the analysis to those aged ≥80 years (81%;

# y vaccine type

r ts	Age-adjusted Hazard Ratios (95% CI)*	Full-adjusted Hazard Ratios (95% CI)**	Full and inverse propensity adjusted Hazard Ratios (95% CI)***	V: (9
	1	1	1	N.
	0.73 (0.64 to 0.84)	0.74 (0.64 to 0.86)	0.53 (0.47 to 0.61)	47
	0.61 (0.5 to 0.73)	0.63 (0.52 to 0.76)	0.4 (0.34 to 0.48)	60
	0.43 (0.33 to 0.56)	0.44 (0.33 to 0.58)	0.3 (0.23 to 0.38)	70
	0.34 (0.22 to 0.52)	0.31 (0.2 to 0.48)	0.16 (0.1 to 0.26)	84
	0.6 (0.38 to 0.97)	0.46 (0.28 to 0.76)	0.39 (0.26 to 0.58)	61
	0.52 (0.34 to 0.81)	0.51 (0.33 to 0.79)	0.42 (0.3 to 0.61)	58



So the <u>correct way to report</u> on the Scottish data is that it shows a single dose of the #Covid vaccines are 85% effective FOR ONE WEEK AT THE PEAK OF THEIR USEFULNESS <u>and then rapidly decline.</u>

11:36 AM · 2/22/21 · Twitter for iPhone

24 Retweets 2 Quote Tweets 69 Likes

# poseidon01.ssrn.com

AstraZeneca) COVID-19 vaccines have demonstrated high efficacy against infection in phase 3 clinical trials and are now being used in national vaccination programmes in the UK and several other countries. There is an urgent need to study the 'real-world' effects of these vaccines. The aim of our study was to estimate the effectiveness of the first dose of these COVID-19 vaccines in preventing hospital admissions.

Methods: We conducted a prospective cohort study using the Early Pandemic Evaluation and Enhanced Surveillance of COVID-19 (EAVE II) database comprising of linked vaccination, primary care, Real-Time Polymerase Chain Reaction (RT-PCR) testing, hospitalisation and mortality records for 5.4 million people in Scotland (covering ~99% of population). A time-dependent Cox model and Poisson regression models were fitted to estimate effectiveness against COVID-19 related hospitalisation (defined as 1- Adjusted Hazard Ratio) following the first dose of vaccine.

Findings: The first dose of the BNT162b2 vaccine was associated with a vaccine effect of 85% (95% confidence interval [CI] 76 to 91) for COVID-19 related hospitalisation at 28-34 days post-vaccination. Vaccine effect at the same time interval for the ChAdOx1 vaccine was 94% (95% CI 73 to 99). Results of combined vaccine effect for prevention of COVID-19 related hospitalisation were comparable when restricting the analysis to those aged ≥80 years (81%; 95% CI 65 to 90 at 28-34 days post-vaccination).

**Interpretation:** A single dose of the BNT162b2 mRNA and ChAdOx1 vaccines resulted in substantial reductions in the risk of COVID-19 related hospitalisation in Scotland.

Funding: UK Research and Innovation (Medical Research Council); Research and Innovation Industrial Strategy Challenge Fund; Health Data Research UK.



First off, they didn't find an 85% decrease in hospitalizations even after adjusting for age and preexisting conditions. It was 69%. To get 85% they ran a hocus-pocus they called an "inverse propensity adjustment." Bully for you if you know what that is.

EVEN MORE IMPORTANTLY...

# y vaccine type

r ts	Age-adjusted Hazard Ratios (95% CI)*	Full-adjusted Hazard Ratios (95% CI)**	Full and inverse propensity adjusted Hazard Ratios (95% CI)***	V: (9
_	1	1	1	N.
_	0.73 (0.64 to 0.84)	0.74 (0.64 to 0.86)	0.53 (0.47 to 0.61)	47
	0.61 (0.5 to 0.73)	0.63 (0.52 to 0.76)	0.4 (0.34 to 0.48)	60
	0.43 (0.33 to 0.56)	0.44 (0.33 to 0.58)	0.3 (0.23 to 0.38)	70
	0.34 (0.22 to 0.52)	0.31 (0.2 to 0.48)	0.16 (0.1 to 0.26)	84
	0.6 (0.38 to 0.97)	0.46 (0.28 to	0.39 (0.26 to 0.58)	61

# Reddit





# r/AskDocs



alijade1 · This user has not yet be... · 25d

# Tonsils feel swollen but aren't? Help!

Age: 23 Sex: F Height: 5'1 Weight: 101 lb No drinking, smoking, medications

Hi,


Yesterday I developed a sore throat, and today I now have the feeling that my tonsils are swollen, even though when I look at my throat, my tonsils appear normal. My throat is red, and when I swallow it feels like I'm swallowing a bulge.

I've also had a stomach ache - though I'm not sure if it's related.

Not sure what this is? Please help!

Yes, I will be getting a COVID test. I have also had my first dose of the COVID vaccine already.

Thanks in advance!



condition(s): Asthma, well controlled Medications: Daily multivitamin, Tylenol, Ibuprofen

# https://imgur.com/gallery/C14gYEZ

For the past few months I've been having episodes of sharp chest pain that I've been attributing to stress. It's been a squeezing/stabbing sensation in the middle of my chest, sometimes slightly to the left. It usually passes within a few hours.

Having a job in the hospital, I was prioritized for Covid





# r/AskDocs



Confident-Victory-21 · This user ... · 23d

My sister (37F) had a mild allergic reaction to the covid vaccine, can she take the second one? Reading conflicting info.

Physician Responded

37F, no medications, allergy to penicillin, anxiety disorder, lives in Alabama.

I'm not sure which vaccine it was but she broke out in hives and started freaking out on the phone when she called me. She has huge health anxiety. I suspect she broke out in hives from her anxiety but I'm not sure.

They gave her some benadryl and kept her longer. She ended up being fine so that means she will probably be fine getting the second one right?

But she sent me something from the internet saying people who have any kind of allergic reaction shouldn't get the second one.





The EKG was confirmed after I'd left, and I'd ju x 'ce some clarification on it. I see that it shows sinus cach, but am wondering about the possible left atrial enlargement/ST abnormalities. Both of my parents developed AFib at a relatively young age so that has been a concern of mine. I'm also wondering if the ST abnormalities are significant, given the last few months of chest pain I've been experiencing (I did not have it at the time of the test).

Thank you for your time, I appreciate all that you do.

Note: Although I've had a pretty miserable time following this second dose, I do not regret it. Small price to pay for Covid protection.







, T, Share



Award

# Dramatic delayed facial swelling after Covid Vaccine 24F UK

Hello!

24F UK 135lbs 5'7 White British

Monday around 11am I received my first dose of the AstraZeneca vaccine. By around 10pm that night I was extremely feverish and vomiting- fairly common side effects, just took painkillers and slept. Yesterday morning I woke up and felt just as unwell but again just rested. Around 3pm yesterday I noticed one of my cheeks had become hot, red and started to swell. After around an hour I noticed hard hive/welt like swellings in my cheek, that contributed to an overall swollen cheek look. This continued to grow over the next four hours until it became a very swollen, numb and hard feeling cheek.

Worried, I called 111 (UK medical advice service) who told me to go to the emergency department as it sounded like an allergic reaction. Once I was there they found a fever, as to be expected, and inspected the still growing swelling. All other vitals were absolutely fine, no lymph nose swelling or anything to suggest an isolated infection in my cheek. The numb and hard nature of the swelling confused the first doctor, who asked for a second opinion. The second doctor was equally confused, as obviously an allergic reaction is almost instant, not 30 something hours later.

They just assumed it was some odd reaction to the vaccine and gave me antihistamines and steroids, which stopped the swelling growing, but didn't reduce it. As there was no swelling in my tongue or throat, and therefore no risk of anaphylaxis, they sent me home with a prescription of the same antihistamines and steroids to take for 3 days.

I have woken up today, and the swelling is no longer hard, but just as large as it was last night.

What is going on? What causes unilateral, numb fairly rapid swelling in the cheek?

Just to note, I have no underlying health conditions that I'm aware of (I had a routine blood test last week that came back completely clear), no medications, and I'm not having an dental issues currently.

Thank you.








Having a job in the hospital, I was prioritized for Covid vaccine. I had my first dose of the Moderna vaccine without any issues aside from an achy arm. Two days ago now I had the second vaccine and came home feeling great.

About 12 hours later, on the dot, I woke up violently shaking despite the pile of blankets on my bed. I was sweating, and had a fever of 101. I could not warm up, felt chilled to the bone. My heart rate was 168 just sitting in bed. The next day (yesterday) my fever had escalated to 103.5 and my heart rate was still high. 140s. I felt dizzy up walking around, like I'd just run a marathon. And my body was so achy I felt like I could barely move.

I called the Covid line from work (as directed) and they instantly connected me with their physician over the phone. She insisted that I go to the ER as I may having a delayed allergic reaction. She even said to call 911.

I ended up just hanging out at home for a while hoping it would pass but my fever kept going up and my chest felt tight, so I finally went in. They did an EKG, loaded me up with Tylenol, Ibuprofen, zofran, and started some LR. They also did a CXR and labs, which came back fine.

The EKG, I was told while I was there, showed sinus tachycardia but was otherwise insignificant. They said that given my age and overall health, my heart could handle the fast rate for a while, so they stopped the fluids and sent me on my way.



### Critical Care Nurse, BSN RN

Plain and simple.

Too many really smart Doctors and Nurses idolize science. Science is now corrupted by politicized propaganda. There is no more scientific method. They are blind to the truth because they blindly trust and don't ask questions. They are blinded by their own pride. Pride will lead them to fall. I am just thankful some of us can see the truth. This isn't the first time nurses have stopped Doctors from killing people because they

Some Doctors are speaking out. But imagine having a job that gives you the ability to interject and stop death. That is one easy way to idolize yourself and what your science is capable of.



### Caprie Strube

① m.facebook.com



#### Caprie Strube

February 13 at 11:45 PM · 🚷

The first pic is the last selfie I took before getting the Moderna vaccine, and the second is 14 days post vaccine. I want everyone to know that this is my story and I'm not posting this to scare people. I just want to share information. Also it was my choice to get the vaccine.

I received my second Moderna vaccine on 1/21/21 at 10:00am. By 4:00pm I started to experience the side effects that you are told you will experience, headache and fatigue. But that night was a doozy. I woke up all night with fever, body aches, chills, and a killer headache. I called my boss the next morning to let her know that there was no way I could go in!

Let's fast forward 5 days, I'm still extremely sick! So I call my PCP (I'll leave names out to protect the innocent, let's just call them PFP) PFP, and they see me in the outdoor clinic. I tell the doctor all my symptoms, but now I've included nausea and vomiting. I'm given a 5 day course of steroids and anti-nausea medication. I'm also told the doctor is going to call me in 2 days because if I'm still sick, he will research it.

Day 19 I have an appointment at the clinic. I have a fever when I get there. The nurse practitioner has the medical records from my ER visit. At the ER, my white blood cell count was high and my EKG indicated my heart is not working at full capacity. She officially diagnoses my symptoms as adverse effects from the vaccine and reports to the CDC. I am being referred to cardiology and neurology for further testing.

Today is day 23 and the flu like symptoms are almost gone. I am still very weak and having chest pains. I get short of breath just walking around the house and I'm having some brain fog. I get muscle cramps and joints pains. I still get abdominal pains but not as frequently.

This is my vaccine story....





I'm now on day 7 and I'm not improving but my vision has been blurry for a few days. I go ahead and call PFP and leave a message for the MA to call me. She calls me and I talk to her about my condition not improving and my vision. I also asked her if I should get a COVID test. She stated that I would test positive on a COVID test because I now have the antibodies. She said she would talk to the doctor and call me back.

Day 11 I get an appointment at the clinic that administered the vaccine but they won't let me in the door because I have too many COVID like symptoms. I beg to be seen because I am so sick and explain that I am now having abdominal pain, my ears are pugged up, I have a sore throat, and I still have fever. I am told the only thing that they can do is a COVID test.

Day 12, I go to an urgent care so I can actually be seen by a provider (and I still haven't heard back from my PCP). Urgent care tests me for strep and the flu with are both negative. But the doctor is certain that I have COVID and it has nothing to do with the vaccine. I get a second COVID test but won't get the results for 24 hours.

Day 13 I get the results back from both COVID tests and they are both negative. I am able to do blood work at the clinic now that I have a negative COVID test! My PCP calls back! I tell them I am looking for a new PCP...

Day 14 I am making a salt water gargle in the kitchen when I start to feel light headed. I sit down and call my boyfriend over. I collapse into his arms and go unconscious. I stay unconscious for 1-2 minutes with labored breathing. When I wake up, I am unable to move my arms or legs or speak for a few minutes. By the time the EMT's get there I am recovered. I still go to the ER where they complete a CT Scan, EKG, blood, and urine tests. They tell me everything is normal so go home and follow up with my PCP.

Day 15 I call the clinic and inform them of the ER visit and make an appointment with an internal medicine doctor.

Day 18 I have an appointment with internal medicine. I explain to the doctor everything that had happened but now I have included the new symptoms of shortness of breath, double vision, and heart palpations. He says, "I see you have a history of mood disorder". I tell him, "yes but I've been doing well for a long time". Then he tells me, "we really need to be looking at the mood disorder". I asked, "what are you getting at"? He looked at me and said "people with mood disorders tend to exaggerate symptoms". So I grabbed my things and walked out.

### **Facebook**



26 hours after Dose #2: Moderna

exhausted by 7:30pm, up in the middle of the night with arm pain. Woke for the day and didn't feel badly, until about 8am, when that asthma tightness returned. I've used my inhaler with no effect, and the tightness actually hurts (this isn't a "new" thing for me; this is normal when I get bronchitis or pneumonia and the asthma is kicked off, so I recognize the connection. It's NOT a heart attack, people, PROMISE). I really just want to go back to bed at this point (and have since about 10am) but mom duties prevail for a little while more. I don't think I have a fever, or at least the courthouse didn't mention it when I went in. Little coughing (also asthma related). Arm still hurts a bunch (from elbow to neck). #stillbetterthanactuallygettingsick #worthit #getthedamnshot



Hearing and reading a lot of reports of mouth ulcers lately in some post first vaccine dose. Alongside the usual like feeling cold and shivery,


temp raised, brain fog and aches and pains,, all those are fairly "normal" responses for the Astra Adenovirus based vaccine, but the mouth ulcers are definitely different. Thoughts?





Received my second dose of the Moderna vaccine this week. The symptoms from the second round were a bit more intense (cold chills and fatigue) but I'll take those any day to help protect my family and my community! #GetVaccinated \*







1d - 🖭

Does anyone know how long after getting a Covid shot you can experience a side effect? My stepdad is one of the healthiest people I know. He got a shot on the 19th and 6 days later his face and lips swelled, he cannot close one eye, and his mouth is not working properly. Today they diagnosed him him bells palsey. (Which I have heard can be a reaction to the shot). Do you think this is the case? I told my parents to mention it to the doctor, but I don't think they did. I am so scared, because I know they are still planning on getting the second dose when the time comes.










I'm not sure how @pfizer can justify running a vaccine trial in late-term pregnant women based on the preclinical data, the miscarriages that have already been reported, and the very low risk of #Covid to healthy pregnant women. At the least don't they need more animal studies?



2:22 PM · 2/20/21 · Twitter for iPhone



#### THE IRISH TIMES



LATEST

**NEWS** 

MOST READ

LISTEN

Forty-one pregnant women were admitted to hospital for Covid-19 care and "less than five" required treatment in intensive care. There have been no Covid-19 related deaths among pregnant women.

Pregnant women or their babies are not at a higher risk of serious illness if they get the disease, and most will have mild to moderate symptoms. The risk of passing Covid-19 on to the baby is considered low.

However, pregnant women with symptoms may be more likely to be admitted to hospital and to need intensive care treatment, the HSE says, and there may be an increased rate of premature labour and stillbirth.





### AL NEWS



CORONAVIRUS

### Pfizer to begin Covid vaccine clinical trial in pregnant women

The drugmaker aims to enroll 4,000 expectant mothers.





### THE IRISH TIMES

2

**LATEST** 

**NEWS** 

**MOST READ** 

LISTEN


Covid-19: Pregnant women account for 548 cases since pandemic started

No Covid-related deaths among pregnant women in the State, with risk to babies low



A health worker administers a dose of the Pfizer/BioNTech coronavirus vaccine to a pregnant woman at Clalit Health Services,





My dad got vaccinated... 36 hours later he was in the hospital with heart failure. We thought we were going to lose him.

\_-

Me: Dr Cardiologist (DC), what's wrong with our dad?

DC: Well, at first he had all the symptoms of COVID, but he tested negative. Then we discovered he had heart failure.

Me: How bad was it?

DC: Your dad was very sick. We didn't think he would make it the first night.

Me: So what happened to his heart?

DC: Well, his arteries are clear and there's no blockage. So it's hard to say. We did find 2 liters of fluid we drained from his lungs that we think is secondary to the heart. And there's no infection.

Me: So what caused the heart failure and fluid in his lungs?

DC: It's just not.

\_-

What has to happen for something to be considered, even as an association (not causation) an adverse reaction in the reporting data?


I'm sensing things are likely not being recorded or documented accurately in the medical community.

Edit: To be clear, I'm not saying the vaccine did or did not cause his heart failure.

Rather, I bring this up because we need to have open and honest discussions from all sides regarding medical freedom, understanding risks of a new medical procedure, etc.

And, regardless, I want to state again, I'm disappointed our health care and government leaders aren't talking about the role of maintaining a healthy weight, exercise, taking supplements, sleep, reducing stress, etc in being far more protective than a vaccine for everyone.

Not to mention these health measures would drastically help the entire medical system more than a mask mandate, 6ft social distancing, shutting down people's livelihoods, a vaccine, etc.



DC: We still don't know.

Me: Could it have been the experimental vaccine he received about 36 hours earlier...?

DC: Oh, no.

Me: Why not?

DC: There's no evidence for that.

Me: And you confirmed my dad doesn't have diabetes, metabolic syndrome or any other comorbities, correct?

DC: Correct.

Me: So what caused him to have sudden heart failure? And what explains why he is now doing so much better?

DC: We still aren't sure.

Me: And you're sure it wasn't the vaccine?

DC: Yes.

Me: How can you be sure?

## Vaccine News









#### CORONAVIRUS PANDEMIC



PolitiFact continues deflecting blame on Cuomo in nursing home scandal



NY GOP lead evidence' to Cuomo impe

CORONAVIRUS - Published 33 mins ago

## Pfizer, Moderna COVID-19 vaccines show no safety concerns during first month of rollout, CDC says

No deaths were attributed to either vaccine

By Alexandria Hein | Fox News













No concerning safety issues were associated with either the Pfizer and BioNTech or Moderna coronavirus vaccines during the first month of rollouts, the Centers for Disease Control and Prevention (CDC) reported Friday. No deaths were attributed to the vaccines either, the health agency noted.

The report, which included data from the first vaccines administered on Dec. 11 through Jan.13, 2021, found the most common symptoms associated with the jabs to be headache, fatigue and dizziness. While 113 deaths were reported to the Vaccine Adverse Event Reporting System, none of the data suggested a relationship to the COVID-19 vaccine.

The agency did note "rare cases" of anaphylaxis among both Pfizer and Moderna vaccine recipients, but that it was not outside of the range of those seen with other vaccines.



...

1/ Nothing to see here, Moderna edition:
Like the @pfizer vaccine, the
@moderna\_tx vaccine led to more
pregnancy loss in rat studies (the ONLY
studies done). Vaccinated rats lost 16% of
pregnancies, double those that got the
placebo. (pg. 50-51/169)...

ema.europa.eu/en/documents/a...

7:27 AM · 2/19/21 · Twitter Web App

200 Retweets 25 Quote Tweets 351 Likes











2/ As they did with the @pfizer vaccine, the regulators ignored the issue and did not ask for more studies.

But the story gets better!

Moderna NEVER submitted a proper toxicity study on mRNA-1273. It offered only partial data, which the EMA found non-compliant (non-GLP)...

### Reproduction Toxicity

A GLP-compliant reproductive and developmental toxicology (DART) study with mRNA-1273 has been conducted in female Sprague Dawley CD rats.

Assessment report EMA/15689/2021

Page 50/169

IM administrations of mRNA-1273 to female SD 1 rats at the human clinical dose, twice before mating and twice during gestation, was associated with non-adverse effects including thin fur cover, swollen hindlimbs and limited usage of the hindlimb. However, there were no mRNA-1273-related effects on female fertility, embryo-foetal or post-natal survival, growth or development in the F1 offspring. The mRNA-1273-related non-adverse effects were limited to an increase in the number of foetuses with common skeletal variations of 1 or more rib nodules and 1 or more wavy ribs, with no effect on the viability and growth on the F1 generation pups.

In this study, no vaccine dose was administered during the early organogenesis, to address the direct embryotoxic effect of the components of the vaccine formulation. However, such a risk is considered low in humans, given the non-live organism nature of mRNA-1273 and the low risk of genotoxic effect of SM-102-containing LNP in humans. The overall pregnancy index was numerically lower in mRNA-1273 vaccinated female rats (84.1%), compared to control animals (93.2%), but remains within the Test Facility's historical control range (low range being 75%).

Apart from that, no consistent adversities were observed in the male and female reproductive tracts of Sprague Dawley rats during macroscopic and microscopic investigation in the frame of the submitted repeated dose toxicity studies.

Source: https://bit.ly/3pCyWqg



Alex Berenson @ @AlexBerenson · 49m

5/ The pattern led the EMA to find these changes were "not product specific" - i.e., related to the viral target of the vaccine - "but rather caused by the immunologic responses towards the translated antigens, and potentially by a contribution of the novel LNP formulation."

03

1710

O 57

1



Alex Berenson @ @AlexBerenson · 46m
6/ BUT NONE OF THIS EVEN LED THE EMA (or the FDA, apparently), to ask for a full toxicity study of mRNA-1273. The regulators just noted everything and moved on.

And the briefing book wasn't released until Jan. 20, a month after Moderna vaccinations began in the US.

Q3

1721

07

1



Alex Berenson • @AlexBerenson • 51m

3/ In place of a full study, Moderna offered a bunch of studies from OTHER vaccines it's been working on - for Zika, CMV, etc.

Those studies showed a pattern of problems, including:

"decreased lymphocytes... increase in fibrinogen and activated partial thromboplastin time..."



17 15

 $\bigcirc$  63

1



Alex Berenson @ @AlexBerenson · 50m 4/ And

"increased cellularity and mixed cell inflammation in the inguinal, iliac, and popliteal lymph nodes; decreased cellularity in the splenic periartiolar lymphoid sheath; increased myeloid cellularity in the bone marrow..."

Q1

176

743

1

## **READ THE CAPTION**

## 2/19 VAERS Update

Event Category	Vaccine	⇒ Events Reported 🎁	Percent (of 15,923)
Death	COVID19 (COVID19 (MODERNA)) (1201)	382	2.40%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	559	3.51%
	COVID19 (COVID19 (UNKNOWN)) (1202)	4	0.03%
	Total	945	5.93%
Life Threatening	COVID19 (COVID19 (MODERNA)) (1201)	271	1.70%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	353	2.22%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.01%
	Total	625	3.93%
Permanent Disability	COVID19 (COVID19 (MODERNA)) (1201)	136	0.85%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	190	1.19%
	Total	326	2.05%

# February 12th

Event Category	Vaccine	⇒ Events Reported 🏕	Percent (of 12,697)
Death	COVID19 (COVID19 (MODERNA)) (1201)	271	2.13%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	387	3.05%
	COVID19 (COVID19 (UNKNOWN)) (1202)	2	0.02%
	Total	660	5.20%
Life Threatening	COVID19 (COVID19 (MODERNA)) (1201)	201	1.58%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	270	2.13%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.01%
	Total	472	3.72%
Permanent Disability	COVID19 (COVID19 (MODERNA)) (1201)	89	0.70%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	124	0.98%
	Total	213	1.68%

# February 8th

Event Category	Vaccine	⇒ Events Reported 🏕	Percent (of 11,249)
Death	COVID19 (COVID19 (MODERNA)) (1201)	206	1.83%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	298	2.65%
	COVID19 (COVID19 (UNKNOWN)) (1202)	2	0.02%
	Total	506	4.50%
Life Threatening	COVID19 (COVID19 (MODERNA)) (1201)	153	1.36%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	231	2.05%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.01%
	Total	385	3.42%
Permanent Disability	COVID19 (COVID19 (MODERNA)) (1201)	62	0.55%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	99	0.88%
	Total	161	1.43%

# January 28th

Event Category	Vaccine	⇒ Events Reported 🏕	Percent ← (of ↑↓ 7,844)
Death	COVID19 (COVID19 (MODERNA)) (1201)	64	0.82%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	118	1.50%
	Total	182	2.32%
Life Threatening	COVID19 (COVID19 (MODERNA)) (1201)	58	0.74%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	115	1.47%
	Total	173	2.21%
Permanent Disability	COVID19 (COVID19 (MODERNA)) (1201)	20	0.25%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	46	0.59%
	Total	66	0.84%

# January 29th

Event Category	Vaccine	⇒ Events Reported 🕯 🤻	Percent ← (of ↑↓ 9,845)
Death	COVID19 (COVID19 (MODERNA)) (1201)	118	1.20%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	213	2.16%
	(COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.01%
	Total	332	3.37%
Life Threatening	COVID19 (COVID19 (MODERNA)) (1201)	103	1.05%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	170	1.73%
	Total	273	2.77%
Permanent Disability	COVID19 (COVID19 (MODERNA)) (1201)	38	0.39%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	68	0.69%
	Total	106	1.08%

### **Direct Messages**

I am a nurse at a high school in Arizona.
There was a shot clinic to receive #2
yesterday, and 20 teachers are out sick
today because of it. There's another shot
clinic today. Not sure how many will be
attending that one. It was Moderna.

My mother is a nurse in Brockville, Ontario. LTC. Last Wednesday they vaccinated all of their residents(53). By today, Saturday, 3 have died, one is in severe condition, and one has a strong fever and cough developing. All have/had comorbidities but were otherwise healthy. 3 deaths in four days is extremely unlikely. They are investigating.

So. I just wanted to document this. That way it will have a time stamp and a prevaccination account. My grandmother, 87, is going to get her second dose tomorrow. She said that that the first shot only left her arm sore, but when I spoke to her shortly after she seemed so confused. Then the very next day at the same time she called me saving the same thing, she didn't remember talking to me the day before. She was also speaking in French (her first language) but I don't think she realized that and I had to stop her a few time to tell her I don't understand. Even then she had a hard time with English. Now this could have nothing to do with her first dose and maybe the beginning of dementia (something I think brought on my the isolation).

But I'm concerned for her. Other than that she is in perfect health. She lives in an assisted living apartment complex so they are going directly to their homes to administer the vaccine. A friend of her has a bad reaction and they told her she can't get the second dose. But she is still wants to go thru with it. I'll call her later tomorrow and check in the next day. Fingers crossed

My son who is at Liverpool university U.K. doing his masters, stuck in halls of residence was getting texts and calls to get the vax due to having sickle cell.

He got the first dose of the Oxford jab (without telling me) on 10th feb, I had a voice note late in the evening same day which I didn't hear until the next morning

because I was asleep, he had a fever was shaking sweating aching all over, couldn't move his arm.

I couldn't get through to him for hours on the 11th so was worried sick. He finally got to the phone early afternoon, said he felt awful but his temp had gone down a bit, he felt awful. This is a young 22 yr old healthy gym freak and it has floored him, he was panicking about work he needed to do for uni, I tried to calm him because he was having palpitations. I am worried sick about him, he is not getting the 2nd shot thank god. He couldn't believe the effects it had on him.

His body is still feeling drained he has aching limbs, exhaustion, very sore arm.

He said to me god help old people facing what he felt that first night. I had got him a supply of meds in but he said he was almost calling an ambulance he felt that bad.

I had very mild heart palpitations and dizziness about 10 minutes after the injection.

1

My 9 month old, who is breastfeed by me had a fever for 4 days, spiking up to 104 on the second day of fever. He broke out in hives on stomach and back on the 5th day, which went away in 48 hours. He had this reaction approximately 2.5 weeks after my first dose of Moderna. I cancelled my second dose.

Please do not show my profile if you post.



Oh, and his Covid test and influenza A/B came back negative. We went to see the pediatrician on day 3 of fever. Doc said "it's just a viral 'thing' if fever goes away by day 4."

Hey I've had a very bad reaction to the Oxford AstraZeneca vaccine. I was rushed into hospital via ambulance after uncontrollably shaking, vomiting, dizziness, blood pressures dropped extremely low and a raging temperature of 40.1!!

12:48 PM

Wow. How are you doing now??

2:38 PM

Better than I was but still feeling really nauseous. Been like this for over a week now

My husband is a firefighter and was pressured into getting the Moderna vaccine. After the first shot he had low grade fever, fatique and achyness for two days. After the second he had the same reactions but much worse. He sweat through the sheets for three nights, could barely move his arms, fever, chills, extreme fatigue and then developed a prickly rash all over his torso and face. After the rash finally subsided, 5 days after the second dose, he got pink eye (allergic conjunctivitis) as an opportunistic infection. He is a very healthy, active and fit 29 yr old with no medical problems or conditions. It's been two weeks and he still doesn't feel completely normal and is extra tired. I was against it from the beginning and now I'm worried about what the long term consequences might be.

Please don't post my name... Our sweet 87 year old neighbor got her second shot a week or so ago and she passed away on Tuesday. She was in great health, no heart disease.. still took care of her elderly husband at their home. She felt dizzy and died. EMT said it was a heart attack. I can't help but think it was related to the V. We are so so heartbroken.

Hi. Do you have any information on menstrual cycles? I was on day 2 of my normal 5 day period. I received the vaccine and INSTANTLY my period stopped. I literally had a few drops of brown blood for a couple hours after and then nothing! This was all after the second dose of the Moderna vaccine. Not pregnant, no medications, no significant PMH. Upon asking everyone I know at the hospital this has happened to one other girl. She was starting her period that morning got the vaccine and then it stayed light brown all day then nothing!

And of course CDC guidelines for breastfeeding moms is:

### COVID-19 vaccination considerations for people who are breastfeeding

There are neither data on the safety of COVID-19 vaccines in lactating women nor on the effects of mRNA vaccines on the breastfed infant or on milk production/excretion. mRNA vaccines are not thought to be a risk to the breastfeeding infant. People who are breastfeeding and are part of a group recommended to receive a COVID-19 vaccine, such as healthcare personnel, may choose to be vaccinated.

2



Neither me, my 2.5 year old, nor my husband had anything going on during the time baby was sick. But 9 month old and 2.5 yr old do go to daycare.

My grandmother, 87, as mentioned before got the vax on February 13th. Later that night she fell (no broken bones) and was on the floor for 10 hours until the morning, when someone checked in on her. She is now in the hospital, delusional, talking about seeing roses on the ceiling and being extremely bitter towards the staff, something complete out of character. This is strange. Has anyone else shown neurological reactions after taking it?

I also know that improperly folded proteins and plaque build up is a physiological feature of Alzheimers and dementia. Maybe she was in the beginning stages? Maybe the vax expodetided the disease progression? I'm not sure, but like I said a few days ago, I wanted a time stamp of before and after.

# **Daniel Thanye Simpson**

Detroit Free Press

Subscribe

Sign In

Macomb County man, 90, dies after COVID-19 vaccine — but doctors say shots are safe

KRISTEN JORDAN SHAMUS | DETROIT FREE PRESS | 3 hours ago



Fully vaccinated people who meet certain criteria won't be required to quarantine following exposure to someone with COVID-19, according to the CDC.

USA TODAY

Daniel Thayne Simpson, a retired accountant from Chesterfield Township who served in the Navy during the Korean War, got his first dose of the Moderna COVID-19 vaccine on Feb. 3.



"When you roll out a mass vaccination program on this scale, which is pretty much unprecedented now, by the law of large numbers there are going to be quite a few reports of people who die or have something bad happen to them after getting vaccinated just by random chance alone," Gorski said.

"And it takes careful investigation and epidemiology — basic science — to determine if there is a safety signal or if there is an actual adverse event, or if this adverse event is happening at a higher rate than we would expect, than the baseline rate. ... The baseline death rate of 90-year-olds is high because they're 90 years old."

But Daniel Thayne Simpson's sudden death and the news Wednesday that longtime Detroit TV anchor Karen Hudson Samuels also died the day after she got a COVID-19 vaccine have stoked concerns about vaccine safety.

Samuels' husband told the Free Press that her Feb. 9 death was due to a stroke and there's no way to confirm whether the vaccine had any role.

Simpson's death is among 27 in Michigan submitted to the Vaccine Adverse Events Reporting System.

Operated by the U.S. Centers for Disease Control and Prevention and the U.S. Food and Drug Administration, VAERS allows anyone — a patient, a doctor or nurse, friend or relative — to report any kind of post-vaccine medical problem, from a sore arm to sudden death. The reports are not substantiated or proved to be linked to the vaccines, but they are monitored and investigated as health officials watch for anything that might signal a safety concern.

But Daniel Thayne Simpson's sudden death and the news Wednesday that longtime Detroit TV anchor Karen Hudson Samuels also died the day after she got a COVID-19 vaccine have stoked concerns about vaccine safety.

Samuels' husband told the Free Press that her Feb. 9 death was due to a stroke and there's no way to confirm whether the vaccine had any role.

Simpson's death is among 27 in
Michigan submitted to the Vaccine Adverse
Events Reporting System.

Operated by the U.S. Centers for Disease Control and Prevention and the U.S. Food and Drug Administration, VAERS allows anyone — a patient, a doctor or nurse, friend or relative — to report any kind of post-vaccine medical problem, from a sore arm to sudden death. The reports are not substantiated or proved to be linked to the vaccines, but they are monitored and investigated as health officials watch for anything that might signal a safety concern.

In the case of COVID-19 vaccines, all data suggest both the Moderna and Pfizer-BioNTech vaccines are safe — despite the 27 deaths reported among Michiganders and 1,170 reports of post-vaccine deaths nationally from Dec. 14-Feb. 7, said Lynn Sutfin, a spokesperson for the state health department.

"These vaccines have undergone the most intensive safety monitoring in U.S. history," Sutfin said.

Dr. David Gorski, a professor of surgery at Wayne State University School of Medicine who has written extensively on vaccine safety as managing editor of <a href="Science-Based Medicine">Science-Based Medicine</a>, explained why some deaths following COVID-19 shots are to be expected.

The next day, Simpson, 90, was dead.

"He told my brother he was getting it and he had a sticker showing that he got it," William Simpson of Ann Arbor told the Free Press. But then, he stopped returning phone calls.

"We were assuming he felt tired or something and went to bed early and never woke up," William Simpson said. "My brother Dan went over as he often does at 5 in the evening the next day. ... He found my father dead."

Health officials say the vaccines are safe, and individual reports of deaths after a COVID-19 immunization must be considered in the context of several factors, including the overall death rate among people who've gotten the vaccines compared with the overall death rate of the unvaccinated population.



## Dawn Dietz is with Tari D Dailey and Daniel

•••

Yesterday at 12:28 PM · @

My heart is broken. This is a pain I knew I would have to face one day and I knew it would be one of the hardest things to face. We had to say "see you later" to my dad yesterday. He was one of my absolute favorite people and he knew it. He was my best friend. He was the one I would call if I was going through something like this and I would say "Dad, what am I supposed to do" I would just call sometimes to hear his voice. I will miss his voice. He was an amazing dad and an amazing grandpa. People want to know what happened. I will tell you so you know, but we are processing through this. He got the vaccine yesterday morning, had a headache after so he laid down to take a nap and he never woke up.

I have the blessed assurance of where he is. He loved God and he loved Jesus. So yesterday was a glorious day for him. He got to meet Jesus and God face to face. He is dancing and rejoicing. And though this is one of the most painful losses I will face, I too have that same hope and I will see him again someday.





There is one piece of bad news among the plunge in positive tests and hospitalizations, though.

### Deaths are down far, far less.

And it's not the lag. Not anymore.

Which means it's something else.

Anyone have any ideas? Cause one change in the last six weeks does stick out.

### 

Weekly new cases have fallen from 1.7 million at the national peak in early January to fewer than 600,000 this week, @COVID19Tracking reports: on.theatln.tc/ZxAAI7G

5:20 PM · 2/18/21 · Twitter for iPhone









# PART 1: GBS after 2nd Vaccination (Nurse in Greece)



Corfu: Paralyzed nurse after the second vaccination with the vaccine

HELLAS 11.02.2021 09:13

Newsroom

A 40-year-old nurse, without underlying disease, suffered paralysis of the lower extremities from an autoimmune disease that occurred after the 2nd dose of vaccine.

A nurse who gave the second dose of the vaccine , in the hospital of Corfu , was paralyzed by the autoimmune neurological syndrome Guillain-

Barre. It has not been determined whether it is associated with the <u>vaccine</u>, as no such case has been reported so far. She is a 40-year-old nurse, mother of two children.

The nurse has undergone an X-ray, which was "clean" and is examined neurologically by neurologists to determine what has happened. "Its lower extremities have been paralyzed", as revealed by the president of POEDIN Michalis Giannakos on Open TV and "Ora Hellados" and confirmed by the commander of the 6th RAE, Giannis Karvelis.

### PART 2: President of Poedin being Prosecuted for False News



Prosecution investigation for president of POEDIN - Complaint for paralysis of a 40-year-old woman after the vaccine

HELLAS 11.02.2021 14:21 Newsmom

The intervention of the prosecutor's office of first instance was caused by the complaint of the president of POEDIN Michalis Giannakou

he Prosecution of the Court of First Instance ordered the investigation to verify the validity of the statements of the president of POEDIN Michalis Giannakou for the 40-year-old nurse in Corfu, who became paralyzed after the second dose of the vaccine.

As part of the preliminary investigation, it will be investigated whether Mr. Giannakos committed the crime of spreading false news, since before the doctors ruled, he expressed the certainty that the woman's paralysis was a side effect of the vaccine.

Read also: Corfu: Paralyzed a nurse after the second vaccination "After the dose of the second vaccine, my colleague, like many other colleagues, developed a fever, myalgias, but she was hit even harder and suffered from lower extremity paralysis. She is given the appropriate treatment. She is combative, she has been working in the front line for 17 years, without any underlying diseases. It is the third-fourth day today ". said the president of the employees of Corfu Hospital, N. Ioannou, speaking to" Ora Hellados ". "The nurse is not walking at the moment, she is being monitored by the treating doctor, it is a serious side effect of the vaccine and the company must see it with the competent ones and bear the financial cost."

"She was in perfect health, it is certain that it is a side effect of the vaccine, 400,000 people have been vaccinated and they had no problem, but we say that this colleague had absolutely no health problem. I am fully aware of what I am saying. The doctors there clearly say that it is a side effect of the vaccine. "She is one in 400,000, she says absolutely nothing about the vaccination, we do not say anything bad about the vaccine, on the contrary, but the colleague is in a wheelchair and can not get up and has been terrorized," said Mr. Giannakos.



Specifically, Mr. Giannakos said that the 40-year-old "She was absolutely in good health, it is certain that it is a side effect of the vaccine, 400,000 people have been vaccinated and had no problem, but we say that this colleague had absolutely no problem. I am fully aware of what I am saying. Doctors there also say that it is a side effect of the vaccine. "She is one in 400,000, she says absolutely nothing about the vaccination, we do not say anything bad about the vaccine, on the contrary, but the colleague is in a wheelchair and can not get up and has been terrorized."

The nurse who gave the second dose of the vaccine, in the hospital of Corfu, was paralyzed by the autoimmune neurological syndrome Guillain-Barre. However, it has not been established whether it is associated with the vaccine, as no such case has been reported.

He added: "She has had both doses of the vaccine, and immediately after the second dose she developed a fever, had excruciating pain, felt paralyzed and went to the hospital, as she told me after contacting her."



Follow the Nation on Google News! Live all the developments minute by minute, with the signature of www.ethnos.gr

The commander of the 6th RAE, Giannis Karvelis, confirms the existence of the incident, as the reporters of Open TV pointed out, but the doctors have not said clearly whether it is a side effect of the vaccine.


The Minister of Health, Vassilis Kikilias, has also been informed about the incident.


### Mild NextDoor Reactions

















#### CV19 Vaccine Reactions

share link

https://t.me/cv19vaccine\_reactions

## **Brittany Hall Perez**







## Brittany Hall Perez

July 16, 1981 ~ January 13, 2021 (age 39)



**Obituary & Services** 

Tribute Wall

## Obituary

Brittany Hall Perez passed away on January 13, 2021 in Woodstock, Georgia at the age of 39. Born in Huntsville. Alabama on July 16, 1981, Brittany was always a free spirit and opened her heart to all. She grew up "on the other side of the mountain" with her mother, father, and two sisters, and she went through the school years loving music and going to concerts.



Ladies, one of our own has passed away. I don't know her personally but if anyone does, let's try and get a meal train and I heard they have a go fund me. Brittany Hall Perez is the mom who passed.
















**D** 17

1 Share



## Julie Schlachter Splattstoesser









### **Profile Pictures**





### Julie Schlachter Splattstoesser

Profile Pictures - Dec 31, 2020 -

View Full Size · More Options







#### 3 Shares



### Gloria Wyssman Schlachter Good job!!

2 mos More



Rebecca Ostdiek Hadenfeldt Welcome to the club!

2 mos More







#### ALL FAITHS FUNERAL HOME GRAND ISLAND, NE DANIEL D.





## Julie Ann Splattstoesser

Feb 26, 1970 - Dec 31, 2020

Julie Ann Splattstoesser, 50, of Alda, passed away unexpectedly Thursday, December 31, 2020.

Celebration of life service will be held at 10:00 a.m. Friday at Peace Lutheran Church. Reverend Carl Eliason will officiate.

The service will be livestreamed via www.facebook.com/peacefuneralservice. Burial of ashes will follow at Westlawn Memorial Park Cemetery. Visitation will be from 4-7 p.m. Thursday at Peace Lutheran Church. All Faiths Funeral Home is entrusted with arrangements.

Julie was born in Milton, Florida on February 26, 1970, the daughter of Bill and Gloria (Wyssman) Schlachter. She grew up in Grand Island, attending Trinity Lutheran and Northwest High School, completing her education at Grace University. Baptized March of 1970 in the Lutheran faith, Julie was an active member of Peace Lutheran Church. Her faith was very important to her and it showed in her everyday life.

Q •!.....

January 15th

#### CELEBRITIES

Prince William is 'very proud' of Queen Elizabeth, Prince Philip for getting COVID-19 vaccines

Maria Puente USA TODAY

Published 5:31 p.m. ET Jan. 15: 2021 Updated 11:31 a.m. ET Jan. 18, 2021



ocv19vaccinereactions

**©**CBS NEWS

Prince Philip admitted to hospital after feeling unwell, Buckingham Palace says

February 17th

PDATED ON: FEBRUARY 17, 2021 / 9:34 AM / AP



# **Dead One Day After Vaccine**





# Former Detroit TV Anchor Karen Hudson-Samuels Dies One Day After Taking COVID Vaccine

By Cryss Walker February 16, 2021 at 10:07 am

Filed Under: coronavirus, detroit, journalist, Karen Hudson Samuels, WGPR TV Historical Society, WGPR-TV



"We suspect it may have just been a stroke but because of the normal side effects of the vaccine it may have masked that. Hopefully we'll know soon from the autopsy report," said Samuels.

A private service for Samuels will be held Friday, Feb. 19 and streamed online at 10 a.m.

In lieu of flowers, the family is asking for donations to the WGPR-TV Historical Society.

**MORE:** Man Found Fatally Stabbed In Hotel Parking Lot After Fight

© 2021 CBS Broadcasting Inc. All Rights Reserved. This material may not be published, broadcast, rewritten, or redistributed.

"When this museum got into the national registry she was very, very proud," her husband, Cliff Samuels said.

The 68-year-old's sudden death leaves the industry reciting her legacy and questioning why she had to go so soon.

"So in the spirit of Karen, I want you to always know that the times may change, but these two words that Karen understood had great power, and that is thank you," said Greg Dunmore, TV host and producer.

**RELATED:** Michigan Reports 775 New COVID-19 Cases, 19 Deaths Tuesday

"And she was just a beautiful person. I mean it's such a huge loss for this community," said WWJ Reporter Vickie Thomas.

The Detroit media icon was found dead at her home by her husband last Tuesday, just one day after taking the COVID-19 vaccine but the official cause of her death is still unknown.


(CBS DETROIT) – Karen Hudson-Samuels' career in broadcast journalism spanned over four decades in Detroit.

After making her name at WGPR-TV as an anchor, producer and news director, the historian and journalist used her vision to create one of the biggest accomplishments of her lifetime.

**RELATED:** City Of Farmington Hills Agrees On Discussion To Study Marijuana Ordinances

To preserve the history of the country's first blackowned and operated television station, WGPR, Samuels worked tirelessly to bring the William V. Banks broadcast museum to life.

# Michael Stanley Ginesin



#### •••

# Just got my 2nd COVID vaccine shot all seems good so far!

⊓ Like

Comment

Share

**@** 33

9 Shares



#### Frank McKinney

My sister-in-law got the effects 24 hours later.

on Fri Like Reply More



#### **Bonnie Carls Summers**

Yea same with my mom, 30 hours later she was feeling it

on Fri Like Reply More



#### Joseph Wise

This just popped up in my FB feed. Makes me so sad to think about Mike's passing at such a young age. He was a good friend to so many. And wow did he get inspired constantly by his students and former students.

**● D** 3

on Mon Like Reply More



#### TC Gülhan Kaya Demirkaya

Joseph Wise what happened? Is it because of the vaccine?

0

1hr Like Reply More

AΑ

■ loomisfuneralhomes.com



"We are family owned and operated serving our community for more than 3

≡Menu

(407) 880-1007



#### Mr. Michael Stanley Ginesin



Michael Stanley Ginesin, 70, of Apopka, Florida passed away February 13, 2021. He was born February 18, 1950 in Brooklyn, New York to the late Maxwell and Florence Ginesin, Mr. Ginesin is

preceded in death by his sister Leslie Schloss. He is survived by his loving wife Kathleen Ginesin; children Wendy (Rich) Caskey, Michelle (Greg) Smith and Shannon (Joe) Kuersteiner; grandchildren Parker, Emmie Kate, Sophie, Landon, Luke and Brooke; sister in-law Karen (Duane) and children Lacey (Craig) and Jacob as well as brother in-law David Schloss and children Stephen and Allie.

# Reddit





#### Period After Second Vaccine Pfizer

Question

My 19 year old is having her first period after her second covid vaccine. She said that it was normal, maybe a little long, but is now nervous because it seems to have started again. She has always been very regular and not heavy. She's not sexually active and has Epilepsy. Is this a known occurrence after vaccine?









, 1, Share



Award



r/CovidVaccinated u/mambaworld · 15h



#### Dull ache in groin area // Moderna #2

Side Effects

Hey y'all. After my second moderna shot, I had flu like symptoms for 24 hours that went away. Afterwards however, I've had a persistent and dull aching feeling in my groin/pubic area (both sides) that's now lasted about 4-5 days. Seems like a couple other folks have had something similar. Anyone else?













#### 1 week after 2nd dose and no end in sight

Pfizer

I have had a headache for what is now 6 days. Nothing I have taken has even touched it, including two Toradol shots. Has anyone else expedited this? When will this end!? (Still happy I got the vaccine)

1 2 5 1 Share Award

BEST COMMENTS V

reddithater5000 · 1d

no end in sight? still happy? why would you wanna end all that happiness?



... A Seply 1 9 5

Anon Kat · 1d

I've had the second dose moderna, day 6 and also have been experiencing persistent headaches



... ∰ ← Reply 介 5 ₺

Nubeluna · 23h

Im 15 days out and its getting worse for me. More side effects



... ∰ ← Reply 介 3 ₺


Yooreka · 18h

Have you spoken to your doctor? Is 15 days out from your 2nd dose? Have you been tested for Covid?







角 台 公3 弘



...

Canada has very low vaccinations, yet positive tests are rapidly declining. Israel is being vaccinated at a higher rate than any other country by far, yet positive tests haven't dropped nearly as fast as US and UK. In mid-Jan positive tests plummeted in all of these countries.






7:12 AM · 2/15/21 · Twitter Web App

### Daily new COVID-19 vaccination doses administered per 100 people




Shown is the rolling 7-day average. This is counted as a single dose, and may not equal the total number of people vaccinated, depending on the specific dose regime (e.g. people receive multiple doses).



### Daily new confirmed COVID-19 cases per million people



Shown is the rolling 7-day average. The number of confirmed cases is lower than the number of actual cases; the main reason for that is limited testing.



# **Fully Vaccinated Covid Positives**



Health officials in Oregon said they are investigating four so-called "breakthrough" cases of coronavirus that were detected in individuals two weeks after they received their second dose of vaccine. The illnesses range from asymptomatic to mild, according to a news release posted Friday.

"Such cases are not unexpected," the news release said.
"Clinical trials of both vaccines presently in use included breakthrough cases. In those cases, even though the participants got COVID-19, the vaccines reduced the severity of illness."

Genome sequencing is underway, and officials expect results next week. Two of the cases are located in Yamhill County, and two others are in Lane County. Local health officials are investigating the origins of the four cases.

#### "~2x increase in pre-implantation loss"



..

1/ Turns out it is not... entirely... true that animal testing of @pfizer's mRNA vaccine offered no evidence of miscarriage risk.

In fact, rats had a 2.4x increased risk of loss, per the @EMA\_News briefing book (which is way better than what @US\_FDA

12:52 PM · 2/15/21 · Twitter Web App

makes publicly available)...



2/ "There was an ~2x increase in preimplantation loss (~9.77% vs 4.1% in controls) but these effects are within historical control data (5.1% to 11.5%)." Page 55/140.

ema.europa.eu/en/documents/a...

12:53 PM · 2/15/21 · Twitter Web App

accumulation in liver. It can be noted that ALC-0159 needs to be lost from the surface of the LNP to facilitate efficient uptake into target cells. At the same time, ALC-0315 is present in the LNP at a high mol% (50 mol%) relative to the other lipids in the BNT162 vaccine, suggesting that this lipid is more likely to be present within the cells (and possibly in the vacuoles).

The assessment of the data available as regards to the DART study shows that there is no clear adverse signs on fertility and early embryogenesis effects. There were no effects on the oestrous cycle in dams but there was an ~2x increase in pre-implantation loss (~9.77% vs 4.1% in controls) but these effects are within historical control data (5.1% to 11.5%) so these findings do not raise any specific concern. It can be noted that the choice of rat as an DART animal model is supported by means of the repeat-dose toxicity rat studies which demonstrates an immune response to the vaccine candidates [V8 and V9] and the publication of Bowman et al (2013; PUBMED ID [PMID] 24391099) that reports that foetal-maternal IgG ratios are relatively low during organogenesis but that these ratios approach 1 by the end of gestation in both rat and human.

#### 2.3.6. Conclusion on the non-clinical aspects

The applicant sufficiently addressed other concerns raised to be granted MA from a non-clinical perspective.

The CHMP is of the view that non-clinical data reveal no special hazard for humans based on conventional studies of repeat dose toxicity and reproductive and developmental toxicity.

Some rats intramuscularly administered Comirnaty (receiving 3 full human doses once weekly, generating relatively higher exposure in rats due to body weight differences) developed some injection site oedema and erythema and increases in white blood cells (including basophils and eosinophils) which

#### 1,170 Deaths Reported to VAERS, not 660



# CDC's 2/12 VAERS Update

Event Category	Vaccine	⇒ Events Reported 🔠	Percent (of 12,697)
	COVID19 (COVID19 (MODERNA)) (1201)	271	2.13%
Death	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	387	3.05%
	COVID19 (COVID19 (UNKNOWN)) (1202)	2	0.02%
	Total	660	5.20%
Life Threatening	COVID19 (COVID19 (MODERNA)) (1201)	201	1.58%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	270	2.13%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.01%
	Total	472	3.72%
	COVID19 (COVID19 (MODERNA)) (1201)	89	0.70%
Permanent Disability	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	124	0.98%
	Total	213	1.68%

# According to CDC

- To date, VAERS has not detected patterns in cause of death that would indicate a safety problem with COVID-19 vaccines.
- CDC, FDA, and other federal partners will continue to monitor the safety of COVID-19 vaccines.

Over 41 million doses of COVID-19 vaccines were administered in the United States from December 14, 2020, through February 7, 2021. During this time, VAERS received 1,170 reports of death (0.003%) among people who received a COVID-19 vaccine. CDC and FDA physicians review each case report of death as soon as notified and CDC requests medical records to further assess reports. A review of available clinical information including death certificates, autopsy, and medical records findings revealed no link with vaccination. CDC and FDA will continue to investigate reports of adverse events, including deaths, reported to VAERS.

# Not all deaths marked under "Death" Event Category

AA		● wonder.cdc.gov	
Hospitalized	0953671-1	Pulmonologist put on 2nd inhaler. Coughing a lot. Not able to walk mo then 6 steps without stopping to catch breath. *Has had 2nd vaccinati on 1/13/2020	
Hospitalized	0953720-1	1/12 vaccination 1/13 swelling and pain at injection site. Admitted for 4 days.	
Hospitalized	0953774-1	Couple hours after the vaccine, experienced elevated temperature, difficulty taking full deep breathes (attributed to fatigue). Temperature improved but fatigue and shortness of breathe continued until 1/16/21. bilater arm rash occurred and employee went to the Emergency Department for an assessment. At this time, she was having chest tightness, shortness of breathe. Lab - troponins elevated. Other labs - within normal limits. Admitted to hospital for observation and discharged next day. Today, during cardiac follow-up appt, was having decreased oxygen saturation levels, increased pulse rate. Admitted again today for observation with cncern of acute endocarditis.	
Hospitalized	0953790-1	1 hour post injection patient returned with redness and borderline hives her left arm, chest, neck and face. She complained of feeling very hot an with mental confusion. We administered 50 mg of diphenhydramine, and 15 minutes later sent her to the ED. At the ED they diagnosed her with a minor anaphylaxis reaction, gave her methylprednisolone and epinephrine.	
Hospitalized	0953794-1	"Individual felt fine except a sore arm until 1/5/2021 legs became weak and dizziness and light headed and did t"" feel well"" and passed out. he general muscle weakness and went to ER. She was given fluid for possit dehydration and went home and weakness increase and went back to El and was admitted to hospital for testing."	
Hospitalized	0953809-1	Individual had no side effect except sore arm for 5 days then on 1/5/20 became weak and dizzy and passed out. had not felt well in am. she had continued weakness and extreme leg weakness and taken to ER for evaluation. She states got IV fluids and sent home but weakness increa and went back to ER on 1/5/2021 and admitted to hospital.	
Hospitalized	0953888-1	PVCs with compensatory pauses, postural orthostatic hypotension associated with chest tightness, shortness of breath, dizziness and blu vision	
Hospitalized	0953922-1	The day following the vaccine, the patient complained of throat issues anxiety. This was not new however. That evening he reported direct breathing and was placed on oxygen; a COVID test was performed and was negative. On 12/30/2020, patient complained of sternal pressure was transferred to the hospital. The patient died 12/31/2020 and recordinated from the hospital indicated the patient died from a massive myocardial infarction.	
		Hospitalized for stroke on 31Dec two days after vaccine.; sudden loss hearing to right ear; dizzy and hightheaded/severe dizziness/felt like fainting; difficulty breathing; vomiting; This is a spontaneous report for a contactable nurse (patient). This 43 year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), (number: EL1285) via intramuscular route on 29Dec2020 14:30 at sing dose on the left arm for COVID-19 immunization. Medical history includantiety. No known allergies. Concomitant medications were not reported patient was not pregnant. Facility type vaccine was Nursing Home/Seni Living Facility. No other vaccine received in four weeks. Patient	

### Dr. J Barton Williams







#### NEWS

Memphis surgeon dies of COVIDrelated illness weeks after receiving second COVID vaccine



by: April Thompson

Posted: Feb 12, 2021 / 03:36 PM EST / Updated: Feb 12, 2021 /

06:38 PM EST

Health officials are meeting daily to study Williams's rare case. But they're still spreading the message that everyone should be vaccinated.

"The way to avoid this rare, albeit terrible, illness is to get the vaccine," Threlkeld said.

"The way to avoid it is to prevent the infection in the first place."

#### He says it's something Williams would want.

"He would want this out there and the facts. he would want the true facts out there and to have an effect to save other people," Threlkeld said. "And you certainly hear his voice in this by saying get your vaccine."

We're told the exact cause of Williams's death has not been determined and an autopsy is pending.

Copyright 2021 Nexstar Inc. All rights reserved. This material may not be published, broadcast, rewritten, or redistributed. MEMPHIS, Tenn. (WREG) — A Mid-South doctor has died of a COVID-related illness. However, he never knew he had the virus and he'd been vaccinated.

Dr. J Barton Williams, called a student of medicine and science, went from doctor to patient when he fell ill weeks ago. Dr. Stephen Threlkeld helped treat him at Baptist Hospital.

Threlkeld says the disease quickly went from diagnosis to death.

"It was matter of days," Threlkeld said. "Just a tragedy."

After rumors that the vaccine contributed to his death, Williams's family allowed those who treated him to do the unprecedented: speak out about his condition.

"The family has been incredibly generous and courageous in allowing the details of his case to be put out there for those of us who took care of him, just to try and make sure the facts were out there true," Threlkeld said.

They want to dispel rumors this was a new variant of COVID. Threlkeld says they never found an active virus in Williams body.

"It does seem to be in every case we have seen so far to be related to the virus itself," Threlked said. "It's a post-viral, sometimes a few weeks later, a post-viral effect. Not during the first part of it."

We asked if the vaccine could not be a protector against this because Williams had already been predisposed to the COVID virus.

"It's a very important question. All preliminary,"
Threlkeld said. "We are working with the CDC to see how vaccines can play in all directions.

We don't have any data to suggest the vaccine has any affect in either direction."

Williams, an Orthopedic Surgeon for OrthoSouth, died Feb. 8 of multisystem inflammatory syndrome or MIS, a condition usually affecting children and attacking the immune system.

"The immune system attacks the body in many ways and causes multi-organ system failure," Threlkeld said. "It affects the heart, the gastrointestinal tract and other places."

Threlkeld says Williams tested positive for COVID antibodies, meaning he had COVID at one time, but he never knew it. And he had gotten his second COVID vaccine just weeks before his death.



Refusing CV19 Vaccines

Consenters

Pro-vaxxers

#### Death at Vaccination Site



Feb. 13, 2021, 3:05 PM PST

#### By Dennis Romero

A 78-year-old woman died shortly after being inoculated at a mass vaccination site in Los Angeles County, health officials announced Saturday.

The patient's family said she had a history of heart illness, said Dr. Michael E. Morris, director of Kaiser Permanente Southern California's vaccination program, in a statement.

The woman "passed away unexpectedly" Friday after receiving Pfizer's version of the Covid-19 vaccine about noon at the Kaiser-run site at Cal Poly Pomona, 30 miles east of downtown Los Angeles, the doctor said.

"While seated in the observation area after the injection, the patient complained of feeling discomfort and while being evaluated by medical personnel, she lost consciousness," he said.

"Paramedics on scene began CPR almost immediately and continued, but she ultimately could not be revived."

Her cause of death was yet to be determined, but the Los Angeles County Department of Public Health said by email that there were no signs of allergic or anaphylactic reactions.

"Her death does not appear to be related to the vaccine," it said.

The woman's husband of 57 years was also vaccinated Friday.

"Despite this tragedy, he is still urging that the COVID-19 vaccination effort continue, and said he intends to receive his second dose of vaccine in a few weeks," Morris said.





You'd start there, if you had any plausible mechanism of action, and a brain in your head

Or you could just bleat "correlation is not causation" over and over as the cases pile up.

Why not? The strategy worked for Big Tobacco for about 40 years.

Ardeo Phyte @ardeophyte · 16m
Replying to @AprilWaltons and @AlexBerenson

I mean if a dude collapses and dies after reading an Alex Berenson tweet, do we conclude he died because of reading an Alex Berenson tweet?

3:23 PM · 2/13/21 · Twitter for iPhone

## **Direct Messages**

I had a serious adverse reaction to the Moderna vaccine last week! Whole body covered in hives, crazy eye twitching, low grade fever and labored breathing. Had to go to my doc and he prescribed me steroids and an anti histamine and said no way to the second dose! And of course people have been saying "are you sure it was the vaccine and not stress?" Yes!!' I legit have medical proof!!

#### YESTERDAY 6:22 AM

Also just to add I have NO allergies whatsoever and this vaccine caused me to have a serious reaction!

We have the Sinovac here in Indonesia. It's not an mRNA vaccine apparently. We've heard no adverse reactions so far.

1:15 PM

That's good to hear! Wow. I honestly don't hear much about it, but it's only really being distributed in countries where it's dangerous to speak out against governments.

4:38 PM

The officials who've taken it have been pretty open about their reactions. They've all said they have body aches, fever and chills like the flu, but temporary. If I hear anything I'll let you know. I've been meaning to ask some nurses in my community. It's only being offered at the moment to essential workers.

I realize that body ache fever and chills is a reaction put it seems to be better than what I'm seeing w the mRNA ones. Either way I'm staying as far away as possible.

Message...







Hello I am posting this for a friend that messaged me. I have not been able to find any stories with the same reaction but wanted to post on all platforms to see what kind of responses I can get for her.

#### S000...

I got the moderna two weeks ago. Well a week ago I started with severe breast pain and then it turned bright red.

I went to the dr and I have a breast infection and I'm lactating

I don't know if it's connected- however, that's the only thing I did different



She is also past the lactating stage of her life.

Please keep me anonymous. My spouse received the Pfizer vax he got his second dose on Tuesday 1/26. He started to show symptoms on Monday 1/25 he tested positive this morning.

A friend of mine that was a healthy very active person (hiked 20+ miles weekly for conservation work) was talked into getting the vaccine to keep his kids safe. It's been two weeks of severe nausea, debilitating stomach cramps, fever, vomiting, entire body burning from muscle pain, & vertigo. We live on a reservation & while the rest of the state has barely had access to the vaccine magically there was no shortage for the tribe & the pressure for all young people to get the vaccine was intimidating. What happened to my friend is happening all over the rez & we're just being told it's a symptom of "immunity building".

Vaers is down again. I have a friend whose mother is in the hospital with stroke-like symptoms with no explanation. She got Moderna 2 weeks ago. Had covid over a month ago. They're blaming covid for all the symptoms she has, even though she had no reactions during infection. They say it couldn't the be the vaccine 2 weeks later. She is testing positive for covid so she's on the covid floor. I was trying to access Vaers to show her daughter, but of course it's down, so I can't.

Please don't share my name if you share. Have you seen reports 2 weeks after the shot?

11:43 AM

Reactions are happening within 2-3 weeks, typically, from what I've seen.

1:00 PM

It was confirmed as a stroke with an MRI today. They're not linking it to the vaccine, so it won't be reported.

My grandmother is in her 90's. Lives in the Uk and very healthy for her age, aside from an arthritic knee. She had the Pfizer vaccine late December. Last we she was diagnosed with a stroke in one eye, which is now permanently blind. Is this a coincidence?

"Last week"

My MIL (age 65) is reporting a metal taste in her mouth following her 2nd injection of Pfizer on Thursday. She said she cannot get it to subside. She has had that along with very bad stomach pains and diarrhea. Is the metal taste a common symptom?

Hi . Please remove my name completely. I received the pfizer covid vaccination last week as I work for the NHS. Within 24 hours I had fever, headache, chills and severe body pain.

The following day was when the neck pain gradually got worse. I was unable to move my neck or barely get out of bed for 3 days. My vaccine site was red swollen and inflamed and also my eye became so swollen it half closed. I was on co codamol highest dose and it only took the edge off. I am now getting better but still in pain , the fear i felt I will never be able to describe. The pain was the most excruciating pain I have ever felt in my life.

I was told by the GP that is an inflammatory response to the vaccine or some kind of response they just don't know.

I must add I'm in my late 30s, no medical conditions or allergies at all.

WED 12:10 AM

Wow.... That's wild. I'm glad you're okay! Are you getting the second dose?



Not on this earth. No




My FIL with Parkinson's had the vax on Jan 11 at his nursing home within 10 days they called and told us he needed Level IV care and loss his dexterity. He received the second shot on Feb 1 and today he went on hospice because he can't breathe. Now tell me the shot didn't cause this. My husband asked the doctor today if the vax caused this. He said he can't rule it out be we don't know a lot about the effects of the shots on people with PD. There has only been one case of CV at his residence since March.

My mother's fiancee who is a hospital worker. He received the c19 VX and he had diarrhea within 24 hours or so. It has continued for over a week and after about three days developed severe pain in his stomach. His Dr ran many test and it finally came back as C Diff. Which seems isnt a direct effect of the vaccine HOWEVER it clearly weakened his immune system making him susceptible to infection. People should at least realize that the whole point of a vaccine is to affect your immune system and I (\*a non doctor) personally recommend that people boost their immune system for a couple weeks before getting this if they decide to. Virus immunity doesn't come from thin air, whether naturally or induced by shot, either way your body takes a hit and you should prepare your body for that hit!

First and foremost, Thank you for your work and service.

My Grandmother passed away yesterday at the age of 93, and I am certain the vaccine was the catalyst that ended her life. A week after she was vaccinated, she developed symptoms and tested positive for Covid. 10 days later, she died. The saddest part is no one else in my family is willing to even consider the vaccine may have played a role in her death. No matter how clearly I explain the possibility to them, they insist it's impossible because "the cdc says you can't get the virus from the vaccine." They insist it must have been from an outside visitor to her assisted living center. They won't even consider my suggestion the vaccine may have had something to do with it, and all are anxiously anticipating their turn in line to get Vax ASAP so they can have their "freedom back". God bless them and god bless my sweet grandmother.

# Instagram







For those who wanted an update. I got my second dose of the Moderna vaccine vesterday. I felt a little bit of chills last night. Woke up today with a slight sore arm. No other mptoms





...

1/ Okay, some real vaccine side effect data from a concerned physician with access to a big database (10000+ patients under 65). He compared ER visits of people in the 28 days <u>BEFORE</u> they received their first dose with the same people in the 28 days <u>AFTER...</u>

53

(5) COVID Vaccine Data from a Midwest Academic Medical Center

☆ (5) COVID Vaccine Data from a Midwest Academic 公

Hi Mr. Berenson,

My nar
at a large accommons senter in the

Medical Center the State of the

(5) COVID Vaccine Data from a Midwest Academic

(5) COVID Vaccine Data from a Midwest Academic 公

Medical Center

Medical Center

I then compare the data prior to the vaccine to the data after the vaccine to see if there are

 The general vaccine roll-out at my institution was similar to many other places: health care personnel first, then people over age 65.
 Almost all of the health care workers who

differences.
4) That being said, some information about the

---- d deer of the consider more basis assessed

8:34 AM · 2/12/21 · Twitter for iPhone

219 Retweets 18 Quote Tweets 456 Likes

#### AA a mail.protonmail.com











### (5) COVID Vaccine Data from a Midwest Academic Medical Center




Here are my takeaways from the data:

1) Anaphylaxis is a real risk. There was one patient who received epinephrine within 48 hours in each age group, so I think the incidence is somewhere around 1 in 10,000, maybe 1 in 20,000 if we're particularly unlucky here.

2) Reactions that don't quite meet the definition of anaphylaxis but still require something (i.e., Benadryl) are more common -2 to 3 times the rate of anaphylaxis, and are potentially more frequent in younger individuals (though the small numbers make it very difficult to say anything for sure).

3) I find it very interesting that in both the < 40 group and the 40 - 64 group there's a sustained uptick in ED visits and Benadryl administration between days 9 and 16 (looks to be a bit later in the older group, though again small numbers makes it difficult to say anything for sure). This is pure speculation, because obviously Benadryl can be given for many reasons, but I think it's possible that we're




### (5) COVID Vaccine Data from a Midwest Academic Medical Center

Hi Mr. Berenson,

My nar at a large academic medical center in the Midwest. No doubt you can figure out which one without any trouble - my last name isn't exactly common - but I ask that you keep both my name and my institution confidential.

Firstly, thank you for your willingness to speak up on behalf of children and personal liberties for the last year. I believe that the medical community has significantly erred in its handling of the pandemic, and specifically that personal autonomy should not be overridden without a very good reason supported by very strong data. Needless to say the data invoked by school closure and mask mandate proponents do not meet this criteria. I don't know that you and I would see eye to eye on every COVID issue, but I think we share a core belief that people should be able to make their own choices. And we probably also share a















### (5) COVID Vaccine Data from a Midwest Academic



**Medical Center** 

belief that people should be able to make their own choices. And we probably also share a fear that the erosion of trust in public health authorities and medicine in general will be difficult if not impossible to reverse, with potentially devastating consequences.

Secondly, I'm reaching out because I have access to a good amount of vaccine data from my medical center, and I wanted to share my findings with you. I'm not sure what it says about the state of scientific research that my best option for disseminating this data is contacting a novelist who may post about it on his Twitter account, but such is the world we live in. In all seriousness, though, if you have thoughts about where else this data can be shared, please let me know.

Some background about the data:

 All vaccinations at my institution are Pfizer's, so none of what follows necessarily applies to Moderna.



...

2/ In that group, emergency room visits roughly doubled in the month after vaccinations compared to the month before - from 49 to 92. One EpiPen shot and one Benadryl dose were given in the month before; two Epis and 14 Benadryl doses were given after...

公

(5) COVID Vaccine Data from a Midwest Academic

Medical Center

Here are my takeaways from the data:

1) Anaphylaxis is a real risk. There was one patient who received epinephrine within 48 hours in each age group, so I think the incidence is somewhere around 1 in 10 000.

(5) COVID Vaccine Data from a Midwest Academic

Medical Center

reasons, but I think it's possible that we're looking at some kind of delayed reaction to the vaccine. It seems especially noteworthy that no one in the < 40 group and only 1 person in

(5) COVID Vaccine Data from a Midwest Academic

Medical Center

I'll end with this: in line with what I said above, I think people should be able to make their own choices, so while I am neither staunchly pro- or anti- the COVID vaccines, I am definitely

(5) COVID Vaccine Data from a Midwest Academic

Medical Center

whether the vaccine is riskier than getting the virus is essentially a coin flip for most healthy people. (Though the risk-benefit analysis likely changes for older people, which is i why I

8:38 AM · 2/12/21 · Twitter for iPhone

87 Retweets 5 Quote Tweets 254 Likes



•

3/ Two facts are especially worrying: the reactions and increased visits were not confined to the first day or week. And there was a notable trend in patients under 40 with abnormal platelet counts.

Thanks to the physician who shared this.

My Protonmail is alexberensonauthor.

8:42 AM · 2/12/21 · Twitter for iPhone

75 Retweets 3 Quote Tweets 310 Likes



### (5) COVID Vaccine Data from a Midwest Academic Medical Center



I'll end with this: in line with what I said above, I think people should be able to make their own choices, so while I am neither staunchly pro- or anti- the COVID vaccines, I am definitely against vaccine mandates. (I should also note that I declined the vaccine myself, but have recommended my parents get it.) This is especially true because based on the data above, the risk of a life-threatening reaction for any one age 50 or less is at best in line with the CDC's estimated IFR for that age group, 2 in 10000 (estimate from

here: https://www.cdc.gov/coronavirus/2019ncov/hcp/planning-scenarios.html). So whether the vaccine is riskier than getting the virus is essentially a coin flip for most healthy people. (Though the risk-benefit analysis likely changes for older people, which is i why I recommended my parents get it. And the risk of the vaccine is almost certainly greater for children, which is why my son won't be getting it.) The only reason a vaccine mandate should even be entertained is if the vaccine is shown to decrease transmission significantly - and with COVID counts plummeting and the vaccine not widely available until the summer, we won't be able to say anything definite until the fall. (I appreciate what you're trying to do with Israeli data, but I don't think anyone should be hanging their hat on that - if we've learned anything over the last 12 months it's that trying to extrapolate the future based on small, potentially flawed datasets is unwise.)

Thank you again for everything you've done, and please let me know if I can answer any questions.

# 


### (5) COVID Vaccine Data from a Midwest Academic Medical Center



I then compare the data prior to the vaccine to the data after the vaccine to see if there are differences

- 4) That being said, some information about the second dose of the vaccine may have creeped in, because my institution has been pretty quick about getting the second doses administered. Over half of first dose recipients had gotten their second dose by day 21, so any data after day 21 may be reflective of second dose effects.
- 5) As I hinted above, I've divided the vaccine recipients by into age groups (< 40, 40 64, 65 and up). This has proven to be very important, as the side effects do not appear to be distributed equally amongst age groups (as one could have predicted from the clinical trial data).


The data is attached, but please let me know if you have questions about it - I'm happy to discuss in more detail.



# (5) COVID Vaccine Data from a Midwest Academic

Madiaal Cautau

Medical Center reasons, but I think it's possible that we're looking at some kind of delayed reaction to the vaccine. It seems especially noteworthy that no one in the < 40 group and only 1 person in the 40 - 64 group got Benadryl in the 4 weeks prior to getting the vaccine, and 5 people under 40 and 8 people 40 - 64 got it within 16 days of getting the vaccine. Again, small numbers, so we can't draw any definitive conclusions, but there seems to be a hint of something there. 4) Given the recent talk of thrombocytopenia, I did a subgroup analysis of patients who had their platelet count checked in the ED. There is no difference in the percentage of patients who had abnormal platelets before and after the vaccine for the 40 - 64 year olds and 65 and ups, but for the under 40 patients there was a 16.7% increase (from 0 to 16.7%!) in abnormal platelet labs. I then looked at another marker of clotting, the D-dimer, and found a similar pattern there - no big change for the older age groups, but a 50% increase (from 0 to 50%!) in the under 40 group. Again.



### (5) COVID Vaccine Data from a Midwest Academic Medical Center




2) The general vaccine roll-out at my institution was similar to many other places: health care personnel first, then people over age 65.

Almost all of the health care workers who wanted to be vaccinated (about 80% of them at my center) got their first dose more than 4 weeks ago, but the 65+ vaccination campaign is ongoing. As such, the 65+ data is VERY preliminary and should not be used to reach any solid conclusions. I include it mostly for completeness' sake.

- 3) For the most part, this data only concerns what happened to people after the first dose of the vaccine. The study model I sent up is this: I set the moment someone received the vaccine as time zero, then looked back 28 days and forward 28 days to see what happened to them in 3 categories:
- ED Visits
- Administration of epinephrine
- Administration of Benadryl

I then compare the data prior to the vaccine to the data after the vaccine to see if there are

# Notable CDC Updates



vaccine administration errors (Appendix

A).

# Public health recommendations for vaccinated persons

a cdc.gov

While mRNA COVID-19 vaccines have demonstrated high efficacy at preventing severe and symptomatic COVID-19, there is currently limited information on how much the vaccines might reduce transmission and how long protection lasts. In addition, the efficacy of the vaccines against emerging SARS-CoV-2 variants is not known. At this time, vaccinated persons should continue to follow current guidance to protect themselves and others, including wearing a mask, staying at least 6 feet away from others, avoiding crowds, avoiding poorly ventilated spaces, covering coughs and sneezes, washing hands often, following CDC travel guidance, and following any applicable workplace or school guidance, including guidance related to personal protective equipment use or SARS-CoV-2 testing.

However, vaccinated persons with an exposure to someone with suspected or confirmed COVID-19 are not required to <a href="quarantine">quarantine</a> if they meet all of the following criteria†:

- Are fully vaccinated (i.e., ≥2 weeks following receipt of the second dose in a 2-dose series, or ≥2 weeks following receipt of one dose of a single-dose vaccine)
- Are within 3 months following receipt of the last dose in the series
- Have remained asymptomatic since the current COVID-19 exposure

Persons who do not meet all 3 of the above criteria should continue to follow current quarantine guidance after exposure to someone with suspected or confirmed COVID-19.

### Sara Stickles



#### Jacqueline F Gifford

My girlfriend is in a coma right now from a brain aneurysm five days after second dose of Pfizer shot . 28 . No health issues . Had a stroke right before me . This is bullshit if people believe this could not happen when I'm losing the love of my life right now . Day 3 coma .



Saw this post. Low res, I'm not just going to post this... but I found Jacqueline Gifford on Instagram. She told me Sara's story and I pieced the rest together from Facebook. Unfortunately, she won't pull through.



## Kara Stickles is with Hope Rose Marie and 13 others.

February 9 at 6:08 AM · @

I want to start a prayer chain for Sara Stickles Hundreds of family and friends are already praying for her everyday but let's get as many people as we can. Please share this!

On Sunday my twin sister Sara had a brain aneurysm burst and was flown to the UW Hospital of Madison for emergency treatment and care. The size of the aneurysm is 5mm. Right now the nurses and neurologists are working around the clock to save her life. We still don't have a lot of answers on how this happened to her. Every minute counts at this moment. And so does every prayer. So please share this and please continue to pray pray pray for her. She's the most beautiful and most incredible person you could ever meet. She's a twin sister, a sister and a mother. Her son is diabetic and needs her here! We all do! I can't lose my twin, she's literally half of me! We love you Sara! #SticklesStrong #SaraStrong (Sorry for the graphic photos, but this is our reality)

This is the GoFundMe link:

https://gofund.me/52fe8f2a





#### YESTERDAY

by Jamie Stickles, Organizer

Today My mom, siblings and I were asked to come to the hospital to say our goodbyes to Sara. Sara had a hemmorage stroke in her brain stem on Sunday Feb 7th, at the young age of 28. She has been on life support ever since. After all of the tests run, and the MRI results, the Doctors determined that there is no possibility of recovery and eventually her body will shut down. Because Sara is an organ donor they will continue to keep her body alive until it is time to harvest them. Sara will go on to save countless lives. She continues to give her gifts even after she has gone home to heaven. My sister is truly an amazing angel.

We will be planning visitation and funeral arrangements to come. Thank you so much to all the wonderful people who have donated and continue to show love and pray for our family in this very difficult time. We appreciate every single one of you.

108 donors	<b>1.7K</b> shares	108 followers
Donate		Share



Please pray for my girlfriend . I just witnessed the worst thing in my life . She said she had a severe headache, started crying saying something wasn't right, and then two minutes later it looked like a stroke ...she had lost all her speech , eyes crossed and glazed over , her limbs stiffened up, her last words to me."were just hold me, just hold me " we were so scared. she was rushed to sweds via ambulance and she is in a deep coma on life support . It looks to be a brain aneurysm but she was just flight lifted to Madison . Shit just happened so fast. She is so young and beautiful , this can't be happening . Her family and I still need her . God please don't take her from me. I feel so helpless . They are saying no visitors in Madison . Like what are all of us supposed to do . Please strong prayers . I can't lose another person I love  $\ensuremath{\mathfrak{L}}$  I love you sara stickles



#### Kara Stickles is with Jessica Mae and 12 others.


16 hrs - @

I know everyone is sad and hurting right now but this is what's happening, she has no brain activity, and they've called her immediate family up to Madison to make the final decisions, tomorrow.

But as of right now she's still here.

She's still fighting. Unless it comes from one of us Stickles, she's not gone. #SaraStrong.





# DM with Jacqueline





# √ Jacqueline F Gifford

awesomesis6





After first vaccine for two weeks she had a cough. First two days body aches fever chills . She was very sick . Second vaccine was feb first. On Monday that following Sunday five days after. She had been super restless irate mood swings. We were laving there and she had a thunderclap headache came in all of a sudden with in seconds and she said somethings wrong my head my head and she started crying saying hold me hold me. She did have red blotches all over her body. She began to lose her speech as she was talking. Arms stiffned up and curled up . Eyes crossed and glazed over couldn't breathe. Was a stroke. Rushed her to sweds and they flight lifted her to Madison. They want to pull her off life support after 4 days being in a coma. They said she had a stroke at the brain stem . It's irreversible and no recovery . But I believe people come out of comas and she doesn't have insurance so I feel they are giving up.



They want to say they think she was born with it . But I think it's because of the vaccine . I can't even be there with her because if Covid restrictions



# 2/12 VAERS Update

Event Category	Vaccine	⇒ Events Reported 🖜	Percent (of 12,697)
Death	COVID19 (COVID19 (MODERNA)) (1201)	271	2.13%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	387	3.05%
	COVID19 (COVID19 (UNKNOWN)) (1202)	2	0.02%
	Total	660	5.20%
Life Threatening	COVID19 (COVID19 (MODERNA)) (1201)	201	1.58%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	270	2.13%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.01%
	Total	472	3.72%
Permanent Disability	COVID19 (COVID19 (MODERNA)) (1201)	89	0.70%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	124	0.98%
	Total	213	1.68%

# January 29th

Event Category	Vaccine	⇒ Events Reported 🖜	Percent ← (of ↑↓ 9,845)
Death	COVID19 (COVID19 (MODERNA)) (1201)	118	1.20%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	213	2.16%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.01%
	Total	332	3.37%
Life Threatening	COVID19 (COVID19 (MODERNA)) (1201)	103	1.05%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	170	1.73%
	Total	273	2.77%
Permanent Disability	COVID19 (COVID19 (MODERNA)) (1201)	38	0.39%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	68	0.69%
	Total	106	1.08%

# February 8th

Event Category	Vaccine	⇒ Events Reported 🏕	Percent (of 11,249)
Death	COVID19 (COVID19 (MODERNA)) (1201)	206	1.83%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	298	2.65%
	COVID19 (COVID19 (UNKNOWN)) (1202)	2	0.02%
	Total	506	4.50%
Life Threatening	COVID19 (COVID19 (MODERNA)) (1201)	153	1.36%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	231	2.05%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.01%
	Total	385	3.42%
Permanent Disability	COVID19 (COVID19 (MODERNA)) (1201)	62	0.55%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	99	0.88%
	Total	161	1.43%

# January 28th

Event Category	Vaccine	⇒ Events Reported 🖜	Percent ← (of ↑↓ 7,844)
	COVID19 (COVID19 (MODERNA)) (1201)	64	0.82%
Death	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	118	1.50%
	Total	182	2.32%
Life Threatening	COVID19 (COVID19 (MODERNA)) (1201)	58	0.74%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	115	1.47%
	Total	173	2.21%
Permanent Disability	COVID19 (COVID19 (MODERNA)) (1201)	20	0.25%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	46	0.59%
	Total	66	0.84%

# **Direct Messages**

Just came across your page and read your bio. I am an RN and very aware of the dangers, side effects, and corruption surrounding this va) ( (as well as all the others). Wanted to share that my dad, 80 years old, suffered hypertension and a "mild" ischemic stroke shortly after receiving his first dose of Moderna. Tests done after his stroke also revealed aortic valve sclerosis and an enlarged thoracic aorta. He had never been on BP meds or diagnosed with hypertension prior to having his stroke. Sadly he went back for his second dose anyways. He's been an MD for over 50 years and step-mom is a nurse of somewhere around 30 years so there's definitely no convincing them that there's a correlation. Step-mom already said the "stroke was unrelated" without me even mentioning it w

Hi- my nephew who is a doctor in Italy received the shot and 5 days later actually got it. They told him he probably acquired it the day before he got the shot - they do not think it was a reaction to it. We believe otherwise. Of course he still plans on getting the second dose.

2:35 PM

Which vaccine did he get?

Hmmmm not sure let me see if I can find out

Pfizer

Hi there! I received the Moderna vaccine on 1/22. I am 31 years old. The only side effect I felt was that my injection site was sore for about 48 hours, however it was no more than a tetanus shot. I did have another friend though who was feeling achey, headache, chills. My take on the whole thing is to face the short term side effects of a vaccine rather than the long term side effects of covid! I am grateful I received it and I'm impressed and proud of the science community for making this happen so immensely quick.

Please keep me anonymous. My spouse received the Pfizer vax he got his second dose on Tuesday 1/26. He started to show symptoms on Monday 1/25 he tested positive this morning.

A friend of mine that was a healthy very active person (hiked 20+ miles weekly for conservation work) was talked into getting the vaccine to keep his kids safe. It's been two weeks of severe nausea, debilitating stomach cramps, fever, vomiting, entire body burning from muscle pain, & vertigo. We live on a reservation & while the rest of the state has barely had access to the vaccine magically there was no shortage for the tribe & the pressure for all young people to get the vaccine was intimidating. What happened to my friend is happening all over the rez & we're just being told it's a symptom of "immunity building".

My FIL with Parkinson's had the vax on Jan 11 at his nursing home within 10 days they called and told us he needed Level IV care and loss his dexterity. He received the second shot on Feb 1 and today he went on hospice because he can't breathe. Now tell me the shot didn't cause this. My husband asked the doctor today if the vax caused this. He said he can't rule it out be we don't know a lot about the effects of the shots on people with PD. There has only been one case of CV at his residence since March.

First and foremost, Thank you for your work and service.

My Grandmother passed away yesterday at the age of 93, and I am certain the vaccine was the catalyst that ended her life. A week after she was vaccinated, she developed symptoms and tested positive for Covid. 10 days later, she died. The saddest part is no one else in my family is willing to even consider the vaccine may have played a role in her death. No matter how clearly I explain the possibility to them, they insist it's impossible because "the cdc says you can't get the virus from the vaccine." They insist it must have been from an outside visitor to her assisted living center. They won't even consider my suggestion the vaccine may have had something to do with it, and all are anxiously anticipating their turn in line to get Vax ASAP so they can have their "freedom back". God bless them and god bless my sweet grandmother.

Hello I am posting this for a friend that messaged me. I have not been able to find any stories with the same reaction but wanted to post on all platforms to see what kind of responses I can get for her.

#### Sooo...

I got the moderna two weeks ago. Well a week ago I started with severe breast pain and then it turned bright red.

I went to the dr and I have a breast infection and I'm lactating

I don't know if it's connected- however, that's the only thing I did different



She is also past the lactating stage of her life.

Please keep me anonymous. My spouse received the Pfizer vax he got his second dose on Tuesday 1/26. He started to show symptoms on Monday 1/25 he tested positive this morning.

I tested positive for covid on 12/21/20 and had a mild course of the illness like a bad head cold for a few days then lost my taste and smell for a few weeks. I am a pharmacist and have now received both doses of the Pfizer vaccine. First dose I had a mild headache all day the day after. But the second shot 12 hours after I had joint pain, body aches all over and my skin was painful to touch. Low grade intermittent fevers, headache, nausea, fatigue. Stayed in bed and was in and out of sleep all day. After 24 hours I have a bit of a headache and a bit of achy feeling but improving. Not a pleasant experience

#### Hi-

I've been following you since you started. Thank you for all you are doing. My uncle is a pharmacist and wants my 91 year old grandpa to get the vaccine...it's been less than 3 months since he had Covid. I know I saw info on not to get the vaccine before three months, but I can't find that data anywhere. Do you know where I can find it? My uncle won't listen to me and I'm scared to death foe my grandpa. Thank you so much!!! Again, I appreciate everything you are doing.

My step mother works in the pharmacy at Walgreens and they just started administrating the CV19 Vaccine. One healthy and beautiful African American young woman got the Vaccine & 20 mins later after receiving it the whole right side of her body was paralyzed. On top of that her co-workers, all except two, had adverse side effects such as; severe sickness and weakness, extreme headache, swollen arms at injection site, and tingling in the arms that the person feels is leading toward going numb. I pray all are OK but these side effects are real and the media is down playing them. My mother didn't belive at first either and was contemplating getting it. All that changed when she seen with her own eyes, at the pharmacy, what it was doing to people.

### Real-time Israel Data



Follow

### **Dvir Aran**

@dvir\_a

Biomedical Data Science Lab; Assistant Professor @ Technion, Israel.

⊚ Israel ⊗ aran-lab.com III Joined October 2009

405 Following 1,472 Followers



עדכון שלישי שלי של הערכת יעילות החיסון. לא אופטימי כמו הפוסטים הקודמים. הנתונים מבוססים על מידע עד ה-9 לפברואר. ממצאים: 1.אין הגנה עד יום 21. רואים הגנה רק מהיום ה-21 (או המנה השניה).


<==

### Translated from Hebrew by Google

My third update of the vaccine efficacy assessment. Not as optimistic as the previous posts. The data is based on information by February 9th. Findings:

1. There is no protection until day 21. You only see protection from the 21st day (or the second dose).

==>



12:56 PM · 2/10/21 · Twitter Web App





2.הגנה מפני אימות אחרי המנה השניה (לא להתבלבל עם הדבקה או עברה): 74%-60 לבני 60+, 78%-75 לבני 60-.

3.הגנה מפני אשפוז אחרי המנה השניה: 71-82%. הגנה מפני מחלה קשה: 777-69.

### Translated from Hebrew by Google

- 2. Protection against authentication after the second dose (not to be confused with infection or past):
- 60-74% for those aged 60+, 75-78% for those aged 60-.
- Protection against hospitalization after the second dose: 71-82%. Protection against serious illness: 69-77%.

### 12:56 PM · 2/10/21 · Twitter Web App

3 Retweets 2 Quote Tweets 18 Likes

# Vaccine News



Mr. Shapps's warning came a day after the authorities announced new travel restrictions, including prison sentences of up to 10 years for anyone traveling to Britain who lies about where they've been.

Mr. Shapps called the measures, including the jail sentence, "appropriate." Under other restrictions that are set to come into force on Monday, British residents arriving in England from more than 30 countries where coronavirus variants are believed to be widespread, will have to pay up to 1,750 pounds (\$2,410) for a 10-day quarantine in government-managed hotel rooms.

Britain has reported <u>114,000 deaths from the coronavirus</u>, the world's fifth-highest known death toll.

As of Wednesday, Britain had administered more than 12.5 million vaccine doses, equivalent to about 18 percent of its population, one of the highest rates in the world. At the current pace, the country is on track to give the first shot of a two-dose coronavirus vaccine to its entire population by the end of June.

The authorities have reported a sharp drop in the number of infections in recent days, and Prime Minister Boris Johnson is expected to announce a potential loosening of restrictions this month.

But on Wednesday, Mr. Shapps urged caution about travel plans for this year and advised people not to book vacations either within Britain or abroad. "I'm afraid I can't give you a definitive 'will there or will there not be' the opportunity to take holidays," he told Sky News.

Vacationing abroad may not be possible for residents of Britain until all adults in the country have been vaccinated, a government official said on Wednesday, raising questions about how the tourism industry might cope with such restrictions and dashing hopes of many who hoped that a relatively successful vaccine rollout in Britain could let them enjoy trips abroad this summer.

The transportation secretary, Grant Shapps, said on British television that international travel would depend on "everybody having their vaccinations" in Britain, and that restrictions could remain as long as other countries have not made significant progress in vaccinations.

"We'll need to wait for other countries to catch up as well, in order to do that wider international unlock," Mr. Shapps said.

# Backup

What's your backup account? I'm sure this account won't last long on here

Do you have telegram

Post it quick!

No. I was banned from telegram. Gab and backup Instagram and my email address. That's it.

"BACKUP" "Backup IG" and "Alt Social" Highlights have all the info on how you can reach me if I get deleted.

Cool thanks. I thought telegram was censorship free?

Unless you're showing truth about the cv vax...

Nope. I hosted the EMA Leaked docs. That's the only thing I posted. Then I got banned.

### Vaccine News



A few of the patients had previously had platelet disorders or other autoimmune conditions that might have made them vulnerable, Dr. Bussel (pronounced Bew-SELL) said. People can have low platelets without symptoms, and it is possible that in some, a vaccine reaction could drop the level further, to a point where it becomes apparent by causing bruises or bleeding, Dr. Bussel said.

He has been a paid consultant to Pfizer, not on vaccines but for a drug for the platelet disorder.

Dr. Jerry L. Spivak, an expert on blood disorders at Johns Hopkins University, also said the connection to the vaccine appeared real, but predicted that cases would be exceedingly rare and called them "idiosyncratic," perhaps related to underlying traits in individual patients.

But the reporting system shows only problems described by health care providers or patients after vaccination, and does not indicate whether the shots actually caused the problems.

Officials with the Food and Drug Administration and the Centers for Disease Control and Prevention said that they were looking into the reports, but that so far, rates of the condition in vaccinated people did not appear higher than the rates normally found in the U.S. population, so the cases could be coincidental. Overall, the vaccines are considered safe. A small number of severe allergic reactions have been reported, but they are treatable, and the rates are in line with those reported for other vaccines, regulators say.

In a statement, Pfizer said: "We take reports of adverse events very seriously," and added that it was aware of thrombocytopenia cases in vaccine recipients. Dr. Bussel said it was important to share information about the cases, because severe thrombocytopenia can be serious, and physicians need to know how to treat it. Sometimes the condition resists standard therapies, and if very low platelet counts persist, the patient faces an increasing risk of severe bleeding and even brain hemorrhage.

He and a colleague, Dr. Eun-Ju Lee, have submitted an article to a medical journal on 15 cases in Covid vaccine recipients they identified by searching the government's database or by consulting with other physicians treating patients. The report provides information about treatments and urges doctors to report cases. It also notes that it is too soon to tell whether the affected patients will have lasting recoveries, or recurrences of the platelet problem.



Dr. Gregory Michael in a photo posted to Facebook by his wife.

via Facebook

The statement also said: "We are collecting relevant information to share with the F.D.A. However, at this time, we have not been able to establish a causal association with our vaccine."

Moderna also provided a statement, which did not address the question of the platelet disorder, but said the company "continuously monitors the safety of the Moderna Covid-19 vaccine using all sources of data" and routinely shares safety information with regulators. The cases are not a reason to avoid Covid vaccination, doctors say. The risk of serious illness from the coronavirus is much greater than the risk of developing this rare condition, and the vaccines are crucial for controlling the pandemic.

Ms. Legaspi's daughter said the last thing that she and her mother wanted to do was create fear of the Covid vaccines. Both women still believe strongly in the need for them, despite Ms. Legaspi's illness, her daughter said. The daughter asked, at her employer's request, that her name not be used.

In its most common form, immune thrombocytopenia is an autoimmune disease that affects about 50,000 people in the United States, according to a <u>support group for patients</u>. The condition develops when the immune system attacks platelets or the cells that create them, for unknown reasons. It sometimes follows a viral illness, and can persist for months or become chronic and last for years. It is generally treatable. Professional groups have advised <u>that patients with the disorder be vaccinated for Covid</u>, but after consulting with their hematologists.



Ms. Legaspi, right, in a photo taken by her daughter that shows bruising and bleeding under the skin caused by the lack of platelets. via Luz Legaspi

A few of the patients had previously had platelet disorders or other autoimmune conditions that might have made them vulnerable, Dr. Bussel (pronounced Bew-SELL) said. People can have low platelets without symptoms, and it is possible that in some, a vaccine reaction could drop the level further, to a point where it becomes apparent by causing bruises or bleeding, Dr. Bussel said.

He has been a paid consultant to Pfizer, not on vaccines but for a drug for the platelet disorder.

Hematologists with expertise in treating immune thrombocytopenia said they suspected that the vaccine did play a role. But they said that cases after vaccination were likely to be exceedingly rare, possibly the result of an unknown predisposition in some people to react to the vaccine by developing an immune response that destroys their platelets. The disorder has occurred, rarely, in people who received other inoculations, particularly the measles-mumps-rubella one.

"I think it is possible that there is an association," Dr. James Bussel, a hematologist and professor emeritus at Weill Cornell Medicine who has written more than 300 scientific articles on the platelet disorder, said in an interview. "I'm assuming there's something that made the people who developed thrombocytopenia susceptible, given what a tiny percentage of recipients they are."

He added: "Having it happen after a vaccine is well-known and has been seen with many other vaccines. Why it happens, we don't know." One day after receiving her first dose of Moderna's Covid vaccine, Luz Legaspi, 72, woke up with bruises on her arms and legs, and blisters that bled inside her mouth.

She was hospitalized in New York City that day, Jan. 19, with a severe case of immune thrombocytopenia — a lack of platelets, a blood component essential for clotting.

The same condition led to the death in January of Dr. Gregory Michael, 56, an obstetrician in Miami Beach whose symptoms appeared three days after he received the Pfizer-BioNTech vaccine. Treatments failed to restore his platelets, and after two weeks in the hospital he died from a brain hemorrhage.

It is not known whether this blood disorder is related to the <u>Covid vaccines</u>. More than 31 million people in the United States have received at least one dose, and <u>36 similar cases</u> had been reported to the government's Vaccine <u>Adverse Event Reporting System, VAERS</u>, by the end of <u>January</u>. The cases involved either the <u>Pfizer-BioNTech or Moderna vaccine</u>, the only two authorized so far for emergency use in the United States.

# **Twitter Spotlight**




### **Thread**



Jesselyn Cook @ @JessReports · 1d

On Facebook-owned Instagram, several of the top-ranked search results for "covid vaccine" beneath the CDC notice are anti-vax accounts.

This one has just 48 followers — and almost exclusively pushes conspiracy theories — but Instagram has placed it near the top of the list.



FB Facebook Newsroom 🥝 @fbnews... · 1d

We're running the largest worldwide campaign to promote authoritative information about COVID-19 vaccines. about.fb.com/news/2021/02/r...

Show this thread





17426





# Also, please stop labeling my page "Anti-vaccine." Thanks!





## 25 mins Post-vaccine



NEW YORK CITY (WABC) -- A man collapsed and later died after leaving the Javits Center vaccination site in New York City, but health officials say it is not believed to be due to an allergic reaction.

The New York State Health Commissioner confirmed it happened about 25 minutes after the individual was vaccinated and following the required 15-minute observation period.

Dr. Howard Zucker said initial indications are the man, who was in his 70s, did not have an allergic reaction to the vaccine.

On-site security and first responders got to the man in seconds, but he passed away a short time later at a hospital.

Health officials say it is important to note that just because someone died, it does not mean it is related to the vaccine.

"Public health experts agree, the vaccine is safe, and together with continued vigilance including wearing a mask and social distancing, it will bring an end to this pandemic," Zucker said. "I encourage all eligible New Yorkers to get vaccinated."

The Javits Center opened as a vaccine mega-site in early January.

### **VAERS Miscarriages**



Mehrtash Olson @MehrtashOlson

Pfizer vaccine 12/18/20

MISCARRIAGE 12/19/20

Age 34 — 32 weeks pregnant

VAERS\* ID# 906529

(\*Vaccine Adverse Event Reporting System, a U.S. database co-managed by our CDC and FDA to capture potential side effects.)

1/10

8:20 AM · 2/7/21 · Twitter for iPad

69 Retweets 12 Quote Tweets 75 Likes

101



### Mehrtash Olson @MehrtashOlson · 1d Replying to @MehrtashOlson

Age 35 — 28 weeks pregnant Pfizer vaccine 12/23/20 MISCARRIAGE 12/25/20 VAERS ID# 918034

2/10

01

175

02

,1,



### Mehrtash Olson @MehrtashOlson · 1d

Age 37 — 26 weeks pregnant Moderna vaccine 12/27/20 MISCARRIAGE 12/28/20 VAERS ID# 916065

3/10

01

174

m3

,1,



### Mehrtash Olson @MehrtashOlson · 1d

Age 32 — 22 weeks pregnant Pfizer vaccine 1/7/21 MISCARRIAGE 1/8/21 VAERS ID# 930916

4/10

21

174

03

1



### Mehrtash Olson @MehrtashOlson · 1d

Age 31 — 5 weeks pregnant Pfizer vaccine 12/19/20 MISCARRIAGE 12/19/20 VAERS ID# 953086

8/10

01

172

03

1



Mehrtash Olson @MehrtashOlson · 1d Age 34 — 5 weeks pregnant Pfizer vaccine 12/17/20 MISCARRIAGE 12/31/20 VAERS ID# 922289

9/10

02

175

m5

.1.



Mehrtash Olson @MehrtashOlson · 1d Age 34 — 4 weeks pregnant Pfizer vaccine 12/22/20 MISCARRIAGE 12/22/20 VAERS ID# 925639

I cannot claim to know what happened with each of these women, but I thought I should share this information for the sake of others.

10/10

Q4

17

C 16

,1



Mehrtash Olson @MehrtashOlson · 1d Age 39 — 18 weeks pregnant Moderna vaccine 12/22/20 MISCARRIAGE 1/15/21 VAERS ID# 952671

5/10

01

174

03

,1,



Mehrtash Olson @MehrtashOlson · 1d Age 37 — 10 weeks pregnant Pfizer vaccine 1/6/21 MISCARRIAGE 1/8/21 VAERS ID# 932107

6/10

01

175

(7)3

,1,



Mehrtash Olson @MehrtashOlson · 1d Age 35 — 6 weeks pregnant Pfizer vaccine 12/20/20 MISCARRIAGE 1/8/21 VAERS ID# 928892

7/10


21

174


73

 $\triangle$ 

# **Facebook**







7h . 🖭

\*\*Moderna 2nd vaccine question. Has anyone had anything like this after receiving the second dose of the Moderna vaccine? (2) It started showing up 2 days after the shot and has progressively gotten worse. Nothing else has changed with my diet or surroundings and I'm freaking out a bit. I apologize for the startling images.





298 Answers





(?) Answer







⊕ Top Fan William

Friend of the Family got vaccinated on Monday. He didn't come to work on Wednesday. His son went to his house for a wellness check, found his father dead. His father was 50 and in great heath. He apparently has called Ch9 news and they have said there all booked up and don't have time. Just a little info for thos who think the vaccine is gonna make everything better.

38m Like Reply





happens with every vaccine...he possibly had underlying health issues nobody knew about.....

32m Like Reply

# 2/8 VAERS Update

Event Category	Vaccine	⇒ Events Reported 🖜	Percent (of 11,249)
Death	COVID19 (COVID19 (MODERNA)) (1201)	206	1.83%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	298	2.65%
	COVID19 (COVID19 (UNKNOWN)) (1202)	2	0.02%
	Total	506	4.50%
Life Threatening	COVID19 (COVID19 (MODERNA)) (1201)	153	1.36%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	231	2.05%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.01%
	Total	385	3.42%
Permanent Disability	COVID19 (COVID19 (MODERNA)) (1201)	62	0.55%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	99	0.88%
	Total	161	1.43%

# January 28th

Event Category	Vaccine	⇒ Events Reported 🏕	Percent ← (of ↑↓ 7,844)
Death	COVID19 (COVID19 (MODERNA)) (1201)	64	0.82%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	118	1.50%
	Total	182	2.32%
Life Threatening	COVID19 (COVID19 (MODERNA)) (1201)	58	0.74%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	115	1.47%
	Total	173	2.21%
	COVID19 (COVID19 (MODERNA)) (1201)	20	0.25%
Permanent Disability	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	46	0.59%
	Total	66	0.84%

# January 29th

Event Category	Vaccine	⇒ Events Reported 🏕	Percent <b>←</b> (of ↑↓ 9,845)
Death	COVID19 (COVID19 (MODERNA)) (1201)	118	1.20%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	213	2.16%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.01%
	Total	332	3.37%
Life Threatening	COVID19 (COVID19 (MODERNA)) (1201)	103	1.05%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	170	1.73%
	Total	273	2.77%
Permanent Disability	COVID19 (COVID19 (MODERNA)) (1201)	38	0.39%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	68	0.69%
	Total	106	1.08%

## AstraZeneca - Brazil



### **GAZETA DO POVO**



> Republic > Brief

83-year-old man dies in Manaus after receiving AstraZeneca / Oxford vaccine

1/30/2021 9:45 PM

By Gazeta do Povo Brasilia



Dose of the Oxford / AstraZeneca vaccine against Covid-19 at a vaccination center in Brighton, England, 26 January. Photo: Ben Stansall / AFP

The city of Manaus reported that an 83-year-old died on Saturday (30) after receiving a dose of the vaccine developed by the University of Oxford and produced by the manufacturer AstraZeneca. Two million doses of the immunizer, which was imported from the AstraZeneca factory in India, were distributed to the states in this first stage of the national vaccination campaign against Covid-19.

According to the city, the elderly received the first dose of the vaccine on Friday (29). This Saturday (30) morning, the elderly family reported that he died. The case will now have to be investigated by the city hall and the state government. Local health agencies have already started procedures for collecting epidemiological data and biological material for examinations and analyzes.

The head of the Immunization Division of the Health Department of Manaus, Isabel Hernandes, says that the notification of any adverse event after vaccination is mandatory for all types of vaccine and that it does not mean the existence of a cause and effect relationship. "We cannot attribute any adverse events to the vaccine until the investigation of the case is complete. The notification is made for monitoring and as a strategy to assess the safety of the vaccines", he said in a note distributed by the city.

The AstraZeneca / Oxford vaccine shipment was sent to Amazonas by the Ministry of Health, with a total of 74,140 doses being transferred to the municipality of Manaus, of which 50,398 were specifically intended for vaccination of 100% of the elderly aged 80 and over, with or without disease chronic, and 100% of the elderly aged 75 to 79 years and 37% of 70 to 74 years old with chronic diseases.

## Sinovac - Indonesia







### Healthcare Workers in Cilacap Reported Death After Vaccination, This is Explanation from Kadinkes

Friday, 5 February 2021 | 19:41 WIB



Author: Banyumas contributor, Fadlan Mukhtar Zain | Editor: Dony Aprian

CILACAP , KOMPAS.com - A health worker in Cilacap Regency, Central Java, reportedly died after being vaccinated against Covid-19.

Head of the Cilacap Health Service (Dinkes), Dr.

Pramesti Griana Dewi, when confirmed, stated that the health worker had not died from being injected with the Covid-19 vaccine.

"The doctor in charge stated that it was not (died) due to the Covid-19 vaccination," Pramesti said via text message, Friday (5/2/2021).

Also read: 70 percent of health workers in Pontianak City have been vaccinated against Covid-19

The health worker was declared dead due to Dengue Shock Syndrome (DSS) or dengue fever.

Pramesti explained that this male health worker had previously undergone Covid-19 vaccination in his place of duty, namely at the Cilacap Regional Hospital.

"On Wednesday, January 27, 2021 (injected) of the Covid-19 vaccine at the Cilacap Regional Hospital, he was in good health and had no complaints. After being vaccinated, he went to work as usual," Pramesti said.

A few days later, on Saturday, January 30, he was in charge of referring the patient to Sardjito Hospital in Yogyakarta.

"Coming home from Yogyakarta, the agency of nggreges and on Sunday (January 31) the concerned permit does not come to work," said Pramesti.

Then on Wednesday (3/2/2021) the person concerned entered the Emergency Room at the Cilacap Regional Hospital. The health worker complained of weakness and had black bowel movements.

"The person concerned was immediately admitted to the ICU. His platelet level was far below normal. Then a platelet transfusion was carried out," said Pramesti.

However, Pramesti said, today at around 07.00 WIB, he passed away.

"The vaccine was a week ago. Died with a temporary diagnosis of Dengue Shock Syndrome (Dengue Fever)," Pramesti explained.

https://regional.kompas.com/read/ 2021/02/05/19415631/nakes-di-cilacapdikabarkan-meninggal-usai-divaksin-inipenjelasan-kadinkes





#### Nakes di Cilacap Dikabarkan Meninggal Usai Divaksin, Ini Penjelasan Kadinkes

Seorang tenaga kesehatan (nakes) di Kabupaten Cilacap, Jawa Tengah, dikabarkan meninggal dunia usai disuntik vaksin Covid-19.

Thank you for sharing. I couldn't find which vaccine it was.

Do you know? Running it through a translator didn't seem to have helped.

Sinovac. That is the only covid vaccine available in Indonesia at this time.

## **Vaccine News - India**



► LIVE TV



#### **TOP STORIES**

India: Pfizer withdraws
COVID vaccine application for
emergency use

05.02.2021



The company has said it would submit another authorization request with further information, as India said it had not seen enough evidence the shot was safe.

### What are the challenges Pfizer faces in India?

India's drug

regulator wanted Pfizer to conduct local trials to ensure the safety of the vaccine for official authorization.

But the company failed to present evidence that its vaccine was safe for the Indian population, according to a Central Drugs Standard Control Organization (CDSCO) statement.

"After detailed deliberation, the committee has not recommended for grant of permission for emergency use in the country at this stage," the CDSCO said after a meeting with Pfizer on Wednesday.

Vinod K. Paul, head of a government panel on vaccine strategy, had earlier said in an interview with Reuters that any vaccine would have to go through a "bridging trial" for India to approve its use.

Bridging trials typically determine the immune repose of different genetic makeup.

The pharmaceutical company had earlier said that the BioNTech-Pfizer shot had a 95% efficacy rate as the final results of its trials.

Indian Health Ministry officials also said that the BioNTech-Pfizer vaccine was not the best suited to the country, given how it requires storage in high-cost freezers that aren't easily available in India, according to the Associated Press.

The BioNTech-Pfizer vaccine must be stored at as low of a temperature as minus 70 degrees Celsius (minus 94 Fahrenheit). India began its coronavirus vaccine rollout in January, with the Oxford University/AstraZeneca's Covishield vaccine and the Indian company Bharat Biotech's Covaxin.

fb/rt (AP, Reuters)

Pfizer Inc. said on Friday that it has pulled out an application for emergency use authorization of the BioNTech-Pfizer coronavirus vaccine in India.

The decision came after Pfizer representatives met with India's health regulator on Wednesday, who refused to grant the pharmaceutical's vaccine the authorization, citing a lack of immunogenicity trials.

"Based on the deliberations at the meeting and our understanding of additional information that the regulator may need, the company has decided to withdraw its application at this time," Pfizer said in a statement.

The company said that it would shortly submit another authorization request with further information when available.

## **CNN Free Press!**

AA a cnn.com Ĉ

### BUSINESS.

LIVE TV (Q) =

- ▲ DOW 31,148.24 +0.30%
- ▲ **S&P 500** 3,886.83 +0.39%
- ▲ NASDAO 13,856.30 +0.57%

#### **FEATURED**

Track the Covid economy

### Facebook vowed to crack down on Covid-19 vaccine misinformation but misleading posts remain easy to find

By Kaya Yurieff and Oliver Darcy, CNN Business

Updated 9:57 AM ET, Sun February 7, 2021



Shortly after, Instagram updated its search interface on mobile devices to showcase three credible results, including the CDC's account, followed by a "See More Results" prompt. Users who click on that option are then shown a number of anti-vaccination accounts, in what is arguably the digital equivalent to shoving the mess in a bedroom under the bed.

Some of those accounts have amassed sizable followings, raising the question of whether Instagram suggesting them as a top result for users simply seeking out vaccine information helped them grow an audience. The "cv19vaccinereactions" account, which is devoted to documenting claims of adverse reactions to the vaccine, boasts more than 77,000 followers. The account often shares unsubstantiated reports and insinuates unproven links between people getting the Covid-19 vaccine and major health events, including a stroke or a miscarriage.

(CNN Business) – Nearly two months into the largest vaccine rollout in US history, Instagram continued to prominently feature anti-vaccination accounts in its search results, while Facebook groups railing against vaccines remained easy to find.


Facebook has for years grappled with addressing anti-vaxxer content. Late last year, it established new rules to tackle Covid-19 vaccine misinformation after pledging two years ago to reduce the spread of anti-vaxxer content. But misleading and fearmongering content about the Covid vaccines, as well as outright misinformation, continues to spread on the platform at a time when the stakes couldn't be higher: misinformation about the vaccine can mean life or death.

Four of the top 10 search results for "vaccine" on Facebook-owned Instagram were for antivaccination accounts, including "vaccinetruth," "vaccinefreedom," "antivaxxknowthefacts," and "cv19vaccinereactions," according to a series of searches conducted by CNN Business from multiple different Instagram handles beginning two weeks ago.




**Related Article:** Social media must prepare for flood of Covid-19 vaccine misinformation

### **Facebook**



Had 2nd dose of Pfizer mid January and suffered an anaphylactic reaction requiring intubation. I have a history of allergy to latex but no vaccine issues before. Only had a sore arm for one day after the first dose. VAERs was filed.



This is a covid support group, I need support. I know that not dying from covid is really, REALLY important. But you know what? So is quality of life is too! This vaccine has ruined mine! I can't do the most basic of ADL's because now I get chest pain and dispnea like I've just finished exercising. I get palpitations just laying in bed. Even sitting up at the table and eating is physically tiring for me. I'm not fatigued, it's chest tightness and heart racing and it's scary and I want my life back!



Hammo

Did you have Pfizer or Oxford as some of my colleagues had the Oxford and had those symptoms xx 8 h Like Reply



Katie

I literally called them up and said I am a front line worker and they booked me in the next day xx Are u having yours done in Canterbury like Julie? X

8h Like Reply







Katie

Hammo yeah I had the Oxford



8h Like Reply



My mom had her 1st Covid vaccine this past Thursday. She woke up at 1am today with a baseball sized bruise. Went back to bed got up around 7am. Here's some pictures of the progression that followed. Last picture was taken at 5:30pm. She did f/u with her pcp, had labs drawn, and has an u/s of her arm ordered for tomorrow. Has anyone seen anything like this happen? Arm is very swollen as well.





### **Elon Musk**



### **NEW YORK POST**

a

LIVING

Elon Musk says he won't take coronavirus vaccine, calls Bill Gates a 'knucklehead'

By Ben Cost

September 29, 2020 | 10:28am | Updated



"Gates said something about me not knowing what I was doing," Musk told Swisher. "It's like, 'Hey, knucklehead, we actually make the vaccine machines for CureVac, that company you're invested in." He was referring to the fact that Tesla manufactures equipment for the German biopharmaceutical firm CureVac.

This past July, the car magnate shaded Gates with a series of cryptic tweets that read, "Billy G is not my lover" and "The rumor that Bill Gates & I are lovers is completely untrue."

FILED UNDER BILL GATES, CORONAVIRUS, ELON MUSK, 9/29/20

Instead of the current sweeping measures, the Boring Company boss suggested a more targeted lockdown where "anyone who is at risk" be "quarantined until the storm passes."

Swisher criticized his suggestion, adding that humans could potentially die in the process.

"Everybody dies," quipped Musk.



Elon Musk said the coronavirus lockdown diminished his faith in humanity.

To emphasize the supposed ridiculousness of the quarantines, Musk boasted that SpaceX "didn't skip a day" throughout the entire pandemic. "We had national security clearance because we were doing national security work," he said. "We sent astronauts to the Space Station and back."

Later on, the automotive mogul addressed Bill Gates' criticisms of his skepticism toward the coronavirus, which Musk called "dumb" in March. During a CNBC interview in July, the Microsoft founder claimed that Musk didn't know much about vaccines and said he hoped that the SpaceX head "doesn't confuse areas he's not involved in too much."

SpaceX founder Elon Musk stirred the pot yet again after claiming that neither he nor his family would take a COVID-19 vaccine even if it was readily available.

The 49-year-old billionaire dropped the bombshell during a Monday appearance on the New York Times opinion podcast "Sway."

"I'm not at risk, neither are my kids," Musk told host Kara Swisher about the rationale behind his decision.

During the bizarre exchange, the Tesla CEO decried the nationwide lockdown as a "no-win situation" that has "diminished my faith in humanity." Musk previously called widespread quarantines "unethical" and "de facto house arrest," RT reports.

# **Katie and Harvey Price**



coronavirus vaccine.

The disabled teenager, 18, had his first dose of the Oxford/AstraZeneca vaccine on Friday, but ended up at Great Ormond Street Hospital after developing a high temperature and 'shaking uncontrollably.'

A source told The Sun: 'Katie's in bits, Harvey only had the jab on Friday but now doctors who know Harvey well are telling her he's had a bad reaction to it — it can't be anything else.

'She's very worried but is trying to remain calm. It's dangerous as he hasn't got cortisol in his body to fight like us.'

It is extremely rare for people to get a severe reaction from the coronavirus vaccine, which has been approved by the Medicines and Healthcare products Regulatory Agency (MHRA) as both both safe and effective.

The most common side-effects of the vaccine are mild flu-like symptoms, a headache, tiredness or soreness at the site of the injection which should pass relatively quickly. Harvey was born with a series of complex conditions, including Prader-Willi syndrome and septic-optic dysplasia, as well as autism and ADHD.

He qualified to have the vaccine early due to being classed as clinically extremely vulnerable, with the general roll-out still being offered to adults over 70 at present.

Katie had earlier revealed that Harvey had had his first dose of the vaccine, which was administered at a vaccination centre in a school hall.

#### MORE: KATIE PRICE



Katie Price reveals Harvey has had his coronavirus vaccine as he's clinically vulnerable

The former glamour model, 42, told The Sun: 'Harvey was the youngest we saw there, it was all smoothly, calmly and professionally done.

'Harvey was so brave and it was over so quick, everybody [was] so helpful. It just felt like being in a film and made you realise more how serious this is.'

### December 20th, 2020



### Susan Says "Wear a mask!" Becraft @AliceTinker1943

Replying to @GOPLeader and @realDonaldTrump

My husband is in a nursing home. No idea when a vaccine will be available to him and the other patients. But, hey - give the vaccine to the same people who think Trump is doing a good job.

5:49 PM - Dec 20, 2020 - Twitter for iPhone

## January 21 & 22, 2021



Susan Says "Wear a mask!" Becraft @AliceTinker1943

My husband had to go to the hospital on Monday because of a bone infection in his heel. He just tested positive for #COVID19. He had his first shot of the vaccine on January 10th. The hits keep coming.

4:17 PM - Jan 21, 2021 from Mount Lebanon, PA - Twitter for iPhone



Susan Says "Wear a mask!" Becraft @AliceTinker1943

Replying to @AnaCabrera

40 percent of the nurses at a local hospital declined the vaccine. I don't get it.

7:28 AM · 1/22/21 · Twitter for iPad

## February 4th, 2021



Susan Says "Wear a mask!" Becraft @AliceTinker1943

My husband died two hours ago. I never understood why anyone immediately went on Twitter with this kind of news until it happened to me. He coded 15 minutes after I talked to him - out of nowhere.

7:38 PM · 2/4/21 from Mount Lebanon, PA · Twitter for iPhone

3,521 Retweets 792 Quote Tweets 78.9K Likes

## January 28th, 2021



Sara Beltrán Ponce, MD @SaraBelP... Jan 28 \*\*\*

14 weeks pregnant and fully vaccinated! I got the #CovidVaccine to protect myself, my baby, my family, my patients, and my community! When it's available to you, I encourage you to do the same!



17 2

₩ 35





Sara Beltrán Ponce, MD @SaraBelP... Jan 28 \*\*\*
As a physician, I feel a responsibility to protect the cancer patients that I see on a daily basis, especially those who are immunocompromised from their therapies. We should be examples of social distancing, masking, and vaccination! #MedEd #MedTwitter



17

0 :





Sara Beltrán Ponce, MD @SaraBelP... Jan 28

But also as a human, we all have a responsibility to do what is best for our communities and for each other. #VaccinesWork #WeAreAllHereTogether #COVID19



17

 $\bigcirc$  3

1

## February 4th, 2021



Sara Beltrán Ponce, MD @SaraBelPonMD • 6h

I've always been open about my motherhood journey in medicine, and it's with a heavy heart that I tell my

#MedTwitter family that I've suffered a miscarriage at 14 1/2 weeks. My husband and I are devastated, but blessed to have each other and our sweet Eva.

Rest In Peace, angel.



## Vaccine-Specific Highlights

I'll try to keep these as up to date as I can.









FIIZEI

Moderna

Astrazeneca

Sinovac



Alex Berenson @ @AlexBerenson · 1h

A Virginia woman, 58, collapsed and died after her @pfizer shot.

"They called it 'flash pulmonary edema,' and doctors told me that it can be caused by anaphylaxis."

This story escaped what feels increasingly like an overt ban on side effect reports.



Gloucester resident dies within hours of receiving Pfizer vaccine

@ wtkr.com

17 303


472




### **Vaccine News**



- Daily cases have dropped 45 percent since the latest peak on January 11, according to data from the COVID-19 Tracking Project. There were 131,341 new cases reported on Wednesday
- The decline appears to be a global phenomenon, with new infections falling worldwide for the past three weeks in a row, the World Health Organization said Monday
- Hospitalizations have fallen a whopping 26 percent since they peaked most recently on January 12
- Currently, 44 states are seeing a decline in cases with just Alabama, Louisiana, Montana, New Jersey, Oklahoma and Pennsylvania trending upward, according to Johns Hopkins data
- California's 21,451 new confirmed cases on Tuesday are about one-third the mid-December peak of 54,000
- New York recorded 8,215 new infections on Tuesday, down from the record-high of 19,942 new cases reported on January 15
- Health experts say it is too soon for vaccines to be playing a major role in the decline with just 8% of the population having received the first shot and fewer than 2% being fully immunized
- Officials say the drop is likely due to a higher number of people who've had the virus than official counts suggest, as many as 90 million people, and fewer people traveling than did over the winter holidays





The U.S. is seeing a similar curve in daily confirmed cases as is seen in the UK, Germany, Canada and even India


Currently, 92,880 patients are hospitalized with the virus, the lowest figure seen since November 29 and falling nearly 30 percent from a peak of 132,474 on January 6, according to data from The COVID Tracking Project.

The U.S. death toll has surpassed 446,000 - with an average of about 3,200 deaths per day - but experts say fatalities are a lagging indicator and will likely increase over the next couple of weeks before declining as those severely infected over the winter holidays pass away.


However, most officials say that, with fewer than two percent of the population fully immunized against the virus, it is too soon to say that vaccines are causing the decline.

So the question remains: why are cases falling so fast in the U.S. and can the nation stay ahead of the fastspreading mutations of the virus?

Public health experts believe that the decline in cases is likely a combination of a higher number of people who've had the virus than official counts suggest - meaning as many as 90 million people have antibodies against the virus - and fewer people traveling and holding gatherings than did over the winter holidays.



The seven-day rolling average of new cases currently sits at 135,904, a 44% decline from the average three weeks weeks earlier and hospitalizations are down 30% from their peak on January 6




Currently, 44 states are seeing a decline in cases with just Alabama, Louisiana, Montana, New Jersey, Oklahoma and Pennsylvania trending upward, according to Johns Hopkins data But these numbers are nowhere near the at least 65 percent required for herd immunity.

Experts say the decline in cases is likely due to other reasons instead, such as a higher number of people with natural immunity.

So far, 26.4 million cases - eight percent of the population - have been reported, according to Johns Hopkins.

However, most experts believe this is a severe undercount and only presents a portion of the true number of infections in the country, and Mokdad says likely another reason for the decline in cases.

Recent CDC models estimate that between February and December 2020, there were closer to 83.1 million infections in the U.S. In addition, to the six million cases reported in January, that means an estimated 89.1 million people have contracted the virus since the pandemic began.



As the deadliest month of the coronavirus pandemic in the U.S. came to end, the nation is seeing signs of progress including plummeting rates of COVID-19 cases and hospitalizations and accelerating vaccinations rates.

Daily cases have dropped 45 percent since the latest peak on January 11, according to data from the COVID-19 Tracking Project. There were 131,341 new cases reported on Wednesday.

Hospitalizations have fallen 26 percent since they peaked most recently on January 12, the data shows, with 96,534 reported in the hospital as of Wednesday.

Forty-four states are seeing a decline in cases, Johns Hopkins data reveals, with just Alabama, Louisiana, Montana, New Jersey, Oklahoma and Pennsylvania, and the District of Columbia, on the upswing.

In addition, as the country headed into February, COVID-19 hospitalizations fell below 100,000 for the first time in two months. Dr Ali Mokdad, a professor of Health Metrics Sciences at the University of Washington's Institute for Health Metrics and Evaluation (IHME), said there are a number of reasons for the decline in case.

One of the reasons for the sharp drop in cases, even if not the primary driver, are vaccines.

Despite a slow start, the pace of vaccinations has been increasing. More than 52.6 million doses have been distributed and 32.7 million have been administered, according to the Centers for Disease Control and Prevention (CDC).

That figure is an increase from 16.5 million on January 20, Inauguration Day.


A total of 26.4 million people - about eight percent of the population - have received at least the first injection and six million - 1.8 percent - have been fully inoculated.

The average number of shots going into arms in the two weeks since Biden's inauguration has been around 1.3 million per day on average, more than the president's original goal of one million per day but less than his new goal of 1.5 million per day.

It's not just the U.S., however. The World Health Organization (WHO) said on Monday it has also seen declining new infections globally over the past three weeks. Our World in Data graphs show the daily infection rate has fallen by 30 percent in that period.

But Director-General Tedros Adhanom warned against relaxing restrictions to slow the spread of coronavirus on the heels of the good news.

'Over the past year, there have been moments in almost all countries when cases declined, and governments opened up too quickly, and individuals let down their guard, only for the virus to come roaring back,' he said.



## **Direct Messages**

My husbands 93 yr old uncle who lived in Lincoln, UK, received the vaccine on 1/21, he died on 1/23... didn't feel well, had a mini stroke, taken to hospital where he died.

#### Anonymous please!!

I work in HR for a health system and have been hearing that a large number of staff who got the 2nd shot have been calling in and unable to work. The talking points are that this is "normal" and "to be expected" and being sick after the vaccine is better than getting COVID. It appears there are some that are unable to return to work even after 72 hours.

Just came across your page and read your bio. I am an RN and very aware of the dangers, side effects, and corruption surrounding this va) ( (as well as all the others). Wanted to share that my dad, 80 years old, suffered hypertension and a "mild" ischemic stroke shortly after receiving his first dose of Moderna. Tests done after his stroke also revealed aortic valve sclerosis and an enlarged thoracic aorta. He had never been on BP meds or diagnosed with hypertension prior to having his stroke. Sadly he went back for his second dose anyways. He's been an MD for over 50 years and step-mom is a nurse of somewhere around 30 years so there's definitely no convincing them that there's a correlation. Step-mom already said the "stroke was unrelated" without me even mentioning it a 👺

My period was also due 2 weeks after the shot. But the day after I got it, I spotted for a week straight and then got my period (which was still a week earlier than it should have been). I am very in schedule normally so this was very out if the ordinary for me.

A coworker of mine also developed severe chest pain after that woke her up in the night. By the time she went to her doctor (after 3 days of chest pain) there was nothing to find but she is not getting the second dose. She also experienced tingling in her lips after the vaccine.

Another co-worker reported experiencing neuropathy in feet after the shot. She said she did not have a history of this normally.

My mother in law who I live with got the second covid vaccine on Monday. That night she couldn't lift her arm, and felt numbness in her fingers. Throughout the night she had fever, chills and headache. She didn't sleep well. She called out of work for two days and stayed in bed all day feeling horrible. Sadly, my cousin had the same thing happen to her after her second dose. She is a nurse and said it was quite the immune response. The worst part, is they both think this is normal and okay we

I wanted to write in with my experience after the first dose of moderna vaccine. I got it 3 weeks ago. I have an autoimmune condition and eventually decided to get it because of that. I have experienced neuropathy (pins &, needles in feet) tremors, constant muscles spasms and joint pain due to this condition, but those symptoms have been in remission since August. After the shot I got tingling in my lips, tongue and face. And then pins and needles over entire body that would come and go all day. I had swollen lymph nodes, nausea, diarrhea, chills, low grade fevers, joint pain and fatigue. Most of this subsided after 3-4 days, but 3 weeks later I still have the painful pins and needles in feet and face as well as lots of muscle spasms and tremors. The fatigue is still bad. My doctors ordered steroids but it hasn't helped.


I know I have an underlying condition that the vaccine flared up, but it's important for others with similar conditions to be aware.

#### Hi-

Another thing. Please post anonymously. A friend of mine is an EMT and received the Pfizer vaccine. He has no underlying conditions or allergies. Two days after receiving it, he had an anaphylactic reaction and was rushed to the hospital and given numerous doses of Epi's and Benadryl. He survived and was released. Two days later, at work, his heart started going crazy...he was rushed to the hospitals here he stayed overnight. His heart was in a fib and he is now currently on heart meds until the vaccine gets out of his system. So scary. He's lucky to be alive.

The VAERS is definitely under reported. I was an RN for 12 years and saw lots of cases of Guillion Barre syndrome after flu shots. I worked in the PICU (ages 0-18) so these patients were paralyzed and on the vent. No one ever reported them to VAERS or to \*anyone\*. In fact I don't even remember learning about VAERS in nursing school. We had a newborn that got the Hep B vaccine and died (it was actually my first Code Blue). I tell people this, what I actually saw with my own eyes, but people simply don't want to believe it. It was seeing Guillion Barre syndrome after flu shot that really opened my eyes. Keep up the good work- your page isn't conspiratorial or stretching the truth, you just show legit stuff that's already out there 🖤 🤞

## Facebook - Ross & Lauren






This pi marrie


Today mornir warnin specul

Obviou dream were g


He alw - sadly







## **Facebook**



Pam

I got my first dose last Monday. I did pre-medicate. And I still feel like a freight train hit me. I'm so tired and so hungry all I do is sleep and I can't eat because of the nausea. I had to call in sick twice this past week, and about shocked everybody because I never call in sick, I'm never sick! I'm seriously considering not taking the second one because I don't think I can do this, I am absolutely miserable.

53m Like Reply

10

Julie

Replied · 5 Replies





I did it. I regret it at this moment. Can yall help me with milk production? Tam a almost 10 mos ebf and my milk ghosted me. I SWEAR. didn't even have a let down this morning when feeding baby. HELP.











#### Sylvia Pflum > Dr. Bednar's Fat transfer patients

7 hrs . III

Anyone looking to get vaccinated for Covid prior to surgery, please call us first. The vaccine may interfere with your retention and cause other immune phenomena affecting your results. All correspondence re vaccine or general Covid related guestions need to be sent to nurse@drbednar.com. just to be clear we are not requiring vaccination!!! I am not saying don't get vaccinated and I am not trying to be political but we have to figure out how to minimize possible issues post op like with other vaccines.



175 Comments



7h - 🖭

My daughter received the Moderna vaccine and four days later her Verchows Lymph Node became swollen. This node usually only swells for infection or cancer. Gastric cancer being number one. She had to have a colonoscopy and EDG done to check for gastric cancer already and has seen a breast surgical oncologist. She is over a month out and the node is still swollen. So far thank goodness it does not appear to be cancer and they are leaning towards it being the vaccine! Her gastric surgeon said he found that 1% of patients who took the Moderna vaccine are experiencing this node swelling. While I am grateful it is most likely not cancer I am so upset that a vaccine has cost us thousands of dollars and tens years off our lives in worry all so a healthy 24 year old could get a vaccine. The node is not going down so it makes me wonder what the body is trying to fight off from this vaccine and what else we should expect. Has this happened to anyone else?

(2) (1) (A)	40		22 Comments		
	Like			Comme	ent
		articles say		s a very nor	mal
<b>A</b>	000	•	(**)	0	=



Bobby

My cousin got his shot on the 9th of January, had a slight breathing reaction but nothing over the top.at first. Progressively got worse and he died 8 days later. Nothing ever majorly wrong with him. So many people are saying well it cant be from the shot, when doctors arent sure of anything on how the virus is affecting people let alone how the vaccine is affecting people. Crazy times we live in...... Godspeed to my cousin.

3 h

Sad

Reply





Claudine


Here is a copy of my FB post of what happened to me.

Update: I am home. I was released late last night. I do feel the vaccine is very safe. I was just not lucky. I tried to help humanity and it backfired. Get your vaccines and help squash this virus. I tried my best. Thank you all for your love and caring. Stay well friends.

Update: I'm still in the ED. They are doing tests

A few minutes after I received the Covid Pfizer injection. I became dizzy and disoriented. I felt like I was in thick fog. I couldn't answer questions or talk coherently. Paramedics were called to my car. I was taken to a 2nd lot where others with reactions were being monitored. The lady in front of me left by ambulance. Another man in a gurney. I began to vomit and become very weak.

That was at 10am. Now it's 5:30pm. I'm still in the ED



I'm in the healthcare field .. I work with patients who have COVID .. So I decided to get the COVID shot to prevent bringing it home to my family not knowing I would end up like this .. The whole right side of my face is swollen, my lymph are swollen and I had flu like symptoms. Not everyone that has taken the shot has these symptoms.. Why it happen to me ?? I don't know .. But please do your research before getting the Covid shot because they are not telling us everything..



1 Like

Share



842 Shares

View previous comments...



Courtney

Oh my God! Patience! I'm so sorry. This is definitely an even bigger reason why I won't be




2 wks Like More **O**33



# WHO VigiAccess™

Vaccine Type	Year Released	Adverse Events	
Smallpox	1968	6,866	
Flu	1968	260,473	
MMR	1976	156,700	
Covid-19	December 2020	74,248	



## Flu (1968)



## Smallpox (1968)



## MMR (1976)



### **Vaccine News**



The COVID Tracking Project is coming to an end. On March 7th, the one-year anniversary of the initiative, it will publish its final daily update and stop collecting new data. Documentation and archival work will continue, but soon after the project will come to an official end sometime in May.



#### The COVID Tracking Project 📀 @COVID19Tracking



Some important news about CTP: After a year of collecting, analyzing, and interpreting COVID-19 data for the United States—and months of preparation for what we're about to announce—we're ending our data compilation work on March 7



The COVID Tracking Project collects and publishes the most complete testing data available for US states and territories.

Analysis & updates | It's Time: The COVID Tracking Project Will Soon Come to an End @ covidtracking.com

The COVID Tracking Project came out at a time when it was nearly impossible to get consistent data on the spread of the coronavirus pandemic in the US. From the start, the group has maintained that it is the responsibility of the federal government to collect and standardize public health data from all 56 states and territories. Now that it seems the CDC and other public health agencies are up to the task, the volunteer organization is more than happy to take a back seat.

"We began the work out of necessity and planned to do it for a couple of weeks at most, always in the expectation that the federal public health establishment would make our work obsolete," cofounders Erin Kissane and Alexis Madrigal wrote. "We have seen persuasive evidence that the CDC and HHS are now both able and willing to take on the country's massive deficits in public health data infrastructure and to offer the best available data and science communication in the interim."

One recent development the organization cites for its decision includes the recent restart of daily COVID-19 briefings. The CDC's improved COVID Tracker, which now includes data on county-level testing, is another positive move forward, according to the organization. It's hard to overstate the significance of the COVID Tracking Project. Not only was it widely cited by academics, the media and politicians, it also helped inform policy, with the group's data making its way into proposed House legislation.

### @bridalinstaglam's grandma, Betty



My grandma was a beautiful 96 year old woman with so much life in her. She did not deserve this treatment.

The thing about her though, is she's so kind and loving, she would forgive the people who did this to her.

Well, I'm not as wonderful as she was and I'm going to fight.

I will always fight for you grams, I love you.

Hi guys, this is important information that may help you or someone you love.

The CDC recommends waiting 90 days before getting the Covid vaccine if you currently have Covid. This is especially important information for elderly people or people with compromised immune systems.

The nursing home in charge of taking care of my grandma gave her the Covid vaccine despite knowing that she had just tested positive in the hospital 3 days earlier. My grandma passed away the day she got the vaccine. This is not a caution against the vaccine, just please be aware that you should not be given the vaccine if you have Covid.

The Health Department has opened an investigation on this nursing home in Sacramento, CA. And yes,

I will be pursuing a wrongful death lawsuit.





Q6

1725

O 141

⊥



Q4

1712

**(7)** 87

Λ,



Q2

1714

**(7)** 115

Λ.



Alex Berenson • @AlexBerenson • 53m • • • 6/ And the Israeli experience TO THIS POINT offers no evidence that on a population-wide basis they are helpful. If anything, the opposite. Hopefully that will change, and very soon.

Hope isn't evidence.

Q7

1711

C 107

₾

## **Vaccine Reaction News**



Residents and staff have also been vaccinated, she said, with the <u>first dose given on Jan. 4</u>, the second, on Jan. 25, and a third coming on Feb. 14.

A total of 97 percent of residents and 48 percent of the staff have now received their second dose of the vaccine, Moteiro said.

The facility has been closed to all visitors for some time, she said.

"We are not backing down," she said. "We will continue the fight for as long as it takes."

For months, San Simeon remained untouched, with not a single patient falling ill.

GREENPORT, NY — A hero who worked tirelessly during the first months of the pandemic to keep the coronavirus out of her nursing facility was heartbroken recently when a series of positive cases were reported — and four residents died, she said.

Kelly Moteiro, nursing director of the San Simeon by the Sound Center for Nursing, Rehabilitation & Adult Day Health Care, in Greenport, was lauded for her selfless dedication for months as she packed up her bags and left her family to be sure she was close to residents at all times, working to keep COVID-19 far from the doors of the facility.

And for 10 months, she was successful, lauded by many as a "hero" and filled with relief that the residents she considers close as family had emerged for so many weeks and months unscathed.

But in January, the pandemic reached San Simeon, she said. There were six cases on Jan. 10, 10 months to the day she first headed to work and never left, she said. Then came a total of 11, by the Jan. 13 — and the deaths of four residents who were "very ill with underlying conditions," she said.

The San Simeon staff worked quickly to contain the cases to one unit and there have been no additional cases reported, she said; they are waiting for two PCR tests to come back for two residents who were still testing positive.

"Everyone else has recovered well," Moteiro said.

Describing the emotion of learning that residents had begun to test positive, Moteiro said her eyes still fill with tears, describing that day.

## Vaccine News - EU



Parliamentary Assembly Assemblée parlementaire

1 COVID-19: Assembly's special page

Home / Related documents / Resolution 2361 (2021)

### Covid-19 vaccines:

ethical, legal and practical considerations

Resolution 2361 (2021) | Provisional version



#### Author(s):

Parliamentary Assembly

#### Origin

Assembly debate on 27 January 2021 (5th Sitting) (see Doc. 15212, report of the Committee on Social Affairs, Health and Sustainable Development, rapporteur: Ms Jennifer De Temmerman). Text adopted by the Assembly on 27 January 2021 (5th Sitting).



### Parliamentary Assembly Assemblée parlementaire

safety and effectiveness has been established are accessible to all who require them in the future, by having recourse, where necessary, to mandatory licences in return for the payment of royalties;


7.3 with respect to ensuring high vaccine uptake:

7.3.1 ensure that citizens are informed that the vaccination is NOT mandatory and that no one is politically, socially, or otherwise pressured to get themselves vaccinated, if they do not wish to do so themselves;

7.3.2 ensure that no one is discriminated against for not having been vaccinated, due to possible health risks or not wanting to be vaccinated;

7.3.3 take early effective measures to counter misinformation, disinformation and hesitancy regarding Covid-19 vaccines;

## **Krystal Anne Connelly**





### Krystal Anne Connelly

23 hrs · 🚱

I'm coming home today!!!! They have tried and tried to find a bed but with Covid getting into a physical therapy rehab has proven to be almost impossible and the earliest they could do it would be late next week sometime, we have decided after eight days in the hospital it will be best for me to leave the hospital and just come home to our house with physical therapy occupational therapy and home health. We ask for no visitors I love everybody and really appreciate what you've done and continue to do for our family but it is very important that I not get sick during this time of aggressive physical therapy and healing. I cannot wait until I have enough strength and can hug and love on each and every person that has checked on my family provided meal train meals made baskets and helped us during this extremely difficult time. Y'all say a little prayer for my husband because this might be a little more difficult with me being at home and him taking on a new





Thursday 1/21/2021 I got the moderna Covid-19 vaccine. Like many people in the healthcare field I got it for my community. I work in a doctors office that has seen a high number of cases and I wanted to make sure even though I am healthy that anybody around me would be healthy too and not risk me being a carrier and giving it to them, this backfired terribly for me I got the vaccine at 10:30 AM and by 3:000pm I was having extreme pain in my right arm, slurred speech, facial numbness and weakness, headache and pressure behind my right eye. We called an ambulance because I honestly thought I was having a stroke. By the time we got settled at the hospital I was completely paralyzed on my right side of my body unable to move my arm or leg. This nightmare went on and I had several test or include CT scans two MRIs and a lumbar puncture all which came back normal minus a few things they saw on the MRIs. I've been in the hospital since Thursday and every doctor I see is just so confused on what went wrong and tells me to keep my head up but there is not enough research for them to make a definite diagnosis and that it was a new vaccine and so this is one of the problems that they predicted would happen. Today we were told that it could not be anything but A reaction to the vaccine. As of today I can move my right foot a bit more but I still cannot walk and have some tingling from time to time in the tips of my toes. My right arm has two fingers that I can move around and the rest are still paralyzed it is extremely weak. Today we had a doctor come in and tell us that they may would just make up a diagnosis because they're not even sure how to diagnose it. We are scared and we are frustrated the very thing I got to help protect is the one thing that has caused me a complete nightmare I have a family to raise and should not be this young stuck in the hospital, to make matters worse because of COVID-19 there are not very many beds available at any higher level care hospitals and so we have been waiting for a transfer to Greenville or Duke since Friday while doing absolutely nothing other than just running test because nobody knows what to do. I am forever grateful for my family and my work family who has checked on me and done everything They can possibly think of to make sure we are doing OK. this too shall pass like a kidney stone but it will pass!!

### WHO Quietly Changes Pregnancy Vaccination Recommendation

@cv19vaccinereactions



The vaccine can be offered to a breastfeeding woman who is part of a group recommended for vaccination (e.g. health workers); discontinuing breastfeeding after vaccination is currently not recommended.

#### Who should not take the vaccine?

While pregnancy puts women at a higher risk of severe COVID-19, the use of this vaccine in pregnant women is currently not recommended, unless they are at risk of high exposure (e.g. health workers).

Individuals with a history of severe allergic reaction to any component of the vaccine should not take this or any other mRNA vaccine.

While vaccination is recommended for older persons due to the high risk of severe COVID-19 and death, very frail older persons with an anticipated life expectancy of less than 3 months should be individually assessed.

### WHO Quietly Changes Pregnancy Vaccination Recommendation

@cv19vaccinereactions



# WHO Quietly Changes Pregnancy Vaccination Recommendation

@cv19vaccinereactions



The vaccine can be offered to a preastfeeding woman who is part of a group recommended for vaccination (e.g. health workers); discontinuing breastfeeding after vaccination is currently not recommended.

#### Should pregnant women be vaccinated?

While pregnancy puts women at higher risk of severe COVID-19, very little data are available to assess vaccine safety in pregnancy.

Nevertheless, based on what we know about this kind of vaccine, we don't have any specific reason to believe there will be specific risks that would outweigh the benefits of vaccination for pregnant women.

For this reason, those pregnant women at high risk of exposure to SARS-CoV-2 (e.g. health workers) or who have comorbidities which add to their risk of severe disease, may be vaccinated in consultation with their health care provider.



Alex Berenson @ @AlexBerenson · 34s ...

This paper is interesting. In people over 60, the drop was less - 44%. (They did not further agestratify.) In people with diabetes (a major risk factor) the drop was also much smaller. More evidence the vaccines work best in people who would likely beat the virus easily anyway.


Israel: Study of >500,000 people shows 51% reduction in infections 13 days after first dose

Consistent across age, sex, sector, or comorbidity, except for diabetes

Paper: tinyurl.com/46al65jf

"Might be an underestimation"

\*\*\* Multiple caveats (who got tested and more) \*\*\*



#### ← Emma Carter - Please please everyone be ...



Emma Carter is with Charlotte Carter and Sylvia Robinson.

17 hrs - 🚱

Please please everyone be cautious with your loved ones who are having the Covid 19 vaccine. We are still waiting for the post mortem for my mum but I am CONVINCED that she had a reaction to it. She was fine and well Saturday after having the vaccine at 11:20 she started feeling unwell shivering and dizzy Saturday night. Went to bed 8pm and never woke up. Please please warn your loved ones. Get them to question how it reacts to other medication. I'll never know the truth but I'm utterly convinced that's why my wonderful mum has left us so suddenly. Please don't let this hell We are in impact your life also




## Facebook
















After the first one I got a headache for a week. Like a really bad one that nothing I took helped. Nothing else. Just an annoying headache.

After the second one I thought a truck hit me. Fever, chills and hot flashes at the same time, nausea, dizzy/lightheaded, arm soreness, muscle/joint soreness, throwing up, body aches, and loss of appetite for 3 days. Lost 6 pounds in a week. Worked for 4 days very very sick. Left early twice due to throwing up.

I'm feeling fine now. I nearly died after the second dose but I stand by what I said as I was practically dying. It was worth it.







That second shot is no joke the day after. Got round 2 of Moderna yesterday. Arm started getting stiff a few hours afterwards and started going into full on sore by the evening.

Woke up this morning after some pretty fitful sleep and feel like I was in a car wreck and then beaten by mongrel children with baseball bats.

No fever or anything else, just this whole body ache and fatigue.


We set up a contingency at work to cover me if it took me out and I get to be the guinea pig in our department since I was the first one to get the round 2 shot.

I don't even have the energy to shit post, so you know it's bad...

Stay safe ya'll.



41 Comments



\*\*\*

So I got the second moderna vaccine vesterday. I thought all would be ok because I felt pretty good! But then... 12 hours later. I was chilled to the bone. teeth chattering, my body ached like never before. I could barely move. My skin felt like it was burning. my hands really hurt, and I had a fever. When I tried to get up, my head felt like a 50 pound bowling ball, and I could hear a little airplane making that "rrrr" sound in my head. Then it felt like my head would expand and recoil. I was so exhausted, I found a position that didn't hurt, where my hand and foot hung over the edge of the bed... I didn't even care if the "Mano Pachona" would try to drag me off the bed I feel better right now. If this is an even small indication of what that corona virus is all about, I'm glad I was blessed to receive the vaccine. I pray that soon everyone will have the chance to get it.






79 Comments



Sadly, my adult daughter got the Moderna vaccine and what she thought was a bad reaction was actually covid. I have no idea how this will play out.

8h Like Reply



5h Like Reply





#### Kelly Fan

Ashleigh Lynne Mayer no, apparently not. The timing was such that the covid symptoms emerged right after she got the shot.

5h Like Reply



Katie Kay Kelly Fan I don't think that's a coincidence

5h Like Reply























## VigiAccess™





#### About

Comimaty

Search 6




Comirnaty contains the active ingredient(s): Covid-19 vaccine.

Result is presented for the active ingredient(s).

Total number of records retrieved: 32499

#### Distribution

- >Adverse drug reactions (ADRs)
- >Geographical distribution
- >Age group distribution
- ▶Patient sex distribution
- >ADR reports per year



# Pfizer-BioNTech COVID-19 vaccine







"Pfizer vaccine" and "BioNTech vaccine" redirect here. For other vaccination topics, see Pfizer and BioNTech.

The Pfizer–BioNTech COVID-19 vaccine, non-proprietary name tozinameran<sup>[14][15]</sup> (INN), codenamed BNT162b2 and sold under the brand name Comirnaty<sup>[16]</sup>, is a COVID-19 vaccine developed by BioNTech in cooperation with Pfizer. It is both the first COVID-19 vaccine to be authorized by a stringent regulatory authority for emergency use<sup>[17][18]</sup> and the first cleared for regular use.<sup>[19]</sup>

## Pfizer-BioNTech COVID-19 vaccine INN:

Tozinameran

#### ✓<u>Adverse drug reactions (ADRs)</u>

- ▶ Blood and lymphatic system disorders (1416)
- Cardiac disorders (1754)
- Congenital, familial and genetic disorders (2)
- Ear and labyrinth disorders (657)
- Endocrine disorders (2)
- Eye disorders (1096)
- ► Gastrointestinal disorders (8280)
- General disorders and administration site conditions (19547)
- ► Hepatobiliary disorders (16)
- Immune system disorders (675)
- ► Infections and infestations (1347)
- ► Injury, poisoning and procedural complications (458)
- ► Investigations (2958)
- Metabolism and nutrition disorders (537)
- ► Musculoskeletal and connective tissue disorders (9193)
- Neoplasms benign, malignant and unspecified (incl cysts and polyps) (6)
- Nervous system disorders (14841)
- Pregnancy, puerperium and perinatal conditions (30)
- Product issues (24)
- Psychiatric disorders (1300)
- Renal and urinary disorders (174)
- Reproductive system and breast disorders (147)
- Respiratory, thoracic and mediastinal disorders (3939)
- ► Skin and subcutaneous tissue disorders (5283)
- ► Social circumstances (187)
- ► Surgical and medical procedures (177)
- ► Vascular disorders (1785)

## **Direct Messages**

I just got a text from my friend who works at a hospital. She said she got the vaccine a week ago and 6 days later she had a fever and lots of other COV!D symptoms and started feeling very ill. She has now tested positive for the virus.

Have you had any reports of swollen testicles post vaccine? My 85 yr old dad had the moderna vaccine 1/14 and is being admitted today with swollen testicles (size of cantaloupes). He says they have been swollen for a few days.

Do not know if it's vaccine related. Trying to get more information. Thank you.

I had no reaction just a sore arm for a day

#### Mr grandma got the vaccine yesterday.

Woke up at 5am today thinking her heart was gonna beat out of her chest. Admitted to the hospital. Doctor admitted it was a reaction the vaccine. She didn't even want to get it but her doctor friends convinced her too. Says she will NOT be getting the second dose.

I am a health care worker in Orange County and opt out of taking the vaccine. However my co worker did, and about an hour after receiving it I had to take her to the er. Blurry vision, horrible headache, she woke up the next morning covered in a rash. Despite this horrible rxn she still received the the 2nd dose. A few hours after receiving it she was vomiting for hours.

Oh my gosh. Has she recovered yet?

Yes she has thankfully!

My mother in law got the moderna COVID-19 vaccine on January 13th.

As of today she's experiencing COVID symptoms. Can't say I'm surprised. Ever since she got it I've been waiting for something to happen.

Hi, my mother in law got the first dose, had severe arm pain & lethargy for a few days. got the second dose in the AM, by the PM was violently throwing up for hours, was stuck in bed the entire rest of the day until the following evening around 4pm. almost 24hrs of throwing up.

I believe in Missouri they give the Pfizer vaccine.

My nan had the pfizer vaccine two weeks ago and hasn't been able to leave the has since, very weak and disillusioned, she's had a fall since but she was absolutely fine before she took this shit. My family all see through the media hype but my Nan couldn't so she took it

So many reactions have to be going unreported! My good friend is a nurse on our covid unit. She got very sick from the 2nd shot (pfizer)—chills, high fever, horrible body aches, couldn't get out of bed for a good 5 days.

I asked if she reported it and she said no because an immune reaction is what is supposed to happen and that it happened to some of her coworkers too

Hi I'm not sure if I could let you know about my friend's reaction by message.

She's a nurse and took the Moderna vaccine 7 days ago. She has soreness in arm where she got injection and swollen lymph nodes and very tired. She says she just doesn't feel well but is still working. She is still planning on taking the second dose.

My SIL who is a nurse received the first Moderna vaccine on 1/15. She was extremely tired afterwards and had a terrible headache. Days later she ended up with shingles for the first time in her life. No doubt the vaccine compromised her immune system and triggered the shingles.

¥


#### yes! this!

13 members of my family had Covid from the same exposure. (Not to mention 6 other family members had it months ago and thus applies to their experience as well) Youngest was 4, oldest was in his 70's and symptoms ranged from completely asymptomatic to feeling like they got beat up for a few days. Not one felt they needed to be treated in a hospital. I am thankful for that. AND in that group there is a lifetime smoker who has a history of irregular heart rate and blood pressure, and an asthmatic. I am completely aware of the people that are having severe symptoms and yes, even dying, I am not making light of that. I respect the virus. But in our situation of 19 people that was how it went . . . Let's stop breeding the fear of this just so that we push everyone into a vaccine that might only last a season. (NOT you! Mainstream media, the government)



Meanwhile, the word of the day is once again thrombocytopenia. You know it's a bad adverse event report when the physician uses an exclamation point. The vaccination was six days earlier.

Another really ugly miscarriage showed up too.



8:36 AM · 1/29/21 · Twitter for iPhone

#### wonder.cdc.gov

#### Details for VAERS ID: 958755-1

<b>Event Informa</b>	tion			
Patient Age	40.00	Sex	Female	
State / Territory	California	Date Report Completed		
Date Vaccinated	2021-01-	Date 2021-0 Report 20 Received		
Date of Onset	2021-01- 18	Date Died		
Days to onset	6			
Vaccine Administered By	Unknown	Vaccine Purchased By	Not Applica	
Mfr/Imm Project Number	NONE	Report Form Version	2	
Recovered	Yes	Serious	Yes	

<sup>\*</sup> VAERS 2.0 Report Form Only









<sup>\*\*</sup> VAERS-1 Report Form Only

<sup>&</sup>quot;Not Applicable" will appear when information is not available on this report form version.

#### Symptom

EXPOSURE DURING PREGNANCY

FOETAL DEATH

PREMATURE DELIVERY

PREMATURE SEPARATION OF PLACENTA

STILLBIRTH

ULTRASOUND ANTENATAL SCREEN NORMAL

VAGINAL HAEMORRHAGE

#### **Adverse Event Description**

Pt was 18 weeks pregnant at the time of the vaccine. Second pregnancy. Pt is a physician. Pregnancy was entirely normal up to that time. On 1/18/2021, she began to have heavy vaginal bleeding probably due to a placental abruption and subsequently delivered at 18 weeks. Baby was stillborn. Ultrasound done 1/15/2021 normal. Lethal event for the fetus. The patient did well.

Lab Current Adverse Events A	After ns
------------------------------	-------------









#### Symptom

**BLOOD SMEAR TEST ABNORMAL** 

HAEMATOCRIT DECREASED

HAEMOGLOBIN DECREASED

IMMUNOGLOBULIN THERAPY

PLATELET COUNT DECREASED

PLATELET TRANSFUSION

VAGINAL HAEMORRHAGE

WHITE BLOOD CELL COUNT NORMAL

#### **Adverse Event Description**

The patient was seen in my office on 1/19/21 with complaint of heavy vaginal bleeding. A CBC was obtained which revealed an H/H of 12.2/36.1 and a platelet count of 1 (not 1K, but 1 platelet!) and this was confirmed on smear review. She was immediately sent to the Hospital ED and repeat CBC confirmed the critically low platelet count. She is currently hospitalized and she has received platelet transfusions but her platelet count is still critically low. She is also receiving steroids and immunoglobulin and is under the care of MD (Heme/Onc)









# 01/29 VAERS Update

Event Category	Vaccine	⇒ Events Reported 🖜	Percent ← (of ↑↓ 9,845)
Death	COVID19 (COVID19 (MODERNA)) (1201)	118	1.20%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	213	2.16%
	COVID19 (COVID19 (UNKNOWN)) (1202)	1	0.01%
	Total	332	3.37%
Life Threatening	COVID19 (COVID19 (MODERNA)) (1201)	103	1.05%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	170	1.73%
	Total	273	2.77%
Permanent Disability	COVID19 (COVID19 (MODERNA)) (1201)	38	0.39%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	68	0.69%
	Total	106	1.08%

# As of Yesterday, 1/28

Event Category	Vaccine	⇒ Events Reported 🖜	Percent ← (of ↑↓ 7,844)
Death	COVID19 (COVID19 (MODERNA)) (1201)	64	0.82%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	118	1.50%
	Total	182	2.32%
Life Threatening	COVID19 (COVID19 (MODERNA)) (1201)	58	0.74%
	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	115	1.47%
	Total	173	2.21%
Permanent Disability	COVID19 (COVID19 (MODERNA)) (1201)	20	0.25%
	(COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	46	0.59%
	Total	66	0.84%

## **Vaccine News**



#### Nicola Davis

**₩**@NicolaKSDavis

Thu 28 Jan 2021 18.23 GMT



131

German authorities have advised that the Oxford/AstraZeneca jab should not be given to those aged 65 or above. We take a look at why, and what experts make of it.

Why has Germany advised the Oxford/AstraZeneca jab should only be used in adults under 65?

The issue boils down to a lack of data on efficacy of the vaccine in this age group. The standing committee on vaccination of the Robert Koch Institute, Germany's disease control agency, said: "There is insufficient data to judge how effective the vaccination is above 65 years."

Writing in their Lancet study released last year, researchers said there were not enough Covid cases among older adults at the time to explore just how well the vaccine protected them against the disease.

### Does this mean the vaccine won't work in older adults?

No. "It's important to stress that this is not evidence that the vaccine does not work, merely that the evidence does not currently exist to satisfy the authorities in Germany," said Dr Simon Clarke, associate professor in cellular microbiology at the University of Reading.

Others agreed, pointing out that experts often disagree about the level of evidence required for such a move.

There is encouraging data for older adults: Oxford pointed to similar immune responses in younger and older adults, with AstraZeneca noting 100% of older adults generated antibodies towards the spike protein of the coronavirus after the second dose.

"We have seen good immune responses in healthy older adults in the phase 2 study and the MHRA reviewed further data on immune response in the phase 3 trial," said Pollard.

AstraZeneca has also pushed back. "Reports that the AstraZeneca/Oxford vaccine efficacy is low in adults over 65 years is not an accurate reflection of the totality of the data. The latest analyses support efficacy in this age group, which we expect to be published by the EMA (European Medicines Agency) in the coming days," they said.

Some have suggested the EU's battle with AstraZeneca over vaccine supplies might also have influenced the decision.

"[The decision] is in a context where supplies of the Pfizer/BioNTech vaccine, for which data in older people shows similar efficacy as in younger people, are relatively plentiful. In such a situation it is reasonable to prioritise younger people with one and older people with the other vaccine," said Prof Stephen Evans, professor of pharmacoepidemiology at the London School of Hygiene & Tropical Medicine. The UK's Medicines and Healthcare products
Regulatory Agency itself has said there is nothing
to suggest a lack of protection in over 65s while
Oxford has said early figures were promising:
"Preliminary efficacy data in older adults supports
the importance of this vaccine for use in this
population."

Prof Danny Altmann, an immunologist at Imperial College London, said he was confused by the German stance.

"When I look at the AZ phase 3 data for the over-70 group, I see a good response, similar to the other age-groups," he said. "Vaccine efficacy in older age groups could not be assessed but will be determined, if sufficient data is available, in a future analysis after more cases have accrued," the team wrote.

Prof Andy Pollard, of the University of Oxford, said the lack of data is understandable. "In our trials, the older adults were recruited later and, because they were recruited later there has been less time for cases to occur, and, older adults are known to be more cautious in the pandemic, meaning the 'attack rate' is lower," he said.

AstraZeneca has stressed that older adults were recruited later because the team wanted to be sure the vaccine was safe before administering it to older age groups.

### How does this tie into other rows about the vaccine?

On Monday he German newspaper Handelsblatt claimed that an unnamed source had said the vaccine had as low as 8% efficacy in older adults - claims that were dismissed as completely incorrect by AstraZeneca, widely criticised by experts and rebutted by Germany's health ministry.

Calculations in the German authorities' draft recommendation have now emerged suggesting an efficacy in the older age group of 6.3%. But many experts have pointed out this figure is meaningless as it is based on just two infections, one among vaccinated participants in the trial and another among those receiving the placebo – something the German authorities acknowledged.

"Nothing can be concluded from the data it refers to," said Prof Paul Morgan, of Cardiff University.


### Should I be concerned if, as an older person, I have been given the Oxford/AstraZeneca jab?

Experts say the vaccine is both safe and valuable for older adults.

"We know that the AZ jab provides some protection, but because the trials recruited only a few hundred over-65s, the data is not clear enough to say for sure exactly how effective it is," said Clarke.

Evans agreed. "There is no reason at all for anyone in the UK or elsewhere to think that this Oxford/AstraZeneca vaccine is ineffective at any age," he said. "Its ability to be delivered to people in GP surgeries and care homes makes it a vital component in the attempts to reduce hospitalisation and deaths, especially in the elderly."

## **Facebook**



Just a heads up. If you know anyone with asthma that got COVID-19 and they talk or ask about vaccine please please please encourage them to wait till they have been symptom free for over 90 days or understand what could happen if they don't wait. Especially with the moderna vaccine which I got yesterday Jan 22nd. I was warned that I could get sicker than most by not waiting and this morning I woke up with extreme chest pain at 6am and it got hard to breath. I went to the ER and they said because I got the vaccine so soon I have 2 different type of antibodies in my system cause of the vaccine and my body is reacting and in my case caused my chest pain. I've been taking Tylenol every 4 hours which has helped but I'm still unable to lay on either of my sides without extreme pain which is kind of a issue cause I sleep on my side and back and for now I can only handle laying on my back. It also hurts to twist my upper body to the left or to the right. I share so others with asthma can make a more informed decision than I was able to make. Leave it to me to figure out one possible issue if you have asthma which I do and what happens when getting the vaccine to soon.



**₹**1 1 24% 6:03

#### Jennifer

I had the Pfizer and had exactly that 8 days later. A small rise at injection site. Pimple like. Hasn't gotten any worse and I don't feel bad.

4 hrs Like Reply More



#### Christina

Same here...took Benadryl for a couple days & was told probably to take it for a few days prior to 2nd injection. Mine was warm to the touch & itchy for about 3 days & then started to disappear. Feel better soon!!



4 hrs Like Reply More



#### Cortney

3/4

Mine did the same thing after I got the Moderna. 8 days after mine became swollen, red, hot, and itchy. I ended up needing to be put on a steroid. I took Benadryl right when it happened. I have taken it the past two nights for bed too. Glad I wasn't the only one!



4 hrs Like Reply More



#### Jennifer

Mine is red at injection cite today too, I'm 8 days out! Feel fine, not tired or any other symptoms?



4 hrs Like Reply More



#### Stacy


I am nine days out from first Moderna vaccine and same response on my injection site today.





4 hrs Like Reply More











**O**5


3 hrs Like Reply More



#### Stacy Victoria

Two weeks to the day rash with tenderness at injection site

3 hrs Like Reply More



2/4

3 hrs Like Reply More



It was 8 days yesterday that I had the Maderna and now theres a big red patch and its warm



3 hrs Like Reply More



Great thanks for letting me know what to look forward to. Had Moderna vaccine on Monday.



3 hrs Like Reply More



I just got my vaccine 1 hr ago... at least I'm prepared what to expect.

3 hrs Like Reply More

### **Vaccine News**



The vaccine is not related to a recent outbreak of coronavirus as a Basingstoke care home, a government agency has said.

As reported by The **Gazette**, at least 22 residents of Pemberley House Care Home have died in the last three weeks after contracting Covid.

The Medicines and Healthcare Products Regulatory Agency (MHPRA) said their surveillance does not suggest that the Covid-19 vaccines have contributed to the deaths.

The agency is responsible for ensuring that medicines, medical devices, and vaccines meet applicable standards of safety, quality, and efficacy.

An outbreak was declared at the Viables residential home on January 5, 2020. Public Health England said the home's manager has been in contact with them and other stakeholders and assistance is not currently needed.

It is understood the outbreak started as residents began to have their first coronavirus vaccines though this is thought to be unrelated, according to the agency. The Medicines and Healthcare Products Regulatory Agency (MHRA) said there was no suggestion the vaccine was responsible for the deaths.

A spokesperson for the MHRA said there was no suggestion the deaths were linked to the vaccine, saying: "We are saddened to hear about any deaths which have occurred since receiving Covid-19 vaccination. However, our surveillance does not suggest that the Covid-19 vaccines have contributed to any deaths.

"It is not unexpected that some of these people may naturally fall ill due to their age or underlying conditions shortly after being vaccinated, without the vaccine playing any role in that.

"We have robust surveillance systems in place to rapidly review all reports of suspected side effects to determine whether these are possible new risks, or coincidental."

Government advice states that one "can not catch Covid-19 from the vaccine but it is possible to have caught Covid-19 and not realise you have the symptoms until after your vaccination appointment", adding that it may take "a week or two" after the first dose to build up protection.

Pemberley House Care Home is a privately-run residential home that specialises in nursing, dementia and respite care. At its last CQC inspection, it was rated 'good' in all areas.

It costs around £1,350 a week per resident to live at the home, though prices vary depending on the care required.


#### Who is the Medicines and Healthcare Products Regulatory Agency and what does it do?

The Medicines and Healthcare Products Regulatory Agency is a separate agency that sits within the Department of Health and Social Care.

It is a government body that employs more than 1,200 civil servants and has facilities in London, York and South Mimms, Hertfordshire.

The MHPRA is tasked with improving public health and supports innovation through scientific research and development.

# **Facebook**





Lauren

Yes I've been fatigued and had swollen lymph nodes in my collarbone that have not gone away 12 days after receiving.

1h Like Reply





Mercedes Wow I've beer

Wow I've been extremely tired too but thought it was just me being overworked and drinking too much coffee I've been sleeping 10hrs a night then like 3-4 hrs during the day when I'm off never thought it was the vaccine

16m Like Reply

0





2/4



I ve also been experiencing extreme fatigue! I got the first round around 2 weeks ago. I recently had my vitamins tested so I know it's not contributed to a deficiency. I didn't think it was related to the vaccine but it very well could be

2h Like Reply



#### Heather |

I had Pfizer 2 weeks ago and also extreme fatigue! I wasn't sure why I've been so tired

but makes sense! 🦓

2h Like Reply





### Meagan Heather

2h Like Reply





Meagan t's awful! Been upping the caffeine intake to try and get through classes/homework/ and studying for a med surg exam tomorrow haha



#### COVID-19 Vaccine Side Effects



▶ COVID-19 Vaccine Side

23 hrs . @

I received my first doze of Pfizer's Covid 19 vaccine this past Thursday Jan. 21, 45 year old no major health conditions just some allergies.

- -30 min. after injection headache then felt dizzy
- 1 hour in medical staff present took BP which was highly elevated. Finally wemt down to normal after resting and water at facility.
- Slight fever that evening; headache; tremors in legs; tossed and turned did not sleep. Arm felt like a brick hit it
- Day 2: Extreme aches all over body; headache; fatigued
- Day 3: Achy but better; headache

Debating whether or not I'll be protected at all if I forego this second round?

Did not like how my BP spiked so high. Both parents have heart disease. I posted all my symptoms in that V- Safe site.



Like





#### 2 Shares



#### John Rakush

Thanks for sharing Suzanne. I hope you feel better soon.



23 hrs Like More



#### **Kori Ann Nuerge**

Please report your reactions ASAP. Only way to get accurate stats. Severe Reactions I'm hearing about take a couple days to start.



...

# 2nd dose is kicking my ass. Like this thoroughly sucks...



5 Comments









Clayton h

What's making it so bad? I'm supposed to get my second on Friday

Like Reply





Amy Clayton I have a fever of 102.1. I am so achy. Like imagine the most over done whole body day at the gym where the next morning you can barely support yourself and I'm so thirsty but every time I drink more than 5 sips of water I feel like I need to vomit. And currently, my body is so uncomfortable I cannot fall back asleep. I took Tylenol after I got my shot, and rotated with Motrin and went to bed at like 11 or so just feeling it a little so didn't think to take anything before I went to sleep. I woke up around 1 and BAM!


Like Reply


6.0

View 1 more reply...










1/2

COVID vaccine related! If you know someone who has gotten the vaccine what are symptoms that occurred. A family member of mine received one because of age and the fact of working in a health care facility for the elderly. I just found out that since receiving it a few weeks ago her arms are nearly lifeless. Can barely open a bag of chips.





My grand father Jack donoghue had the pizer vaccine last saturday since he had he broke out with a rash on one side of his body the side he had the vaccine and been to hospital twice and the doctors don't no wants wrong with him they think it's allegreic reaction but they don't no he can bearly talk and walk he's in a bad way all since he had the vaccine



Like


Comment

Share





# **Changed Minds**



Thank you for sharing what the mainstream media won't!! I called my grandma after seeing your page. She said she doesn't want to get the second dose. Called my aunt (who took her to get the first one) and said she changed her mind. My aunt was PISSED. Why are people so afraid to think beyond what they've been told?

14h 5 likes Reply

What's more is people being afraid of the 2nd dose. Why are you Afraid and still going to take it? Anyways your page has opened my eyes even more. Continue doing what you do!

## **Direct Messages**

I'm a nurse, please keep me anonymous. But while at work there was a veteran nurse who got her second dose and went home because she felt so ill and wouldn't stop shivering even after having two blankets, a jacket on, and while sitting by the heater. There's a lot of us nurses watching so many of the other nurses feel sick or have awful adverse effects and we're like , not getting it.

I'm also part of a nursing page on fb many are saying extreme fatigue paired with other reactions but many of them don't attribute the effects to the vaccine One of my patients got shingles following his 1st vaxx

What?! Seriously? This is definitely not a normal reaction.

Which vaccine? Did you administer it?

#### FRI 6:20 AM

I'm actually not sure which one it was, I can find out more next week. I'm a cardiac exercise physiologist so I work with a lot of the elderly so he is in his 80s. He got it at the VA.

But i definitely didn't administer it, I don't believe in any vaxx!

I'll let you know what I find out Monday if I hear from him. He was still contagious on Wednesday so I'm not sure how long he'll be out.

#### 11:53 AM

He got Moderna. 3 more of my cardiac patients who got the vaxx either last week or this weekend complained of fatigue and not feeling well. My coworker and I are definitely connecting the dots.



#### Only you can see this

Thank you so very much for this page and in particular THIS POST right here. I am a school teacher who works to provide critical care to special needs students. I live on Oregon where they opened up to special needs population and school teachers.... I thought to myself this is sooooo strange, THEY never care about us. WHY in the world would they put US at the front of the line?? I sat and watched as my district called, emailed, and asked, um well, informed teachers that WE were being offered the vxxxx. So, like a good little sheep, I nervously went with the herd. After which, now 72 hours later I am still sick. I tried twice to go online and report my reaction and it is so hard to do. So, 24 hours in I became achy and soaked in a warm bath. I then began to experience a serious headache, overnight my stomach was upset and ugh- I've had diarrhea. 48 Hours in a nasty bizarre snake looking rash appeared on my arm. THIS is scary and strange. I can't believe as an adult I gave into peer p

I wanted to reach out as my husband who is 36 and in perfect health had a terrible reaction to the second moderna shot. He was uncontrollably shaking, had chills, fingers and feet were numb, bad headache, muscle aches, couldn't move his body without pain, couldn't open and close his hands. I've never seen him so cold and not be able to move off of the couch. Symptoms passed after 36 hours but he still can't feel two of his fingers 5 days later. (Anon please)



#### Health care worker dies after second dose of COVID vaccine, investigations underway

26, 2021 at 4:44 p.m. I UPDATED:



Zook was a caring, generous man with deep love for his family, an always-open door and a gift for making others feel comfortable and welcome, friends and family say. Sympathies for his passing have poured in.

"Our deepest condolences are with Tim Zook's family and loved ones," said Matt Whaley, CEO of South Coast Global Medical Center, by email. "Tim was a part of our family, too, and we are all grieving his loss."

Zook and his wife have three grown sons — Aaron, 30, Jared, 26, and Kyle, 24. Zook took a day off work on Monday, Jan. 4 — his last healthy day — to spend with Kyle, who's fascinated by trains. They went trainspotting.

"They had the most beautiful day together," Rochelle Zook said. Zook had high blood pressure, but that had been controlled with medication for years, she said. He was slightly overweight, but quite healthy. "He had never been hospitalized. He'd get a cold and be over it two days later. The flu, and be over it three days later," she said.

His death has been reported to the national Vaccine Adverse Event Reporting System, run by the Food and Drug Administration and Centers for Disease Control. The Orange County coroner has said the cause of death is inconclusive for now, and further toxicology testing will take months.

"The family just wants closure," said Zook's cousin, Ken Polanco of Los Angeles. "'Inconclusive' is not closure. The family wants the pharmaceutical companies to do more research — if there's some sort of DNA that doesn't work with this vaccine, if episodes like this can be prevented, they need to do what they can to pin that down."

The Orange County Coroner has an open death investigation into Zook's death and will be conducting additional tests within its autopsy protocol, spokeswoman Carrie Braun said. It will use those findings, along with autopsy findings, to make a final determination into the cause and manner of death. "If it's determined there may be a correlation to the vaccine, we will immediately notify the OC Health Care Agency," she said.

The FDA said it takes all reports of adverse events related to vaccines seriously, and, along with CDC, "is actively engaged in safety surveillance" of the COVID-19 vaccines that are being administered under emergency use authorizations.

"Any reports of death following the administration of vaccines are promptly and rigorously investigated jointly by FDA and CDC," it said in an emailed statement. "Such an investigation includes working with health care providers to obtain medical histories and clinical follow-up information."

#### Reaction? But no blame

"We are not blaming any pharmaceutical company," said Rochelle Zook, a resident of Orange. "My husband loved what he did. He worked in hospitals for 36 1/2 years. He believed in vaccines. I'm sure he would take that vaccine again, and he'd want the public to take it.

"But when someone gets symptoms 2 1/2 hours after a vaccine, that's a reaction. What else could have happened? We would like the public to know what happened to Tim, so he didn't die in vain. Severe reactions are rare. In reality, COVID is a much more deadly force than reactions from the potential vaccine itself.

"The message is, be safe, take the vaccine — <u>but the</u> officials need to do more research. We need to know the cause. The vaccines need to be as safe as possible. <u>Every life matters</u>."

Tim Zook's last post on Facebook brimmed with optimism. "Never been so excited to get a shot before," he wrote on Jan. 5, above a photo of the Band-Aid on his arm and his COVID-19 vaccination card. "I am now fully vaccinated after receiving my 2nd Pfizer dose."

Zook, 60, was an X-ray technologist at South Coast
Global Medical Center in Santa Ana. A couple of hours
later, he had an upset stomach and trouble breathing.
By 3:30 p.m. it was so bad his colleagues at work
walked him to the emergency room. "Should I be
worried?" his wife, Rochelle, texted when she got the
news. "No, absolutely not," he texted back. "Do you
think this is a direct result of the vaccine?" she typed.
"No, no," he said. "I'm not sure what. But don't worry."

There were suspicions of COVID and a diagnosis of congestive heart failure. Zook was put on oxygen, then — just four hours later — a BiPAP machine to help push air into the lungs. Multiple tests came back negative for COVID.

Shortly after midnight on Jan. 7, the hospital called.

Zook was in a medically induced coma and on a

ventilator to help him breathe. But his blood pressure
soon dropped and he was transferred to UC Irvine

Medical Center. "On Friday I get a call, 'His kidneys are
failing. He needs to be on dialysis. If not, he could die —
but there's also a chance he might have a heart attack or
stroke on dialysis because his blood pressure is so low,'
"Rochelle Zook said.

By 4 a.m. Saturday, Jan. 9, Zook had gone "code blue" twice and was snatched back from the brink of death. There was a third code blue in the afternoon. "They said if he went code blue a fourth time, he'd have brain damage and be a vegetable if he survives," Rochelle Zook said.

Later that day, Tim Zook died.





#### Home / Newsroom / Feature stories / Detail /

The Moderna COVID-19 (mRNA-1273) vaccine: what you need to know



The Moderna COVID-19 (mRNA-1273) vaccine: what you need to know

#### Does it prevent infection and transmission?

We do not know whether the vaccine will prevent infection and protect against onward transmission. Immunity persists for several months, but the full duration is not yet known. These important questions are being studied.

In the meantime, we must maintain public health measures that work: masking, physical distancing, handwashing, respiratory and cough hygiene, avoiding crowds, and ensuring good ventilation.

#### Who should not take the vaccine?

While pregnancy puts women at a higher risk of severe COVID-19, the use of this vaccine in pregnant women is currently not recommended, unless they are at risk of high exposure (e.g. health workers).

Individuals with a history of severe allergic reaction to any component of the vaccine should not take this or any other mRNA vaccine.

While vaccination is recommended for older persons due to the high risk of severe COVID-19 and death, very frail older persons with an anticipated life expectancy of less than 3 months should be individually assessed.

The vaccine should not be administered to persons younger than 18 years of age pending the results of further studies.

### **Twitter**



Press Trust of India 

© PTI News



Woman healthcare worker dies in Gurgaon

in Haryana, days after she had received COVID-19 vaccine, but an official says that there is nothing yet to suggest any link with vaccination

5:00 AM · Jan 22, 2021 · PTI\_Tweets





17 44

418

, 1

000



Kara Finn @AlgorithmDancer · 14h

If science had acknowledged & researched vaccine injury when it happened to my son, then by now, they would have developed other ways to prevent illness, perhaps some we don't know yet, and I wouldn't have had to make a sophies choice--risk COVID vs risk Vaccine.

0 8

↑7, 36

359





Kara Finn @AlgorithmDancer · 14h

If science had acknowledged & researched vaccine injury when it happened to my son, then by now, they would have had a treatment protocol to reverse vaccine injury immediately, and they would have identified that she needed this protocol. They

35

17. 43

wouldn't release a vax without this.

379

1.



000

I am sad about my mother's death today, less than 10 days from her 2nd dose of Pfizer Covid vaccine. She was a memory patient, but had been strong and active until she fell for the first time in 87 years, after the first covid vaccine and twice after the second dose.

7:17 PM · Jan 22, 2021 · Twitter Web App



Kara Finn @AlgorithmDancer · 14h Replying to @AlgorithmDancer

000

We figured out it might be a vaccine reaction when she fell the 2nd time. But as far as I know, there is no protocol for handling a suspected vaccine reaction. There is no protocol for discovering who can and can't tolerate a vaccine. I beg @joebiden @CDC: use science to solve.

Q 34

17 117

7 566

企

## Reddit



Got my period Saturday. Now I'm 99% sure this is related to perimenopause but thought I'd ask because of the timing so close to the shot. I haven't had a period for 5 months, and this one is a doozy. It's a literal bloodbath. Heaviest period I've ever had (and I'm 50+).

So I'm curious if anyone has experienced anything similar.



#### DinoSprinkleCookies 3h

Mine was very heavy. I didn't even make the connection until now.

企1号 □ Reply



#### angelcakes1111 2h

Now that you mention it...

I got my 1st dose of Moderna 27 days ago. I'm currently on day 3 of my cycle and had the thought last night that this one was heavier than usual, but didn't think anything about the vaccine. It was also 2 days late. Tomorrow should be my last day, but I have cramps right now which normally subside by day 2 at the latest.

I don't know if any of that is related to the vaccine, since I've also been eating less healthy than normal this month and than also sometimes has an effect. Everything with this cycle is just slightly more harsh than normal. Nothing major but enough to be noticable. Tomorrow is day 4 and should be my last day, but I don't think it will be this time because it feels like another day 2 flow/cramp wise.

I also get my second dose of Moderna tomorrow.

介 1 

□ Reply



#### Open\_Helicopter46 5h

You should probably mention this to a healthcare professional. It's possible that it has nothing to do with your vaccine.



Reply

0	IcyThistle 4h  There was a thread about this with numerous women mentioning a late/super heavy period.  ☆ 8 ♣ □ Reply	 1
0	2020blows4ever 4h  Yes. I had a very similar situation. I am 45. Like you I figured it was a perimenopausal thing. But I've seen several comments here that are making me rethink this. Which vaccine did you get?  \( \text{\$\tex{	
	I got pfizer.  ☆ 1 ❖ □ Reply  snailpal3 2h	
	I was 2 weeks late to get mine, and have bad cramping and heavy bleeding. I got my first dose mid cycle. Ju had my second dose 2 days before my period (finally came	st
(3)	DinoSprinkleCookies 3h  Mine was very heavy. I didn't even make the connection until now.	

# **Direct Messages**

My husband works in a rehab department at our local hospital. He was the only one in his department to decline the vaccine. On Wednesday, his co-workers all got the second dose of the vaccine...the next day, almost half of them called in sick because of adverse reactions. They are all younger than 50 (most in their 30s) and are healthy with no underlying conditions.

### Replied to your story



To be honest, I know someone who was forced to take it by his employer in Dubai (he is 44 years old) he had the Sinovac jabs in December. He has had no side effects to date.

My mother is 67, turning 68 next week. She went and got the Moderna vaccine against my wishes 3 days ago. Her husband died of CV the day after Thanksgiving, so she was ver fearful and believed this to be in her best interest. Even with a history of allergies to shellfish and penicillin, they still gave her the shot. Her arm became red and hurt quite a bit immediately after. She went home and went to bed, was very fatigued, and that night ran a fever and felt ill. She was okay the next day, still with arm soreness, then the vomiting started. She is on day 3 and called my crying, she is so ill from vomiting, her arm is still sore and red. She is so upset she took the shot and doesn't know what to do. It's horrible hearing her retching and crying, with me being out of state, knowing I can't help. Her doctor told her its part of the process, to get in bed and wait until it passes. What a negligent and disgusting response.

I work in a Senior living community. Many of the residents are getting the Vaccine.

They have strongly suggested that all of the associates also get it. So far they have not made it mandatory.

As far as I know none of the residents have died after receiving the vaccine.

Many of the associates have been perfectly fine, just a sore arm.

I do know of a few who have had reactions, but I'm not sure what they are. Because nobody will tell us details.

I have one close friend who had the vaccine on Wednesday, he is about 30 years old. He has already had the virus. He immediately had his arm go numb, and his neck was in pain. He felt dizzy and nauseous like he was going to vomit. He went home, and stayed home Thursday and Friday because he was sick. When I asked him how he was doing on Friday. He just said miserable.

# Sinovac





#### iNewsSumsel.id



PALEMBANG, iNews.id - The cause of death of a doctor who was found dead in a car in Palembang, South Sumatra (Sumsel) is not related to the Covid-19 vaccination. The day before, the deceased had just received a vaccination.

This was confirmed by a spokesman for the Palembang City Health Office, Yudi Setiawan. He said, from the results of the examination of the bodies, there were bleeding spots on the bodies of the victims. Probably due to a lack of oxygen.

#### ALSO READ:

Heart Attack, Palembang Doctor Found Dead in a Car

"Regarding the doctor who died last Friday, based on the examination of the forensic doctor at Bhayangkara Hospital, it was found that there were bleeding spots on the face, hands and chest. So maybe because of a lack of oxygen, "he said, Sunday (24/1/2021).

He emphasized that the cause of death of the victim had nothing to do with the Covid-19 vaccine that was given the day before. In addition, he invited health workers and the general public to remain confident in the synovac vaccine, which is now a strategy to break the Covid-19 chain.



Bambang Irawan Monday, 25 January 2021 - 06:25:00 WIB









### **CDC WONDER**

FAQ Help Contact Us WONDER Search

### Apology: System Temporarily Down

VAERS is temporarily down for maintenance. Please bear with us for the next few hours.

We apologize for your inconvenience.

Page last reviewed: January 25, 2021

#### HAVE QUESTIONS?



Visit CDC-INFO



Call 800-232-4636



**Email CDC-INFO** 

## **Facebook**



...

I got my second Pfizer vaccination on Monday. On Tuesday I noticed I was short of breath and dizzy. I went to the doctor and my heart rate was 150s while sitting. I am less short of breath yesterday and today. But if I stand, my heart rate goes up to 120 immediately. If I walk a normal pace to my car it is in the 130-140s. Climbing stairs (one flight) puts me at 160ish.

Has anyone had reactions that have caused arrhythmias?

Update: high heart rates have resolved completely. I must have had an underlying condition/arrhythmia that was undiagnosed as this flared it for a few days. Back to normal and feeling good!



117 Comments 9 Shares



I feel awful had headaches achy arms, and pain in my armpit and boob area and I've found a lump in my neck which hurts when I press it Honestly thought i was dying the first 72 hours, I feel okay today just feel like I've been hit by a bus and tired xx

3 d Like



•

Amy omg this is me still got a pain under my arm and boob. Ive been out of isolation for 3 days now but still not right xx

3 d Like



Kirsty it's horrendous the pain kirst I can't sleep on my left side at all! Only started after my vaccine so I know it's due to that! Xx

3 d Like





Amy mine is my right arm i cant lift it up on a morning i have to take pain killers for it to easy off. Its mad how your experience covid symptoms with the vaccine xx

3 d Like




So I am a lot frustrated. I got the Covid vaccine on December 29, ended up in the ER with breathing problems on 1/1/2021, and again yesterday. Both times the Dr have told me "well if we give you the. covid test than you will most likely test positive because you have had the vaccine. Yesterday, I dont think the Dr I saw new what to do. First visit I ended up getting a steroid shot, a steroid pack, an inhaler, yesterday was given a steroid pack, a Z pack, another inhaler. So my question is, why get the vaccine? If you get any kind of symptoms after the vaccine they tell you if they test you the test will come back positive from the vaccine. meanwhile they then they are just guessing what to do, and you don't know wether or not you actually have covid. They took so long yesterday trying to figure out what to do I thought I was going to hyperventilate, or pass out in the exam room because I was having a hard time getting a full breath. Both times they did a chest x-ray, first time they also drew blood said all looked good. also thought this vaccine was not a live vaccine, so why would it make the tests positive? What are anyone elses thoughts on the vaccine, and is anyone else who has taken it having such a time as this? I havent been 100 % since I took this vaccine, and the issues come and go. And what is more frustrating is I have two elderly parents with underlying conditions that want to vaccine. I have neither encouraged or discouraged them to get the vaccine until landing in urgent care again until yesterday, and I havent been able to see them in weeks. I recieved the first dose of the Maderna vaccine, and wont be following through with the second one. What are yalls thoughts?



21


139 Comments

...



My kiddo is participating in the Moderna vaccine trial. Today was his first injection and blood draw. No signs yet on whether he got the real thing or just the placebo. I will keep this post updated if anything does start to appear!!





I got the first dose of the Moderna vaccine and I had hypertensive anaphylaxis which I never knew exsisted. My hr was 178/129 and my pulse was 145. I was also dizzy and was out of it. I had to spend the evening I the ER. Has this happened to anyone elses? I am told I can't get the second dose.





#### Molly Gorman Cupp is with Myka Cupp and Mark Cupp.

January 20 at 12:08 PM - @

Due to Myka working in the medical field,, she was heavily pushed into receiving the vaccine for work. So she received the first injection with only moodiness as a side affect. She received her second injection yesterday. We woke up to a Total scare with Myka Cupp completely freaking out! She had a significant allergic reaction to the 2nd covid 19 shot! At 1a.m. she had a rash by 6 her face and lips were swollen with whelps all over her legs, arms, and back that included severe itching! She was petrified! After a cool bath full of salt it settled her soul until she could be seen at the drs office. She is now on a steroid pack that will most likely cancel out the vaccine.

#vaccinesarentforeveryone











# **Vaccine News**



#### THE JERUSALEM POST

Jerusalem Post > Breaking News

BREAKING NEWS

# 17-year-old in ICU after receiving second coronavirus vaccine dose

By JERUSALEM POST STAFF JANUARY 24, 2021 22:48



#### Listen to this article now

Powered by Trinity Audio

A 17-year-old was hospitalized in the Safra Children's Hospital's ICU at Sheba Medical Center a few days after receiving the second dose of the coronavirus vaccine, according to the hospital.

The youth arrived at the hospital after feeling intense pains in his chest. He does not have any preexisting conditions.



1/ Update from the @cdcgov vaccine reporting system: 148 post-#Covid deaths were reported as of last Friday. Deaths are now running at ~120x reported flu vaccine deaths per-dose. (Covid on the left, flu on the right, but remember about 14x as many flu shots have been given...)



These results are for 8	,819 total events.	
Event Category 4	⇒ Events Reported 🖜	4
Death	18	
Life Threatening	65	
Permanent Disability	132	
Congenital Anomaly / Birth Defect *	9	
Hospitalized	300	
Existing Hospitalization Prolonged	3	
Emergency Room / Office Visit **	85	
Emergency Room *	1,074	
Office Visit *	2,729	
None of the above	5,138	
Total	9,553	



Alex Berenson ◎ @AlexBerenson · 2d Replying to @AlexBerenson

\*\*

2/ However the real ratio is likely FAR worse - likely between 500 and 1500-to-1.

Three reasons: deaths take days to be reported, and the denominator for #Covid vaccinations (the number of vaccinations given) is rising very fast, artificially depressing the Covid ratio...

Q 13

17122

O 424

1



Alex Berenson @ @AlexBerenson · 2d

3/ Two, this is still almost all first dose and the side effects are far worse after the second dose. (And as the Israeli experience shows, there's not much point to one dose - it doesn't provide adequate protection.)

And finally this is still mostly Pfizer: Moderna is worse.

Q 22

17149

**7** 488

1

# Pfizer Vaccine Flu Vaccine(s)

Event Category 🌷	⇒ Events Reported 🔠
Death	148
Life Threatening	170
Permanent Disability	65
Congenital Anomaly / Birth Defect *	8
Hospitalized	449
Existing Hospitalization Prolonged	5
Emergency Room / Office Visit **	18
Emergency Room *	1,644
Office Visit *	970
None of the above	4,970
Total	8,447

Event Category 🌷	⇒ Events Reported 🖜
Death	18
Life Threatening	65
Permanent Disability	132
Congenital Anomaly / Birth Defect *	9
Hospitalized	300
Existing Hospitalization Prolonged	3
Emergency Room / Office Visit **	85
Emergency Room *	1,074
Office Visit *	2,729
None of the above	5,138
Total	9,553



A pharmacist at a large health system reports this instruction was sent generally to staff:

AT&T LTF

10:52 AM

86%





#### COVID-19 VACCINE SIDE EFFECT REPORTING

The following side effects are common and **DO NOT** need to be reported: injection site pain, tiredness/fatigue, headache, muscle pain, chills, joint pain, fever, less than 100 degrees, injection site swelling, infection site redness, nausea, and swollen lymph nodes.

The following side effects are uncommon and DO need to be reported:

- · Fever greater than 100 degrees
- Any of the above mild side effects that do not resolve within 5-7 days
- Severe allergic reaction (symptoms could include difficulty breathing, swelling or your face or throat, rapid heartbeat, widespread rash, dizziness or weakness)
- Symptoms of COVID-19 disease (cough, shortness of breath, loss of taste or smell, runny nose, sore throat)
- Confirmed case of COVID-19 that results in hospitalization

If you experience any of the above uncommon side effects, please contact Incident Command by emailing

AT&T ITE

10:52 AM

86%





# 



#### COVID-19 VACCINE SIDE EFFECT REPORTING

The following side effects are common and **DO NOT** need to be reported: injection site pain, tiredness/fatigue, headache, muscle pain, chills, joint pain, fever, less than 100 degrees, injection site swelling, infection site redness, nausea, and swollen lymph nodes.

The following side effects are uncommon and DO need to be reported:

- Fever greater than 100 degrees
- Any of the above mild side effects that do not resolve within 5-7 days
- Severe allergic reaction (symptoms could include difficulty breathing, swelling or your face or throat, rapid heartbeat, widespread rash, dizziness or weakness)
- Symptoms of COVID-19 disease (cough, shortness of breath, loss of taste or smell, runny nose, sore throat)
- Confirmed case of COVID-19 that results in hospitalization

If you experience any of the above uncommon side effects, please contact Incident Command by emailing









#### CORONAVIRUS PANDEMIC



Biden, UK's Boris Johnson discuss Paris accord, trade, coronavirus



California's e dying in grea COVID, study

CORONAVIRUS - Published 2 hours ago

# California resident dies several hours after receiving COVID-19 vaccine

"Any reports surrounding the cause of death are premature," police said

By Paul Best | Fox News



An individual in <u>California</u> who tested positive for <u>COVID-19</u> in late December and was vaccinated Thursday died several hours after receiving the shot, the Placer County Sheriff's office announced Saturday.

"There are multiple local, state, and federal agencies actively investigating this case; any reports surrounding the cause of death are premature, pending the outcome of the investigation," the sheriff's office said.

It is unclear if the individual received the Moderna or Pfizer vaccine.

Some people have had allergic reactions to the COVID-19 vaccine, though severe allergic reactions remain extremely rare. Last week, California State Epidemiologist <u>Dr. Erica S. Pan recommended</u> that providers halt the administration of one lot of the Moderna vaccine "out of an extreme abundance of caution" after it caused an allergic reaction in less than ten people.

"While no vaccine or medical procedure is without risk, the risk of a serious adverse reaction is very small," the California Department of Health wrote. "While less data exists on adverse reactions related to the Moderna vaccine, a similar vaccine shows that the expected rate of anaphylaxis is approximately 1 in 100,000."

Start by navigating to the following URL:

#### VAERS.HHS.GOV

Note: This should work in any browser on desktop OR smartphone.

# This should generate a report with your selected parameters.

Event Category	Vaccine Manufacturer	Age	Sex	State / Territory	⇒ Events Reported 🖜	Percent (of 14 7,844)
Death	MODERNA	18-29 years	Male	Kentucky	1	0.01%
Death	MODERNA	18-29 years	Male	Total	1	0.01%
Death	MODERNA	18-29 years		Total	1	0.01%
Death	MODERNA	30-39 years	Female	New York	1	0.01%
Death	MODERNA	30-39 years	Female	Total	1	0.01%
Death	MODERNA	30-39 years		Total	1	0.01%
Death	MODERNA	40-49 years	Male	New York	1	0.01%
Death	MODERNA	40-49 years	Male	Washington	1	0.01%
Death	MODERNA	40-49 years	Male	Total	2	0.03%
Death	MODERNA	40-49 years		Total	2	0.03%
Death	MODERNA	50-59 years	Female	Hawaii	1	0.01%
Death	MODERNA	50-59 years	Female	Iowa	1	0.01%
Death	MODERNA	50-59 years	Female	Kentucky	1	0.01%
Death	MODERNA	50-59 years	Female	Louisiana	1	0.01%
Death	MODERNA	50-59 years	Female	Nebraska	1	0.01%
Death	MODERNA	50-59 years	Female	South Dakota	1	0.01%


Change "US Locations" to "All Locations" (it's still only US citizens).

State / Territory	_
All Locations	
5. Select other event charact	teristic
or believe belief event enalte	
5	
	]
Event Category  All Events	[
	(
* VAERS 2.0 Report Form Only	(
All Events	(
All Events  * VAERS 2.0 Report Form Only	

#### Begin editing the parameters for the report you'd like to produce.

These are the first parameters you need to change. The red highlights are the defaults. The green are the options I selected. This report will sort the adverse events by the selections in green.

If you want the details of each report (the summary of what happened in each adverse event), check this box.



Scroll down once more, click the check mark, then click search.





# Scroll down (again) and click "I Agree."

 VAERS data do not represent all known safety information for a vaccine and should be interpreted in the context of other scientific information.

By clicking the "I Agree" button I signify that I have read and understand the



Click <u>Dataset Documentation</u> for complete information about this dataset.


HAVE QUESTIONS?

Visit CDC-INFO

Scroll down to the bottom of the page and click "Send."



Scroll down to "Vaccine Products," unselect "All" and select "COVID-19."



# Next, scroll halfway down the page and click "VAERS Data Search."

VAERS ID #, year reported, month reported, year vaccinated and month vaccinated. Click the VAERS Data Search button below to begin your data search

VAERS Data Search

#### VAEKS REPORT DETAILS\*

\* This allows you to search for details on a specific VAERS report by the VAERS ID number. strengths and limitations of VAERS data.

Watch specific sections of the video:

- Section 1: Introduction to VAERS
- Section 2:
   How to
   Search
   VAERS
   Public Data
- Section 3: Strengths and Limitations of VAERS Data
- Section 4: Where to

Scroll halfwaydown the page and click the link circled below.



# **Changed Minds**

#### Replied to your story



I just did!!! Blew my mind!!!! Thank you so much for sharing!!! I'm an RN and have put off getting the vaccine and being so torn on the right thing to do... this just confirms my gut reaction to not get it and not let my loved ones get it.

Replied to your story



Love this account, really helps wake up my family from taking the vax. God bless you. A Slovkian follower living in Ireland

Definitely convinced my mother after seeing real stories of side effects and hopefully my grandparents will be convinced eventually as I'm mostly scared what the vax might do to them

### **Direct Messages**

Hi! I saw you said to DM about any reactions. I didn't get it but my sister did (Young adult, no known medical issues, very healthy and active woman, Pfizer shots). Fortunately, so far nothing serious has happened. She got it a few days before Christmas and she slept almost the whole day and the day after, she couldn't lift her arm up or turn her neck, and she had a huge dark bruise at the injection site. She later started feeling very stiff and nauseous but didn't throw up. She also felt lightheaded. The symptoms went away after a few days but her arm was still sore. I urged her to report her symptoms and she didn't think they were related! She got her second dose recently and said she felt like she'd "been hit by a truck" her wholeeee body hurt. Anyways I know it's not super dramatic or anything but I think it's important to see the less dramatic ones too!



My roommate who is a doctor has the same red issue

Got so sick 24 hours after the vaccine he asked me to take him to the hospital

I convinced him to fight it off and he sweated through the entire night with a high fever and was in visible pain all night.. on day 3 this image was taken he still can't comfortably raise his arms on day 5 (today)

My mother is 67, turning 68 next week. She went and got the Moderna vaccine against my wishes 3 days ago. Her husband died of CV the day after Thanksgiving, so she was ver fearful and believed this to be in her best interest. Even with a history of allergies to shellfish and penicillin, they still gave her the shot. Her arm became red and hurt quite a bit immediately after. She went home and went to bed, was very fatigued, and that night ran a fever and felt ill. She was okay the next day, still with arm soreness, then the vomiting started. She is on day 3 and called my crying, she is so ill from vomiting, her arm is still sore and red. She is so upset she took the shot and doesn't know what to do. It's horrible hearing her retching and crying, with me being out of state, knowing I can't help. Her doctor told her its part of the process, to get in bed and wait until it passes. What a negligent and disgusting response.

Good morning!

Christmas Eve my brother in law went to the hospital to get his vaccine. He went into anaphylactic shot immediately.

Spent the whole day being monitored.

He is fine now:)

Please keep me anonymous please. My sister who is a nurse received the vaccine and that night woke up and almost passed out, was seeing spots, vomited, very low blood pressure, high pulse. This went on for about 12 hours.









MLB · Published 29 mins ago

# Hank Aaron's death saddens sports world: 'We lost a legend'


News of the baseball icon's passing was met with grief

By Ryan Gaydos | Fox News



Fox News Flash top headlines for January 22

Fox News Flash top headlines are here. Check out what's clicking on Foxnews.com.









### **Online Forums**



I want to share my story with you all. I'm going to preface this by stating I am pro-vaccine and pro-Covid vaccines.

I had my 1st dose of Moderna one week ago. I went into anaphylactic shock — like true anaphylaxis. I had to have 4 doses of epi, lots of other meds, and was in the ER for close to 7 hours. It was terrifying, but I'm ok!

I'm soooo thankful I was able to receive the 1st dose! I cannot get the second one, but I'll still have some immunity.

I'm happy to answer any questions anyone might have!





Moderna vaccine Friday 1/15/2021 8:00am 2/2

Although I feel better than I did Friday night: fever, chills, SEVERE body aches, major arm pain down to my fingers that initially started Friday afternoon around 7pm and ended late Saturday night around 36hrs of major side effects. I am now with nose bleeds that won't stop and swollen and tender lymph nodes Under my injected arm! Anyone else experiencing this? Thanks






\*\*\*

Ok. So I'm gonna bounce this off YALL!

Got moderna vaccine this morning at 745am. Seriously the easiest shot I've ever received.

Now fast forward 13.5 hrs:

- Woke up so nauseous! Like really bad (I work nights shift)
- 2. I honestly feel like I'm in slow motion. Not sure I can explain it any better
- 3. My arm is hurting from below my ear down to my fingers, let me add my arm hurts even at rest! This is not a normal vaccine shoot I got a shot hurt this is like a burning deep down pain!
- 4. My body feels like it's on fire. Like serious nerve pain fire. Neuropathy type pain.



I have a family member that is a nurse that hasn't been practicing for years but seeing the need for vaccine givers is now giving vaccines. HOWEVER, I got word today from her that she was instructed to give COVID 19 VACCINES to hospice patients, some at end of life and unaware what was even happening.



65 Comments



Ok. So I'm gonna bounce this off YALL!

Got moderna vaccine this morning at 745am. Seriously the easiest shot I've ever received.

Now fast forward 13.5 hrs:

1/2

- Woke up so nauseous! Like really bad (I work nights shift)
- 2. I honestly feel like I'm in slow motion. Not sure I can explain it any better
- 3. My arm is hurting from below my ear down to my fingers, let me add my arm hurts even at rest! This is not a normal vaccine shoot I got a shot hurt this is like a burning deep down pain!
- 4. My body feels like it's on fire. Like serious nerve pain fire. Neuropathy type pain.

## **VAERS DEATHS**


Vaccine Type	Event Category	Age	VAERS ID	Adverse Event Description 🔒
COVID19 VACCINE (COVID19)	Death	18-29 years	936805-1	Patient received the vaccine on 12/22/20 without complication. It was reported today that the patient was found unresponsive and subsequently expired at home on 1/11/21.
COVID19 VACCINE (COVID19)	Death	18-29 years	943397-1	On day due for 2nd dose, Patient was found unresponsive at work in the hospital. Patient pupils were fixed and dilated. Full ACLS was initiated for 55 minutes with multiple rounds of bicarb, calcium chloride, magnesium, and epinephrine. Patient was intubated. Patient continued into V. Fib arrest and was shocked multiple times.
COVID19 VACCINE (COVID19)	Death	30-39 years	921667-1	LTCF Pfizer Vaccine clinic conducted 12/29/2020 Vaccine lead received a call indicating that a staff member deceased somewhere between 1/3/2021 and 1/4/2021. Cause of death is unknown, and an autopsy is being performed.
COVID19 VACCINE (COVID19)	Death	30-39 years	939050-1	Patient vaccinated on 12/28. Approximately one day later, develops cough and on azithromycin x 1 week. On 1/3, patient develops left-sided weakness and aphasia. Taken to the hospital, tested COVID+, required intubation acute hypoxic respiratory failure secondary to COVID - on H&P. Patient died on 1/4/21 at 7:20am.
COVID19 VACCINE (COVID19)	Death	40-49 years	929764-1	The patient was found deceased at home about 24 hours after immunization. Date of Death:: 12/29/2020; estimated time of death 6:00pm
COVID19 VACCINE (COVID19)	Death	40-49 years	933578-1	Pronounced dead 1/9/2021 at 12:42. Received first dose of vaccine 1/8/2021
COVID19 VACCINE (COVID19)	Death	40-49 years	937527-1	unsure if related to vaccine, but was notified by her next of kin that she died on 1/4/2021. No reports of side effects or hospitalization were reported to the facility prior to the notification of death.
COVID19 VACCINE (COVID19)	Death	40-49 years	939270-1	Sudden cardiac death
COVID19 VACCINE (COVID19)	Death	50-59 years	918518-1	syncopal episode - arrested - CPR - death
COVID19 VACCINE (COVID19)	Death	50-59 years	920815-1	Found deceased in her home, unknown cause, 6 days after vaccine.

COVID19 VACCINE (COVID19)	Death	50-59 years	<u>921768-1</u>	Vaccine received at about 0900 on 01/04/2021 at her place of work, Medical Center, where she was employed as a housekeeper. About one hour after receiving the vaccine she experienced a hot flash, nausea, and feeling like she was going to pass out after she had bent down. Later at about 1500 hours she appeared tired and lethargic, then a short time later, at about 1600 hours, upon arrival to a friends home she complained of feeling hot and having difficulty breathing. She then collapsed, then when medics arrived, she was still breathing slowly then went into cardiac arrest and was unable to be revived.
COVID19 VACCINE (COVID19)	Death	50-59 years	928933-1	Patient had been diagnosed with COVID-19 on Dec. 11th, 2020. Symptoms were thought to have started on 12/5/2020. Received Moderna vaccine on 12/23. Unexpected death on 1/8/2021. Resuscitation attempts unsuccessful
COVID19 VACCINE (COVID19)	Death	50-59 years	930910-1	Patient received COVID vaccination around 12:15pm. Patient was monitored for the appropriate amount of time by nursing staff. Patient passed away at 2:15pm.
COVID19 VACCINE (COVID19)	Death	50-59 years	933739-1	"Staff member checked on her at 3am and patient stated that she felt like she couldn't breathe. 911 was called and taken to the hospital. While in the ambulance, patient coded. Patient was given CPR and ""brought back"". Once at the hospital, patient was placed on a ventilator and efforts were made to contact the guardian for end of life decisions. Two EEGs were given to determine that patient had no brain activity. Guardian, made the decision to end all life saving measures. Patient was taken off the ventilator on 1/9/2021 and passed away at 1:30am on 1/10/2021. The initial indication from the ICU doctor was the patient had a mucus plug that she couldn't clear."

1	r		r	
COVID19 VACCINE (COVID19)	Death	50-59 years	934968-1	he passed away; not responsive; mind just seemed like it was racing; body was hyper dried; Restless; not feeling well; ate a bit but not much; kind of pale; Agitated; Vomiting; trouble in breathing; This is a spontaneous report from a contactable consumer (brother of the patient). A 54-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, on 04Jan2021 (at the age of 54-years-old) as a single dose for COVID-19 immunization. Medical history included diabetes and high blood pressure.  Concomitant medications included metformin (MANUFACTURER UNKNOWN) taken for diabetes, glimepiride (MANUFACTURER UNKNOWN), and amlodipine (MANUFACTURER UNKNOWN). The patient experienced not feeling well, ate a bit but not much, kind of pale, vomiting, trouble in breathing, and agitated on 04Jan2021; body was hyper dried and restless on 05Jan2021; mind just seemed like it was racing on 06Jan2021; and not responsive and he passed away on 06Jan2021 at 10:15 (reported as: around 10:15 AM). The clinical course was reported as follows: The patient received the vaccine on 04Jan2021, after which he started not feeling well. He went right home and went to bed. He woke up and ate a bit but not much and then was kind of pale. The patient then started to vomit, which continued throughout the night. He was having trouble in breathing. Emergency services were called, and they took his vitals and said that everything was okay, but he was very agitated; reported as not like this prior to the vaccine. The patient was taken to urgent care where they gave him an unspecified steroid shot and unspecified medication for vomiting. The patient was told he was probably having a reaction to the vaccine, but he was probably having a reaction to the vaccine, but he was probably having a reaction to the vaccine, but he was probably having a reaction to the vaccine, but he was probably having a reaction to the vaccine, but he was probably having a reaction to the vaccine, but he was probably having

COVID19 VACCINE (COVID19)	Death	50-59 years	935511-1	Patient received the 1st dose of Moderna and was found deceased in her home the next day.
COVID19 VACCINE (COVID19)	Death	50-59 years	938118-1	on 1/8/2021 17:30 patient taken to ER, cerebellar hemorrhage, stroke, aneurysm
COVID19 VACCINE (COVID19)	Death	50-59 years	<u>941811-1</u>	Resident began having fever on 1/11/21 @0600. VS= T-102 B/P- 100/57 P- 112 RR- 24 O2 Sat 92% on RA. MD called. Rapid COVID Test was negative. CBC,CMP, U/A were ordered as well as CXR. Resident's condition declined. At 3:00pm resident started having respiratory distress and hypoxia O2 Sat 89%. Supplemental O2/mask @ 5LPM. Neb TX, EKG, and Rocephin 1 GM ordered. Condition worsened. Resident sent to nearest ER for evaluation. Later in the evening the staff AT Medical Center called to inform staff that resident had expired @ 2230 as a result of Respiratory Failure and Sepsis.
COVID19 VACCINE (COVID19)	Death	50-59 years	<u>942106-1</u>	54 y/o M with PMH of HTN, HLD, Alcoholic Cirrhosis, Aortic Valve Stenosis, and angina BIBA as a Medical Alert for cardiac arrest noted PTA. Per EMS, the patient called because he was having constant, diffuse abdominal pain x 1 day that radiated to his chest. On scene, the patient had a witnessed arrest with EMS starting CPR. He was given 3 rounds of epi without ROSC. Pt had no associated shockable rhythm. Of note, pt's wife, had noted pt had received covid vaccine the prior day.
COVID19 VACCINE (COVID19)	Death	50-59 years	944595-1	Cardiac arrest within 1 hour Patient had the second vaccine approximately 2 pm on Tuesday Jan 12th He works at the extended care community and was in good health that morning with no complaints. He waited 10-15 minutes at the vaccine admin site and then told them he felt fine and was ready to get back to work. He then was found unresponsive at 3 pm within an hour of the 2nd vaccine. EMS called immediately worked on him 30 minutes in field then 30 minutes at ER was able to put him on life support yet deemed Brain dead 1-14-21 and pronounced dead an hour or so later
COVID19 VACCINE (COVID19)	Death	50-59 years	<u>946293-1</u>	51 year old M with h/o O2 dependent COPD, Severe pulmonary fibrosis became increasingly hypoxic around 1800hours 1/7/2021. He was transported to hospital for acute on chronic hypoxia respiratory failure. On 1/12/2021 he decompensated further, and after discussing with family and palliative care, He was changed to comfort care. He expired on 1/12/2021@2325 at medical center.

### Vaccine News



Still, the country is in its third lockdown with infection rates remaining high. More than half a million cases have been reported and 4,005 people have died in Israel since the pandemic began.

The rise in infections, despite the lockdown and vaccinations, has been attributed to virus mutations and disregard by some people of restrictions on assembly.

In return for rapid delivery of the Pfizer-BioNTech vaccine, Israel has committed to sharing with the US-German manufacturer its data on the effects of the mass immunisation. Israel launched a vaccination drive on December 19 with a focus on the elderly, those with risky medical conditions and some emergency workers. More than a quarter of its citizens have now received the Pfizer Inc. vaccine, health officials say.

About a quarter of Israelis have received their first vaccine shot and 3.5 per cent already got their second dose.

Since the rollout of vaccinations one month ago, the Jewish state had inoculated more than 2.2 million of its nine million inhabitants, Health Minister Yuli Edelstein said Tuesday.

More than 12,400 people have tested positive for coronavirus in Israel after getting inoculated by the Pfizer/BioNtech vaccine, including 69 people who had taken their second jab.

Israel's health ministry tested 189,000 people after they vaccinated by Pfizer's vaccine and 6.6 per cent of the people still tested positive for COVID-19.

Earlier, Nachman Ash, national coordinator on the pandemic had said that Pfizer's vaccine was "less effective than we had thought".

### **Direct Messages**

I am a nurse. I have noticed a massive increase of elderly patients coming in 7-10 days post vaccination who are positive for Covid when they were negative before the vaccination.

I have also noticed staff who have had the vaccine are becoming positive 7-10 post jab also.

Something seems very off with this whole thing.

If the vaccine is to protect the old and help their immune system fight Covid, why are the young and healthy being made to have it? And why are the vulnerable becoming so ill.

By the way, it's the Pfizer vaccine in my area.

### 







8 days after Moderna vaccine.. I have a heated, red square. Also super tired lately and painful lymph nodes under left armpit.

Been meaning to send you this message but have been busy at a funeral etc

My grandmother died two days after vaccination

#### First dose

My mother got vaccinated two weeks ago and is now symptomatic and testing positive

My aunt also got vaccinated two weeks ago, was feeling pins needles/ dizziness/ headache from the time that she got it and is now positive (as of 1/18) and symptomatic after a few negative test results

And now other members of our family are testing positive as well





Only you can see this

I have a family member that went blind for five hours after her second dose.



PIERRE, S.D. — State Epidemiologist Dr.
Joshua Clayton confirmed in a conference
call on Wednesday that two individuals in
South Dakota – one in Pennington County
and the other in Hutchinson County – have
died after receiving doses of the coronavirus
vaccine.

Both had received the shot 24 hours prior to their deaths. One had received their initial dose previously and had not had COVID, while the other had coronavirus and recovered before receiving their first shot.

Health officials said that there was no evidence that the vaccine was the cause of death for either patient. The State is talking with medical practitioners and coroners in those cases. They are continuing to monitor for any other potential adverse reactions as vaccine rollout continues.

Dr. Clayton commented that the new U.K. variant, with its high transmission rate, will likely be the predominant strain in the U.S. in March.

"It's important for South Dakotans to remain vigilant," Clayton said.

The new strain has been identified in 30 countries worldwide and more than 20 states, including the neighboring states of Minnesota and Wyoming.



# Covid France: Five deaths after vaccine, no link proven

The deaths were all among elderly care home residents aged 75 and over with pre-existing conditions. France's health minister has said studies will be carried out to determine if there is a link to the vaccine or it is just 'bad timing'

Investigations are continuing in France after five people died days after having the Covid-19 vaccine

All five people who died were aged 75 or over, were elderly care home residents, and had existing underlying conditions. No clear link between the vaccinations and the deaths has been formally established.

Three deaths were recorded by the health alert unit le centre régional de pharmaco-vigilance in Nancy, one by the centre in Tours, and one from Montpellier.

All five had been given the Pfizer/BioNTech jab.

In a statement, medicine safety agency l'Agence nationale de sécurité du médicament et des produits de santé (ANSM) said: "Based on the information we have today, nothing leads us to believe that these deaths were linked to the vaccinations. All of them happened to elderly patients in care homes."

The statement continued: "Even without the context of Covid-19, 465 elderly care home residents die every day, and more than 1,000 are hospitalised every day.

"The campaign rollout is rising each day, so within this population, the probability of seeing deaths after vaccination is also rising, even in the absence of any effects of the vaccine."









ANALYSIS

COVID-19: Study shows one vaccine dose leaves UK's over-60s 'seriously vulnerable!

The evidence that the second dose can be delayed for three months looks shaky - not even the manufacturers recommend it.



#### Thomas Moore

Science correspondent @SkyNewsThomas

Wednesday 20 January 2021 06:37, UK

COVID-19 CORONAVIRUS



At the end of December, the JCVI announced that the efficacy of the vaccine was "around 90%", starting 14 days after the first dose.

"Short term protection from dose 1 is very high," the advisers announced in a statement. On the basis of that data they concluded it was safe to delay the second dose for up to 12 weeks and roll out the vaccine faster.

But the stats from Israel suggests that the efficacy of one dose is just 33%.

And that was in people over the age of 60, those who need protection the most.

### More from Covid-19

So people in the UK who've had one shot of the vaccine, and perhaps feel the odds are now in their favour, are still seriously vulnerable to infection.

The Israeli research hasn't been published or peer reviewed. And they haven't said what impact the vaccine had on serious infections that required hospital admission.



'First dose of vaccine should be prioritised'

It's also worth pointing out that in Israel the vaccine's effectiveness was measured using a PCR test, which would have detected the virus whether or not people had symptoms.

Vaccines have to work in the real world, not in the artificial bubble of a clinical trial.

So the findings from Israel's impressively-rapid rollout of the Pfizer/BioNTech vaccine are troubling.

They suggest the UK's decision to delay the second dose exposes the elderly and vulnerable to a significantly higher risk of infection than we were told by the government's vaccines advisers.



'Real-world' analysis of vaccine in Israel raises questions about UK strategy

In Pfizer's clinical trial the effectiveness was determined by whether or not people had symptomatic **COVID-19**.


Nevertheless, the Israeli scientists believe the UK experts have significantly overestimated the immunity from one dose of the vaccine.

The Pfizer/BioNTech vaccine uses mRNA technology that has never before been rolled out to protect people in the real world.

Two doses look spectacularly effective. That's been shown in the clinical trials.

But the evidence that the second dose can be delayed for three months looks shaky. Not even the manufacturers recommend it.

And the experience from Israel does nothing to boost confidence in the way the vaccine is being used in the UK.



Q

•••



Ashley Chicoine shared her first post.

I'm a 21 year old CNA at a nurs home i was working and completely healthy i got told to go get the vaccine (from peer pressure bc i didn't want it) talk

cold and have allergies to shellfish amoxicillin and penicillin, (SHE CROSSED THEM OFF AND PUT N/ALON MY CONECENT RM!) I took the vaccine of 12:00 January and markey with the shear and the land of t

heart down and nothing worked i put a cold water bottle on my and watch i my Apple Watch to see how high theat a visit of 176 when i checked that's being see et ag was wrong i stood up to get relip and just collapsed. I couldn't move after my hands and legs seemed paralyzed

my left si Ashley Chicoine eedles feeling. They say i had two seizure like eps i was

epi pens in the left leg i couldn't feel it at all Bc my legs couldn't feel anything my legs where completely numb and well paralyzed the emts came i was extremely tired and weak and hurt everywhere. Half way through i gained movement in the first three fingers in both hands and then the left was very delayed i still had pins and needles feeling i could feel my legs in the er but i didn't no i couldn't move them much i gained pins and

### Find the link to the story below in my "Corrections" Highlight.

### **TB Daily News**

# Home / TB Investigates

#### TB Investigates

Gardner CNA Starts \$25K GoFundMe For Paralysis, Heart Issues, And Seizures From COVID Vaccine, Uses Tik Tok To Gain Clout Right After Needing New Belt For Jeep

Uncle Turtleboy - 2 days ago ♦ 9,354 ■ 5 minutes read







Jerry and I experienced the sudden tragic loss of my mother. She lost her ability to walk, stand, move, talk, eat, drink, and breathe following the Covid-19 vaccine. Her death happened so fast. I'm devastated, and I wasn't sure how to share this shocking news. This is my mother's experience, not a subject of debate anti or pro this or that. It is what has happened to my mother. Norway has stopped offering the vaccine to people 80 or over after sudden deaths post-vaccination. My mother was exactly one month from her 80th birthday, had no underlying health conditions, and like a light switch, became unresponsive. I'm brokenhearted that we were separated for the past ten months due to senior care home covid regulations and now we are forever physically separated. I don't even know how to share this with my family and friends. It is so alarming, shocking, and hard to swallow for all of us. I can't hide it any longer.







<



### Covid-19 Vaccinatio...

C

•••



Ashley Chicoine shared her first post.

₩ New Member · 1h · 🖭

I'm a 21 year old CNA at a nurs home i was working and completely healthy i got told to go get the vaccine (from peer pressure bc i didn't want it) talk to a lady told her i had seizures in the past i had a cold and have allergies to shellfish amoxicillin and penicillin (SHE CROSSED THEM OFF AND PUT N/ A! ON MY CONECENT FORM!) I took the vaccine at the 12:02 on Jan 8 i walk around and made my way to my seat and immediately felt my heart racing getting hot and dizzy i tried everything to calm my heart down and nothing worked i put a cold water bottle on my head and watched my Apple Watch to see how high my heart rate was it was 176 when i checked that's when i new something was wrong i stood up to get help and i just collapsed. I couldn't move after my hands and legs seemed paralyzed my left side of my face was all pins and needles feeling. They say i had two seizure like eps i was throwing up and screaming in pain. I then had two epi pens in the left leg i couldn't feel it at all Bc my legs couldn't feel anything my legs where completely numb and well paralyzed the emts came i was extremely tired and weak and hurt everywhere. Half way through i gained movement in the first three fingers in both hands and then the left was very delayed i still had pins and needles feeling i could feel my legs in the er but i didn't no i couldn't move them much i gained pins and



<



### Covid-19 Vaccinatio...

Q

•••

needles feeling and it got worse and worse first it started in my toes and it's been getting worse up my leg. When i was discharged from the ER i noticed that my feet where purple we tried to plop them up they would change in color back to normal but still freezing cold and would turn purple right when i put them down. It's come to the point of painful and pins and needles feeling is worse it's been worse on the left then the right the whole time i can't walk without support and my walker and it's very painful. I went to Boston hospital to get my feet checked out since they are purple and now i need to get a biopsy done to my feet. I reported it to Pfizer and they will be calling my in the next few days i was told














Ok let's just get down to the details, this vaccine is unsafe I work in long term care we vaccinated all of our residents! They almost all had a temperature at some point one had obvious neurological responses and another I had to send to ER with p 174 r 25, she appeared fine and if I didn't take her vitals when I did I guarantee you she would have died! They gave her tons of meds to get her back to normal...point is this vaccine isn't safe if that was my experience with 12 residents in my care that means 1/12 could have died, 1/12 could possibly have permanent neurological issues, and 12/12 had minor temporary reactions and that is all one day after the first shot, then the Er doc proceeds to tell the daughter he isn't sure if it was from the vaccine...tf he mean she had no history of heart problems ever...I told the daughter everyone has to make their own choices on this stuff and suggested she do her own research before she decides to take second dose lol wtf that's what kills me we just keep insisting people take it and nothing is a possibly a good reason to not take it

118 Comments

### My Pfizer Covid vaccine story.... I have wait...



### Stacee Dominguez Hanson

January 18 at 12:29 AM - @

My Pfizer Covid vaccine story....

I have waited to post my story out of fear of negative comments, therefore I'm asking you to please don't leave a negative comment because this is MY story. Thanks

I was excited to be chosen to receive the Pfizer Covid 19 vaccine. I have been a nurse for 20 years and love what I do for my community. I felt that everyone in my life, including my patients, family as well as myself would benefit if i receive the vaccine. After all what could be so bad about a vaccine? I believe vaccines are good. I'm healthy, No health conditions and No allergies.

On 12/18/20 around 12:30 pm, I go to the designated station pull up my right sleeve and receive the injection. I think, "okay, that wasn't so bad" and I leave to go to the waiting area for 15 minutes to make sure no reactions occur.



I go to the back room and blood pressure showed 187/100 and pulse 120. I was asked by all personnel if I had HTN, allergies or allergies to the flu vaccine. I said No I don't have any allergie or HTN. The fullness in my throat quickly escalated to feeling like I was being choked with extreme heat inside my body that started at my throat and waved down to my abdomen and back up. That's when I got an IV. Benadryl, solumedrol and my first injection of epinephrine. Now my blood pressure and heart rate was even higher and I start shaking uncontrollably due to the epi. I stare at the ceiling and I feel this is surreal and not me. I still don't quite realize what's happening until the medical person standing on my left side asks the physician on my right, she's having an anaphylactic reaction, isn't she? The physician on my left says, "yes, she is." The physician says to me your O2 sats are good, therefore you are breathing, so try not to be scared and keep talking to me. He holds my hand, telling me not to worry that he's got this and I'm going to be fine. He then says your voice sounds raspy. Can you try to talk louder? could not talk any louder. As my fingertips turn blue, tears start coming down from my eyes, and my symptoms get worse. I began feeling like I was drowning. I tell him, it's getting worse and i feel like I'm drowning! That's when I got the second epinephrine injection. My body continued to shaking but even worse. Then Finally, but slowly, the strangulation halted and my symptoms started getting better. It was going away! I could breath a little better now and my voice starts getting stronger. Once I was out of danger, I realized I had been there for an hour, as I was wheeled to a hospital bed to wait for my body to regain normalcy again.

As I was in the elevator going down, one floor, to the seating area. I felt some dizziness. I think to myself that I just stepped wrong in the elevator. I get to the floor and was greeted from a nurse that asked me to wait for a minute to be seated. I then felt a big wave of dizziness over my body. I asked if I could sit now as I was feeling really dizzy and my legs feel like noodles. The nurse kindly said yes, sit anywhere you'd like. I sat down and she asked how I was feeling? I said kinda dizzy and weird but I don't think it's anything. A sweet girl sitting across from me said to me, "it's not in your head, I feel the same thing." We looked at each other with a bewildered look in our eyes. Then the girl sitting across from me said that she was starting to feel a tickle in her throat. A few minutes later, I started feeling the same, a tickle in my throat. We both agreed that it still probably wasn't anything and maybe we needed to drink some water. Next she said to the nurse that she is feeling "fullness" in her throat. The medical personnel quickly took her away to one of two back rooms to possibly start an IV. I sat there alone when I also started feeling a "fullness" in my throat and I looked around but didn't see anyone. Then the Physician came up to me and asked me how I was feeling? I told her, "I feel fullness in my throat also," with deer in a headlight look on my face. She took me to the other room in the back, just in case we need to start an IV. An IV? For what? I was confused and thought I'm okay just feeling a little strange.

It was 8 pm when I finally left the hospital. The other girl that had the anaphylactic reaction like me went to ICU so I felt lucky to be going home. I felt awful still with a horrible headache, I couldn't walk 20 steps without being sob and my throat felt like I had been kicked. My wonderful daughter picked me up as I couldn't drive and helped me recuperate. This was by far the craziest thing that has ever happened to me in my life. I trust vaccines and medicine, and couldn't believe what happened to me. I wanted to tell MY story so you could hear a true story from someone who lived through an anaphylaxis reaction after receiving the Covid vaccine. The first pic is when I sat and felt dizzy and the second pic was right before I was discharged.


I was saved by not only great health care personnel and medicine, but but the grace of God also. Thank you God for saving my life!


Thank you for listening to my story. Please be careful if you receive the Pfizer Covid vaccine and feel free to share my story... thank you to my friends and family that helped me recuperate, I couldn't have done it without you. Love you all and feel so greatly that you are in my life.











\*\*\*

My dad had the vaccine 10 days ago and is so so ill he has never stopped continuously shaking and twitching jerking he is so exhausted not slept in 10 days has anyone got any advice pls




632 answers







Here's a quick play-by-play of Demi Lambe's experience pieced together from her group forum posts, Fb stories, and posts from her Fb wall.







Thanks again for everyone wa messages. I don't want people to think that because if what's happened to me that the same thing will happen to them. It's very unlikely to habe a reaction like this. Doctors say I could regain full use of everything just might take a bit of time & I'm very small built which already puts me in a harder position to fight things off. Don't want to scare people, I may have my use back in an hour a day a week a month or whatever or I may not. It's how the reaction has effected me and I'm hoping to be fit a a fiddle in no time.



58 Comments 120 Shares



Has anyone felt poorly after their COVID vaccine?











I am currently paralyzed from the waist down after my Pfizer vaccination



377 comments







Friday. Let me go back to Friday 😞





4 Comments 3 Shares



If the vaccine provides ONE season of immunity and this is a middle-of-the-road reaction in healthy adults at extremely low risk from #sarscov2 - as seems increasingly obvious - how can we possibly say the cost-benefit analysis makes any sense?

# Melen Chu @HelenChuMD · 21h

Grateful to receive dose 2 of my Pfizer vaccine. I had a fairly severe reaction - fevers, chills, muscle aches, joint pain starting at 6 hrs but recovered by 36 hrs. I was totally out of commission. It was 100% worth it but I wish I was better prepared, so here is some a...

Show this thread

6:57 AM · 1/20/21 · Twitter for iPhone




My father who has dementia and is in care had the Pfizer first vaccine shot last week, by the weekend him and 2 others were in hospital. He was found collapsed and taken to hospital.

His symptoms are shortness of breath, cannot walk, legs shaking and incontinent, he was not this way before and other than the dementia of good health generally.

They ran 2 negative PCR tests at hospital, but then did bloods and said they found Covid so have stuck him in a Covid ward. He is eating, but cannot walk still, they of course say this is down to Covid which in my opinion is 100% not.


















# Sent to me from a friend back home in Hawaii. She works at the Queens Medical Ctr



Thank you Cindy! Happy Holidays to you as well!

3:20 PM

Between us...I've been really fatigue since the shot

Had to go to the Er last night because I lost my hearing and vision for awhile. Heart rate was really high

Almost passed out twice in the last 3 days




Had the vaccine 9 days ago

Ugh, hope you're feeling better today and praying that nothing worsens. Health impact events are common. Govt officials are worried because of that many

This was sent to me from a friend last month. She ended up reporting it to VAERS and not getting the second shot. She still feels fatigued and has difficulty working some days.



# The next few slides are of Katey's story.



I did not make any highlights because, as you will see, she is very detailed. Three hours after arriving at the ER and getting the first round of meds the doctor decided to do an ultrasound of my heart because both EKGs looked good but my heart rate was resting in the 140/150 range still at the same time my cardiac monitor started alarming another attending had noticed a new rash had started to form on my neck and chests area and I was experiencing difficulty breathing again. I was immediately moved to a room and administered another round of medication and more fluids because I was having a second anaphylactic episode. They decided to admit me for observation at this point because they were worried I was going to have another reaction and need an epi-drip and needed to monitor my heart rate. Luckily my ultrasound looked good and so did another EKG and slowly but surely my heart rate came down over the next day. It's still higher than normal but they felt comfortable sending me home this afternoon around 330.

I need to monitor myself for the next couple days because some people have reactions up to 72 hours after a severe reaction. This is not common and it's not something I will hopefully have to worry about. I'm going to be on steroids for the next few days and I get to carry around a shiny new epipen with me. My hospital staff at Baystate Medical Center were really great and they took really good care of me during one of the scariest things I've ever experienced, I couldn't have asked for a more compassionate team of healthcare workers. I've never had such a severe allergic reaction to anything before and I do not have a lot of allergies. I'm allergic to mold, penicillin, amoxicillin and some component in most of the blue and yellow surgical masks that have been manufactured since the pandemic started, and the masks are the only thing on that list I've ever had a severe reaction to.

I think the most bizarre parts of the whole situation, first was that my vaccination site did not have any of the following around in case someone had an allergic reaction like mine: blood pressure cuffs, epipens, antihistamines, a stethoscope or a timing device to track my pulse all of which are safeguards that should be in place according to the CDCs website in case something like this does happen and I have no idea if my facility reported my reaction, I've only heard of one other person in Alaska who has been sent to the ER for anything close to like what happened with me. Second was that as I sat in my hospital bed this afternoon I still felt an incredible sense of guilt calling in sick for my next shift.

#### UPDATE:

Because this post has gotten more attention than I thought it would I just wanted to answer some questions here. I'm okay, I'm home with my puppy for the holidays and I have returned back to work at Baystate Franklin and I've really appreciated everyone who has reached out about what happened and asked if I'm okay. Your comments, calls and messages have been really overwhelming and heartwarming. After consulting with my PCP office we have decided I will absolutely not continue with the Pfizer vaccination series and will most likely not be eligible to safely take the Moderna series. If my reaction had been mild we could have considered it, but I was hospitalized. As more facilities and people begin to report their reactions the number will hopefully continue to grow enough that they will be able to find the common thread between all of us who have had a severe reaction to determine what component(s) have caused us all to react so severely so that it can be avoided in the next round of people being vaccinated.




 $\leftarrow$ 

#### Katey Bassett is at Baystate Health.

December 21, 2020 at 5:56 PM · Springfield, MA · @

Unsure of how I was going to address this, because I rarely post any medical information about myself online but this post will be easier than answering a bunch of texts or messages (I'm sorry, but there are too many and I'm too exhausted right now), and especially because talking about the vaccine has been such a hot button topic and most people think I'm an antivaxxer because I brought up legitimate questions and concerns people should be considering before taking either of the COVID vaccines approved for emergency use currently. And with that being said, anyone who actually knows me can now say they know someone who had a severe allergic reaction to the vaccine. And I think it's important people understand the questions and concerns people have are real and not just fueled by political agenda, also that the reaction I had was not extremely common even for the "severe" reactions listed as possibilities. I work for Baystate Franklin and was eligible for the vaccine with the first round of employees because of my level of risk to exposure in my position. My reaction started 5-10 minutes after receiving the injection and I was brought from the vaccination clinic on Whitney Ave to the BMC ER in Springfield for an anaphylactic reaction, I had a rash, difficulty breathing, increased heart rate, sweating, cold extremities, itchiness and chills. I received Benadryl on the ambulance ride and epinephrine and prednisone at the ER and they were basically keeping me to monitor my reaction to the epi because my heart rate wouldn't budge and was very high.





BREAKING NEWS / How to get a COVID-19 vaccine in each county in the Kansas City metro

#### TRACKING CORONAVIRUS

Metro healthcare worker describes severe allergic reaction to COVID-19 vaccine



by: Kera Mashek

Posted: Jan 14, 2021 / 04:31 PM CST / Updated: Jan 14, 2021 /

05:17 PM CST

# 34° ( FOX4



Posted: Jan 14, 2021 / 04:31 PM CST / Updated: Jan 14, 2021 / 05:17 PM CST

HARRISONVILLE, Mo. — We are learning of the first metro healthcare worker to suffer a severe allergic reaction to the COVID-19 vaccine.

The Cass County healthcare worker got the Moderna shot in late December, blacked out and ended up on a ventilator. What happened to her is a cautionary tale, with important information everyone should know.

Chavonya Littlejohn has had a front row seat to the pandemic. She's a patient access team leader at Belton Regional Medical Center. Right after Christmas, she decided to take her shot at getting the Moderna COVID-19 vaccine.



Littlejohn's working with a major national firm, specializing in vaccine injury cases.

Right now, the COVID-19 vaccine under its emergency use is not eligible for standard vaccine injury relief through the courts.

Instead, your only option if you get sick or even die from the vaccine is to file under what's called "countermeasures." It also reduces the time you have to make a claim, from three years with other vaccines, to one year.

"You're not going to have an attorney representing you. You're just going to fill out a form. They're going to look at your medical records, not a judge, just some administrator, and if they don't think your injury was caused by the vaccine, that's the end. There's no appeal or any way to bring expert witnesses, which is what we'd do in regular vaccine court," said Anne Toale, an attorney with Maglio, Christopher and Toale.



#### dose of COVID-19 vaccine →

"I looked at my arm, and I was like, "Oh my goodness.' It's red. So I kind of flagged one of the nurses down," Littlejohn said.

Littlejohn remembers walking to the ER, then seeing a swarm of doctors and nurses. She got a few EpiPen injections, then IVs.

"It was getting worse and worse. My face swelled up. My lips swelled up," she said.

Everything went black.

She woke up more than 30 hours later hooked to a ventilator in unfamiliar surroundings.

Littlejohn had been taken to Research Medical Center, where she remained for three days.

"They definitely consider it an anaphylactic reaction. Anaphylactic shock is what it was," Littlejohn said.





\*\*\*

Define "looking into."

Fun fact: Israel now has far more people vaccinated than anywhere else in the world.

Israel now also has more new positive Covid tests per-capita than any other country in the world.


Which is weird, but stuff happens, amirite?

■ What Exit? @NJ\_WhatExit · 7m

Replying to @AlexBerenson

Is anyone looking into the reported explosion of post-vaccine cases?

11:03 AM · 1/19/21 · Twitter Web App





3 weeks since first dose

Started with numbness in feet, worked it's way to hips, then to my hands and shoulders, heaviness in my head and neck. It is better but still have numbness ans heaviness. I'm under the care of a neurologist who thinks I may have Transverse Myelitis. I get 3 MRIs tomorrow evening and plan on updating everyone.

3h Like Reply



S 8 8

chills, dizziness, fatigue. Day 2 chills and fever gone except dizziness like vertigo. Today is day 4 and still have weakness and dizziness

Just now Like Reply



#### Michelle !

Pfizer second dose 1/7/21 - fever of 101.8, chills, rigors, body aches

49m Like Reply



#### Gishela Guille

Not me but 2 co workers after 2nd dose chills aches completely knocked out about 12 to 24 hours after shot and they were both sick unable to work for 3 days

46m Like Reply



## **Wendy Vanderford**

First Pfizer shot 12/22 sore arm next day had some fatigue and mild headache.

Second vaccine 1/12 very dizzy before bed. Woke up with 101 temp terrible headache and feel like I was hit by a train.

1h Like Reply



## Shelley

Increased heart rate stayed in the 120s for about 10 hours



34 mins Like Reply More



#### **Brittani**

I got the moderna two weeks ago tomorrow. Also unfortunately I am on day 7 with Covid. Yesterday and today I am noticing palpitations and pvc's. When I stand, my HR instantly climbs to 140-150's and when I sit back down, it's back to resting 70-90 within a minute. I'm not sure if related to the vaccine or covid. Regardless, it's awful 😩



26 mins Like Reply More



## Tiffany I

I got my 2nd dose Sunday and found out yesterday I am positive for covid. Sucks!

8m Like Reply





#### Amanda I

I had nausea and fatigue from the first dose. Haven't gotten the second yet.

2m Like Reply



#### Kyle I

I got my first dose 12/27 and tested positive 1/12. Now, how long do I have to wait for my second dose?

Just now Like Reply





News

Sport

Business Awards Voice

#### News

18th January

Wales' Oxford Astrazeneca vaccine batc fails testing

By Elizabeth Birt



Coronavirus vaccine batch fails testing in Wales

Mr Drakeford believes that around 150,000 people would have been vaccinated by the end of Monday.

"We're on track to vaccinate the top four priority groups by the middle of February, alongside the other UK nations.

"There's a long way to go with vaccination. We're going to be doing this for months and months, not just for weeks.

"So it's very important to get all the infrastructure in place. We've expanded the number of mass vaccination centres.

"We're going to use our dentists and our community pharmacists to go on increasing the volume of vaccination.

"At the moment, the thing that is limiting us is just volume of supply. We could vaccinate more people than we've got vaccine.

"But we also know that that, too, is going to increase rapidly over the coming weeks."



# ONE of the latest batches of the coronavirus vaccine to arrive in Wales has failed testing.


The country was due to receive four batches of the Oxford Astrazeneca vaccine this week, but first minister Mark Drakeford said that one of them failed testing.

"One of those batches has not come through the testing process and we will get it next week we're told instead," Mr Drakeford told Sky News.

"Everybody is working absolutely flat out from the manufacturers through to the people who do the vaccination at the practical end.

"When you're trying to do everything on a massive scale and at such speed there are going to be moments where not everything goes according to plan.

"But we are assured we will get that supply in exchange for this week next week, and we will be able to use it all then."



# California official calls for pause on specific Moderna vaccine due to possible allergic reaction

By Shelly Insheiwat | Published 42 mins ago | News

FOX 11 Los Angeles











Registered nurses transfer the Moderna COVID-19 vaccine from a bottle into a syringe ready for vaccination at the Corona High School gymnasium in the Riverside County city of Corona, California on January 15, 2021, a day after California began offeri

The state has not been notified of any other cluster or individual events related to this lot, according to health officials.

"The manufacturer, Centers for Disease Control and Prevention (CDC) and the U.S. Food and Drug Administration (FDA) are reviewing the lot and related medical information.

Providers of the COVID-19 vaccine should continue their routine precautions to recognize and manage allergic reactions and potential adverse events," the statement said.

Health officials expect to provide an update this week as they learn more.

SACRAMENTO, Calif. - California State Epidemiologist Dr. Erica S. Pan issued a statement on Sunday evening recommending providers pause the administration of lot '041L20A' of the Moderna COVID-19 vaccine due to possible allergic reactions that are under investigation.

"A higher-than-usual number of possible allergic reactions were reported with a specific lot of Moderna vaccine administered at one community vaccination clinic. Fewer than 10 individuals required medical attention over the span of 24 hours," Dr. Pan said.

**RELATED:** FDA calls idea of half-dosing Moderna COVID-19 vaccines 'premature'

According to the statement, "Out of an extreme abundance of caution and also recognizing the extremely

76

According to the statement, "Out of an extreme abundance of caution and also recognizing the extremely limited supply of vaccine, we are recommending that providers use other available vaccine inventory and pause the administration of vaccines from Moderna Lot 041L20A until the investigation by the CDC, FDA, Moderna and the state is complete. We will provide an update as we learn more."

More than 330,000 doses from this lot have been distributed to 287 providers across the state. The shipments arrived in California between Jan. 5 and 12, officials said.

**RELATED**: Stay up to date on all coronavirus-related information













Up to a fifth of care home staff have refused offer of Covid vaccine as bosses ask lawyers if they can force carers to have the jab

By Isabella Nikolic For Mailonline 04:20 EST 17 Jan 2021, updated 11:44 EST 17 Jan 2021





























#### 1.1k comments

- National Care Association sought legal advice as staff refuse the vaccination
- Just 41 per cent of 18 to 34-year-olds will 'definitely' accept the Covid jab
- Young people and ethnic minorities are less likely to say they want the vaccine

## VAERS ID 906529

#### Pfizer/BioNtech Vaccine

When I got the vaccination I was 32weeks pregnant and on Saturday I had spontaeous rupture of the amnotic fluids and went immediately to the hospital and was immediately given steroid, magnesium for the baby. And on Sunday around 3:45PM I got a second round of the steroids and was transferred for observation. On Monday, at 8:06am I went into early labor I delivered my baby at 33weeks gestation and she weighed 3lb 11oz. Expected Date of Delivery-2/8/2021. I was a high risk patient d/t Fibroids but have experienced no issues the entire pregnancy and my last ultrasound was 12/17 and baby was healthy with no complications at that time.



VAERS report of a fetal death after COVID v a x.

"I was 28 weeks and 5 days pregnant when I received the first dose of the COVID19 vaccine. Two days later (12/25/2020 in the afternoon), I noticed decreased motion of the baby. The baby was found to not have a heartbeat in the early am on 12/26/2020 and I delivered a 2lb 7oz nonviable female fetus at 29 weeks gestation. I was 35 years old at the time of the fetal demise and the only pregnancy history for this pregnancy included a velamentous cord insertion that was being closely monitored by a high risk OB. My estimated due was March 12, 2021."



MEDALERTS.ORG

Search Results from the VAERS Database

#### Ok. My experience with the vaccine:

I had my CV on Thursday at 4pm. I was towards the end of my menstrual cycle (I only spotted that day) around 9pm, I started bleeding again, bright red blood. I lost around 7.5 ml of blood from 9pm until 8 am and spotted throughout the day on Friday.

I woke up on Friday am, arm very sore, felt super lethargic and achy. I had to work on Friday and by the middle of the day I took 400 mg of Ibuprofen just to make it thru the day.

I also had crazy dreams the night of my vaccine as well, very vivid dreams.

I'm not sure if anyone has experienced this

I regret getting the 1st one at this point. It's the unknown that is scary. I'm an RN and I felt obligated to get the vaccine to protect my family

My dad got the vaccine second dose-Thursday he has had a 103 fever since been to the hospital they said it's the worst reaction they have seen, he has basically all the covid symptoms now

He already had covid in August and this is worse



No the trials suggest the opposite - the @moderna\_tx vaccine had more side effects, especially after the second dose.



Replying to @AlexBerenson and @florian\_krammer

You're the only one reporting this information. I had it back in March in the early days when you could not even get tested. I've been on the fence about getting the vaccine. It seems most side effects are coming from the Pfizer version? Less Moderna?

6:01 AM · 1/17/21 · Twitter for iPhone





# THE EPOCH TIMES







Health care workers receive a COVID-19 vaccination at Ritchie Valens Recreation Center in Pacoima, Calif., on... 

MORE

### PUBLIC HEALTH INFORMATION

PREMIUM

55 People Died in US After Receiving COVID-19 Vaccines: Reporting System

#### BY ZACHARY STIEBER

January 16, 2021 Updated: January 16, 2021

ΑÅ

Fifty-five people in the United States have died after receiving a COVID-19 vaccine, according to reports submitted to a federal system.

Deaths have occurred among people receiving both the Moderna and the Pfizer-BioNTech vaccines, according to the reports.

The reporting system, the Vaccine Adverse Event Reporting System (VAERS), is a federal database. The system is passive, meaning reports aren't automatically collected and must be filed. VAERS reports can be filed by anyone, including health care providers, patients, or family members.

VAERS reports "often lack details and sometimes can have information that contains errors," according to the reporting system's website. Still, reports on VAERS represent "only a small fraction of actual adverse events," the site states, though underreporting is believed to be less common for serious events.


In some cases, patients died within days of receiving a COVID-19 vaccine.

Hi! I am a Dr in Mexico



We have a group of all the mexican doctors working with covid

They are posting this in the group





1/2

They are saying they feel worse than when they had covid

That the symptoms won't let them do anything...


Vaccination started this week in Mexico

Some of them are saying they felt the same way when they had covid


The worst thing is they are saying that some of them tested positive for covid after the vaccine... yet they are SURE it wasn't the vaccine ?

Alright thanks! I'll send you some more if I see something pop up

# Original Screenshot



Hi, I'm a carer for my 90 year old gran. She had the vaccine last Monday. The following evening she shouted me and I can only describe it as though she was having some kind of seizure whilst standing up. She was crouched over and saying her head was stuck then she collapsed and fell to the floor. She's been in hospital since and we are not allowed to see her due to covid rules in our area. This was the first dose of the astrazeneca vaccine. This happened in North Wales. UK. Thank you



VAERS stands for Vaccine Adverse Event Reporting System. It is a tool that anyone can use to report any kind of adverse reaction to a vaccine that was recently administered.

This database of reported reactions is public information accessible by literally everyone that has access to an internet browser.

Yesterday, I shared a post from Twitter from a former investigative reporter of the New York Times by the name of Alex Berenson. **Some did not like it.** 

# This is what it says:

\* These values are only available from VAERS 2.0 Report Form, active 06/30/2017 to present.

"These value are only available from VAERS-1 Report Form, active 07/01/1990 to 06/29/2017.

A lot of people took this to mean that the number of adverse events (AEs) were only that high because, well, obviously the report is running numbers on all vaccines starting from 1990 and/or 2017 through present day 2021... or something... right?

# Wrong.

I'll prove it to you.



You know what's awesome about all this? You can run the same variables and get the exact same results!

# RAD, RIGHT?

Start at vaers.hhs.gov/data.html, then follow the steps on the next two slides.



Here's a great example of cognitive dissonance at work. When you're confronted with facts that challenge your deeply seated beliefs, your brain tries to dismiss them in any way it can.



we\_are\_the\_huffs This does not say it is related to COVID 19 vaccines and is from 2017 to present. I am all for the truth but let's make sure we share verifiable info.

13h 17 likes Reply



Iuliyogini It doesn't say anything about that being the COVID vaccine on the graph and it's dated 2017? And I don't think anyone has yet birthed a baby since having vaccine so how would they know that?

13h 4 likes Reply



cacora.\_ You're speaking about lies being told by it yet this data on the last page was from 2017. This is not from Covid 19

13h 7 likes Reply




noellelyon19 @hellahappies hey girl! I guess I'm just confused because the third images shows that the data is from 2017 to present and 1990 to 2017 depending on the category. So really I have no opinion since it includes all other vaccines from 1990 to now and not just COVID.

12h 3 likes Reply

# Some Final Thoughts:

- Be curious; not judgmental. I trust Alex Berenson, his methods, and his analysis because I'm familiar with his work. Seek to understand instead of seeking to dismiss.
- I will post a direct link to the report I shared here in my stories so that you don't have to select the variables yourself.
- Get familiar and comfortable with the VAERS report writer. Plenty of good information can be gleaned from it if you can figure out how to use and extract the data.

This was the image being used to get the stats Alex Berenson was quoting.



And this is the little section in the bottom of the picture above that people didn't understand.

mean that healthcare personnel or the vaccine caused of 25 2.0 Report Form, active 06/30/2017 to present. Report Form, active 07/01/1990 to 06/29/2017.







Q

# CHINA / SOCIETY

# 19% or 95%? US expert challenges Pfizer vaccine's efficacy, triggers debates in China

#### By Leng Shumei and Bai Yunyi

Published: Jan 13, 2021 10:55 PM











An illustration shows vials of a COVID-19 vaccine and syringes with the logos of US pharmaceutical company Pfizer and German partner BioNTech.

Doshi's comments triggered controversy on Chinese social media platforms, with some Chinese experts doubting Doshi's counting method for efficacy as he takes all participants showing symptoms to be confirmed COVID-19 cases, even if PRC tests show negative results.

"The PRC test is of very high sensitivity, 98.6 percent in the last year. But its sensitivity could be only 5 percent under Doshi's counting method," Zhuang Shilihe, a Guangzhou-based vaccine doctor, told the Global Times on Wednesday.

Zhuang noted that Doshi's doubts may be related to the anti-vaccine movement in the US, noting that Doshi has previously criticized other vaccines like the flu vaccines.

A Beijing-based vaccine expert who required anonymity expressed distrust of Pfizer's efficacy, but he did not directly comment on Doshi's doubts.

Despite different opinions on the Pfizer vaccine's efficacy, both experts said that Pfizer should reveal the raw data for peer review to better analyze the vaccine, so as to exclude the influence of any environmental or other elements on the efficacy.



An illustration shows vials of a COVID-19 vaccine and syringes with the logos of US pharmaceutical company Pfizer and German partner BioNTech, Photo: AFP

Could the Pfizer vaccine's real efficacy be as low as 19 percent, instead of 95 percent as it claims?

Questions raised by Peter Doshi, an assistant professor of pharmaceutical health services research at the University of Maryland School of Pharmacy, have triggered heated discussion on Chinese social media.

Doshi's opinion was disputed among Chinese vaccine experts interviewed by the Global Times. Many experts agreed that Pfizer should provide more raw data for peer review but said Doshi's methodology may be flawed.

Chinese experts also noted that disputes often arise from clinical trial data of COVID-19 vaccines, given the difference in participant groups and how different pharmaceutical companies define COVID-19 symptoms differently. They said that the efficacy rate of a vaccine should be evaluated in a more comprehensive manner, citing Sinovac as an example.

Sinovac vaccine received a 50.3-percent efficacy rate on Wednesday, based on phase III clinical trials in Brazil. But the figure was largely due to the fact that participants in Brazil are all medical workers with a very high infection risk, experts said.

Doshi on January 4 released an article on a blog platform under the UK pharmaceutical journal The BMJ, questioning Pfizer's efficacy rate.

Pfizer revealed that it discovered 170 PCR confirmed COVID-19 cases during the phase III clinical trials and 3,410 suspected cases in total.

However, if taking these suspected cases all as confirmed ones, the Pfizer vaccine's efficacy would be dramatically reduced to 19 percent. Even after omitting cases occurring within seven days of vaccination, which should include the majority of symptoms due to short-term vaccine reactogenicity, the efficacy rate remains as low as 29 percent, Doshi said in the article.

Doshi also questioned the standards of how Pfizer excluded cases and the influence of the use of medication on the vaccine's efficacy.





# Chinese Health Experts Call to Suspend Pfizer's mRNA Vaccine for Elderly after **Norwegian Deaths**

January, 15, 2021 - 14:41 | Science news



















TEHRAN (Tasnim) - Chinese health experts called on Norway and other countries to suspend the use of mRNAbased COVID-19 vaccines produced by companies such as Pfizer, especially among elderly people, due to the vaccines' safety uncertainties.



January, 15, 2021 - 14:41 | Science news |





The call came following the deaths of 23 elderly Norwegian people who received the vaccine.

The new mRNA vaccine was developed in haste and had never been used on a large scale for the prevention of infectious disease, and its safety had not been confirmed for large-scale use in humans, a Chinese immunologist said.

The death incidents in Norway also proved that the mRNA COVID-19 vaccines' efficacy was not as good as expected, experts said.

As of Thursday, Norway has reported 23 deaths in connection with vaccination.


"So far, 13 of these have been assessed. Common side effects may have contributed to a severe course in frail elderly people," the Norwegian Medicines Agency said on its website.

All the deaths have occurred in frail, elderly patients in nursing homes. All are over 80 years old and some of them over 90, Norwegian media NRK reported.



1/ @cdcgov has released its updated batch of reported Covid vaccine side effect data, through Jan. 8, when roughly 6.6 million doses had been administered. And it is... not good.

Reported deaths per dose are now running at 85x per dose of flu vaccine, and ER trips at 35x...





Alex Berenson ❷ @AlexBerenson · 3h Replying to @AlexBerenson

2/ These figures likely are underestimates for several reasons. The number of vaccinations is rising so quickly reports will lag (I use the last-day number of shots given as the denominator). For example, reported deaths rise 5x week over week, while vaccinations rose only 65%...

Q 10

17108

O 429

1



Alex Berenson @ @AlexBerenson · 3h

3/ Unlike other countries, the US has prioritized health care workers, who are younger; the Norwegian data suggests deaths are much, much more likely to follow vaccinations in the elderly...

Q 13

17133

7 480

1



Alex Berenson • @AlexBerenson • 3h

4/ This is nearly all the first dose, and the second dose has side effects at 3-10x the first.

And this is mainly the @Pfizer shot; the @moderna\_tx shot has more side effects.

Q 28

17151

C 465

1

#### The Vaccine Adverse Event Reporting System (VAERS) Report Chart Results About Dataset Documentation Other Data Access Help for Results Printing Tips Help with Exports Quick Options More Options Messages: > VAERS data in CDC WONDER are updated every Friday. Hence, results for the same query can change from week to v These results are for 6,741 total events. **Event Category 4 ⇒** Events Reported 🛊 🤻 Death 55 Life Threatening 96 **Permanent Disability** 24 Congenital Anomaly / Birth Defect \* 3 Hospitalized 224 **Existing Hospitalization Prolonged** 3 Emergency Room / Office Visit \*\* 18 1,385 **Emergency Room \*** Office Visit \* 835 4,446 None of the above

Note: Submitting a report to VAERS does not mean that healthcare personnel or the vaccine caused or contributed to th

\* These values are only available from VAERS 2.0 Report Form, active 06/30/2017 to present.

\*\* These value are only available from VAERS-1 Report Form, active 07/01/1990 to 06/29/2017.

Total

7,089



This is a little random, but has anyone else been freaking FREEZING ever since getting the vaccine. It doesn't matter how many blankets I pile on myself I feel like cold air is being blown on me. No fever. Im



26 Comments





Hi, can i give my testimony? My flatmate took the pfizer vaccine friday morning. She started feeling unwell with fever aftwerwards. Next day it got worse. Coughing, body pain, headaches and vomitting. She tested positive for covid Monday. She has been negative for many months. She is a nurse and tests twice a week. She was admitted tuesday morning dehidrated, couldn't eat or drink for 2 days. She was discharged in the evening with antibiotics. They say there is no link with the vaccine!!! Appaling the lack of accountability. They say she got covid meanwhile. They will gaslight and hide the truth. Many people will be ok (not sure longterm) but others will not and they are selling this idea of "is very safe, trust science". Science is data, research, questionning, transparence, ethics and not a religion you need to trust

My aunt got the CV because it was "mandatory" for work and she experienced flu like symptoms (body aches, headaches, fatigue, etc) right after that her entire household got sick and they all tested positive even her. Ive come across your acct and read that some ladies had unusual menstrual reaction after having the vaccine

My husband had the pfizer shot and in 2 hours his arm where the shot is got really sore, in 24hrs his whole body ache so much that he does not want to be touched. He also had some low grade temp.

But what worried us is that after 36houra he vomited blood

My husband says that he woke up, did his usual routine, he gargle with water and when he spit out, fresh blood came out. It worried him as it was over 1cup

We went to er. They look at his throat and had cxray. But it was neg

They eaid its not related to the vaccine and

They said its not related to the vaccine and he must have scratch his throat

I have not reported it yet as we are waiting for his ct chest to check if he has anything going on there

But I wanted to know of anyoniame reaction after the vacc

Me and my husband are both RN so we got a bit of understanding whats going on and some are downplaying this as not related to the vaccine

Even before and now seeing what happened to my husband Im more determined not to have the shot

And just follow whats is need to protect my family and other people





I'm SO glad you're OK. Since you were presumed to have had Covid, did that factor in at all? What was your reaction like? Man, you have had a year!!

2 wks Like Reply More

h it's more likely related to the fact that I have a severe allergy. For some reason, people with unrelated severe allergies seem to be having more issues. They told me to stay for 30 min instead of 15 since we also tend to have a delayed reaction. I went to my car at 25 min, felt like my tonque was swelling, then my face. Started feeling like it was hard to swallow, took a drink of water & it was tough to get down, feeling dizzy. I had an oral dissolving steriod, so I took it & went back in. Blood pressure was 184/110 when I first walked in and had tachycardia. The oral steriod dealt with the respiratory issues, but by the time they had me in the ER, I had a rash across my chest. An hour later, it started itching and broke out across my stomach, back and shoulders. Then my neck and ears. That was shortly after they gave me three stronger, longer lasting antiallergen drugs. They held me until midnight because I was having a "waves of symptoms" and they wanted to be sure the respiratory issues didn't return. I have to take the meds for 48 hrs, then I'll be good. Worst reaction they've seen at the hospital though only other one took Benadryl and was fine immediately



2 wks Care Reply More

yeah, it was lame. I took my next dose today late & I started having a reaction again - won't make that mistake!



2 wks Care Reply More

Q







#### Help Roxy after covid vaccine reaction

\$1,625 raised of \$2,000 goal



Share



Donate now

As many of you who know her personally have heard, Roxy had an anaphylactic reaction to her covid vaccine. After some life saving measures, a 911 ambulance ride and a billion more tests and labs (many for research to the CDC), she was sent home to bedrest. She's still suffering cardiac side effects from some of the medications and is in constant contact with her Dr. but for now, there's no idea when she'll return to work or what medical bills she'll endure. We also have no idea if she'll be compensated by anyone or if our employer will or can help. When she found out 911 was required, she begged us to drive her the 3 miles because even with decent insurance, ambulance rides are often not covered. I promised her she has nothing to worry about, and this is how I'm helping.

Added fact some of you may not be aware of, Roxy is a new widow. She came back to work at API because it was functional for juggling her childcare with 2 kids as a now sole provider and doesn't have a lot of sick time or pdo yet. If they give her temp disability, it won't kick in any time fast. And, if she gets any compensation, it surely won't happen soon. Meanwhile, there's rent and food and bills and childcare (because she's on bedrest) and who wants to stress over finances after everything else.

## r/breastfeeding



Admirable\_Baseball\_5 - 50m

#### Covid-19 vaccine issue with nursing mom

My baby has blood in his stool this evening and i got the vaccine yesterday. Anyone else have this issue? Should i be concerned?









6 Comments sorted by Best >



Leave a comment



tennker Mod 34m

You should call your pediatricians night help line. It shouldn't be related to the vaccine so you'll want to get their advice on what could be going on.







Admirable Baseball 5 🎤 17m

After i posted, the pediatrician recommended ER



#### **CORONAVIRUS VACCINE**

# Unexpected String of Allergic Reactions Causes Delays at 'Vaccination Super Station' Near

#### **Petco Park**

The "Vaccination Super Station" opened on Jan. 11 with a goal to immunize 5,000 health care workers daily as San Diego County and California work to ramp up coronavirus vaccinations

By NBC 7 Staff and Jackie Crea • Published January 13, 2021 • Updated 4 hours ago

NBC Universal, In

Allergic reactions in some Moderna vaccine recipients caused delays Wednesday at San Diego County's new "Vaccination Super Station" near downtown's Petco Park, County health officials confirmed.

Just after 11 a.m., NBC 7 confirmed that some people waiting for their vaccines at the site at Tailgate Park were experiencing delays. Others said they had been turned away.

I didn't vaccinate my kids until I was forced to in order for them to attend school in the LAUSD school district. I managed to keep them vaccine free until ages 8 and 10 years until then. I am well informed but also have an ex husband who is not in alignment with me. He is very much pro vax and fought with me fir years over it.

I was not planning on getting the Covid shot but I do have a weak immune system as well chronic asthma. My lungs get very sick when I catch a cold.

My parents live in the UK and are elderly. My whole (minus our kids) family including my parent's got the first dose of Moderna last week just so that we can fly to the UK and see each other in person. I didn't want anything else to stop me from going.

My period was light and ended the day before I got the Moderna vaccine last week. The next day I started bleeding again and still am. That was 5 days ago and I'm still bleeding. Where do I report this to? VAERS?

<sup>\*\*</sup>Please black out my name if sharing.



This is what the Pfizer covid19 vaccine has done to my Mom. Everyone please pray for her. She was admitted to the hospital last. And be cautious about taking the vaccine. I'm sure it is good for some people but you need to think about is this vaccine worth taking? It's not for me.

Update: 1-11-21 my mom had a bad night last night but today was a little better for her. They still don't know how to treat this problem. MRI results came back good today

Update#2 1-11-21

I guess we spoke too soon. Mom just had another serious episode and she thinks it's getting worse when the shakes come. I'll try to add the video she just sent me. Sorry for the bad quality iPhone to Android doesn't do well through texts

Update 1-12-21

Mom Is getting even worse today and still don't have any answers from doctors as to how to fix this. Please pray for her I can't stand to see my mom this way it makes me want to cry knowing I can't do anything to help her. Please don't take the covid19 vaccine. I'm adding a 3rd video that she just sent me.



karmakazoo 9d

3

I got it on 12/23 which was the end of my cycle and usually a light flow. I bled through my mattress on that night and have no explanation but i cannot necessarily attribute it to the vaccine. It was unusual but could be a one off situation. I had no other symptoms outside of the norm with exception to that unusual incident.

gondolamustard 8d

2

Congrats on getting vaccinated! If you can, please keep us updated with how you feel after your second dose (I'm assuming Pfizer?):)

karmakazoo 8d

2

Moderna

2020blows4ever 7d

-

I'm so glad you shared this. I am also 44. My period these days usually lasts 3-4 days tops. I started my period 12/29, got the Moderna vaccine 12/30 and have been bleeding ever since. This has literally never happened to me in my life. No cramping but I find it strange about the bleeding. Wondering if it's related to the vaccine or just a "normal" change because of my age and peri menopause.

Dose #1 of Moderna Trial. GI symptoms and light spotting!

79% 8d

CovidVaccinated & self.CovidVaccinated & ElizaHiggins

010

Very healthy 44-year-old female. Injected 12/31/2020. As expected, pain at injection site, worse than TDAP and flu shots, that lasted for 3 days, beginning in evening on day of injection.

Day 1 after injection: stomach upset, abdominal cramping, sharp gas-like pain and constipation.

Day 2 after injection: similar GI but also menstrual-like cramps and very light spotting. I have never had spotting, ever.

Day 3 after injection: similar GI issues, slightly improved

Day 4 after injection (today): still some abdominal cramping, but much less.

#### sharkbones 4d

1

I had my first shot yesterday and have been experiencing dull period-like cramping. My cycle is not due for another 2 weeks so I thought this was odd! Could the stress/immune response be triggering any hormones?

#### ElizaHiggins 5d

1

Healthy 44-year-old with cycles like clockwork—periods last 5 days, cycles are 27-29 days. I have never had spotting or irregular bleeding.

Got Moderna dose #1 on 12/31/20 on day 10 of my cycle. Two days later, on day 12 of my cycle, I had period-like cramps and light spotting. I also had GI issues (gas-like pains, constipation, and a churning feeling in my intestines) that lasted about 3 days. Obviously a sore arm too.

Dose #2 is scheduled for Jan 28, which should be around day 11 of my cycle. I'm curious to know if it happens again. I'm not excited about the likely increase in discomfort.



Illustrations by David Vanadia

# Opinion

# Four Ways to Fix the Vaccine Rollout

The situation is already devolving into chaos. We need new ideas.



#### nytimes.com

Covid-19 Vaccines > Vaccine Questions

Rollout by State

Biden's Plans

# Don't Pressure the Vaccine-Hesitant

By Peter Doshi and Jennifer Block

<u>Dr. Doshi</u>, an associate professor of pharmaceutical health services research at the University of Maryland School of

Pharmacy, leads the Restoring Invisible and Abandoned
Trials Initiative. Ms. Block (@writingblock) is the author of

"Everything Below the Waist: Why Health Care Needs a

Feminist Revolution."

Read More

make sure all of them have easy access to one before attacking those who aren't sure they There's another reason health leaders should resist the hard sell: The vaccines are not risk free. Most side effects appear to be mild and short lived, but not all. For example, with the Moderna vaccine, the frequency of grade 3 adverse events — those severe enough to prevent daily activity, including fatigue and muscle pain — is higher than it is for most vaccines: 17.4 percent, or nearly one in five 18-

to-64-year-olds who received the vaccine in the company's trial. (Grade 3 adverse events appear to occur less frequently with the Pfizer vaccine, but a direct comparison is not possible.) And there have been some serious allergic reactions. It's reasonable for people to weigh all of this in making their decisions.

Covid, the vaccines' risk-benefit analysis is not clear cut. Nor is it obvious for groups that were excluded from the trials, such as pregnant women and immunocompromised individuals. Then there are the millions of people who have

already been infected and acquired immunity.

For those unlikely to become seriously ill with

There is also a legitimate lack of trust between the medical establishment and women and Black and brown communities. This is finally being acknowledged by public health leaders, but the assumption is that once historical trauma is overcome, mass acceptance should follow. This can further alienate marginalized groups by denying their agency in making an informed decision, whichever way it lands.

CovidVaccinated & self.CovidVaccinated & kalexis12

26

I'm a healthcare worker, 23, with mild autoimmune symptoms but have yet to have a doctor give me a straight answer

Thursday 1/7- got my first shot. The needle didn't hurt when inserted but it almost immediately started to get sore (about 30 minutes later) that night my arm was so sore I couldn't sleep on it and woke up multiple times because of the pain.

Friday 1/8- I wake up and don't feel great but things are pretty mild. Small aches, headache, fatigue.

Saturday 1/9- I wake up and feel like I have the beginning symptoms of the flu. Aches, headache, fatigue. Throughout the day I get back pain in my middle/lower back. It got so bad at the end of the day that when I crouch down my back almost gives out on me. I take ibuprofen and lay down to rest as soon as I get off work.

Sunday 1/10 - I wake up feeling better, but throughout the day my symptoms slowly creep back. Starts with slight back pain, aches, headache, and nausea. My back pain becomes so severe again I'm almost brought to tears by the end of my shift. Everything else is mild but I'm still not comfortable.

Monday 1/11 (today/day off)- I wake up feeling flu like symptoms. Little to no back pain. I take ibuprofen and rest. I wake up, and I think I feel fine. So I go about some activities like light shopping. as soon as I start getting active again my body wants me to stop. The back pain that was all but gone is back full force.

Has anyone else experienced back pain in their middle

Currently pregnant and about to get the second dose of moderna. I'm concerned as I've heard side effect are much worse after getting the second dose. My fear is for fevers. Can any pregnant ladies that got their second dose share their experience? I've heard some taking Tylenol as a preventative measure.

williamofhesse 2h

1

I thought it wasn't approved for pregnant woman?

OryxOryx 6h

1

I've been told I can't get it In my country breastfeeding either...Is that true in most countries?

loafyt0ast 51m

1

I'm from the US and the chance of getting the virus here is much higher than most countries therefore posing a huge risk on pregnant women. My OB advised I get it and I agreed. The concern most people have is that the clinical trials for the vaccine didn't have pregnant or breastfeeding women. So a lot of data is unknown. Again, this is a choice I made and have no regrets with my decision.

kontemplador 3m

.

Well, your personal risk might depend a lot on your daily activities, your area and social circle. If you are still working with lots of people, it's something I can agree.

The disease seems to pose a higher risk specially during late term pregnancy, not so much before.

It seems there is still some incomplete data regarding the workings of mRNA technology in cells that are experiencing fast divisions as the case during pregnancy and childhood, which is why it isn't recommended for children yet.

	doderna Dose 1, Day 5 Anyone experiencing nese symptoms?			
CovidVaccinated	% self.CovidVaccinated	∆ elleanais		

#### Received 1/6

Day 1-4 site injection pain, low grade fever, altered taste, muscle spasms.

Today is day 5 and I am nauseous and have spent the morning vomiting accompanied with diarrhea and also have a headache. Anyone experiencing this?

COVID test before and after vax were negative.

### jewlious\_seizure 6h I had muscle spasms for a few days after but they are gone now Adventurous\_Pitch\_11 13h

Congrats on the shot! I got mine Friday (1/8th) at about 3pm and the only side effect that was noticeable was the arm pain. Hopefully you feel better soon!

rolacl 15h

Thanks for sharing and congrats on the shot.

71% 20h

04

9% 1d 25 ut
ut
n able. e ere ded other

30

0

Dfizer 2nd dece/really I'll

I had similar symptoms but it sounds like not as severe as you're having. I'm 3 days out from my second shot and still feeling a bit fatigued but otherwise better.

Same! I felt fine up until 18hrs post vaccine. Woke up in the middle of the night. Generalized weakness bad headache fever. Slept most the day yesterday today I'm starting to feel better. Headache off and now. Still tried

Seaine 20h
You could consider getting a covid test done if you've possibly had exposure to rule that out

suprgirl83 1d
When did your symptoms begin after the 2nd dose?

WSPanic16 17h

83% 8h

CovidVaccinated & self.CovidVaccinated & Vecgtt

Im a young healthcare worker intubating COVID patients in ICUs. I had a febrile URI in February 2020 that was never confirmed COVID, but who knows? I never get febrile with URIs.

First Pfizer shot led to fever of 100.4 about 16 hours after injection. Also had a bad tension headache. I had to medicate with Tylenol 500mg x4 throughout the day. Symptoms subsided about 20 hours after onset.

After second shot I became woozy within 3 hours. Went to bed and slept poorly all night due to fever. Severe migraine in the morning so I medicated with Tylenol. Tried to get out of bed but nausea was bad so I took some zofran. Tylenol treated headache slightly but symptoms would return in 3.5 hours. I ended up dosing Tylenol 500mg 4x q4H and finally took a fioricet in the afternoon. Went to bed around 830pm and woke up around midnight with a pounding migraine and a 100.5 fever. Medicated with ibuprofen 400mg and went back to sleep. Woke up the next morning feeling better.

From my understanding NSAIDs and Tylenol can interfere with the immune response to vaccinations. I know this is especially true if taken prophylactically. My normal headache cocktail is Tylenol+Ibuprofen, but I dropped the nsaids this time because I didn't want the anti-inflammatory effect.

I also wonder if my febrile reaction to the first shot was due to possibly having COVID earlier.

#### AbledAbel 4h\*

1

I had low level flu symptoms after the 2nd shot. In regards to ibuprofen/advil, this shouldn't impact the effectiveness of the vaccine according to the CDC but says you should consult a physician. There's also this source that says it's fine to take ibuprofen after

Constipation after moderna vaccine?	5 83% 17h
CovidVaccinated & self.CovidVaccinated & sluggzskj	04
got vaccinated on Friday and it seems all mand I have had major constipation since. Any experience the same?	
scorpiomoon17 11h	1
My only issue after Moderna was very slight	nausea and

Abdominal pain, and some diarrhea all day today.

Nausea and chills were the most unsettling.

Definitely not a cake walk, but didn't lay me up either.

Yeah, I was fine until 48hrs post Moderna vaccine....then

sluggzskj 12h

Oh no! Did you have constipation within the first 48 hours before the diarrhea kicked in?

surfnyb7 12h

my stomach got wrecked.

Nope. I was completely fine for the first 48hrs. The chills & nausea started first, then my stomach awol. Still not over it yet.

Has anyone else experienced back pain in their middle to lower back? Has anyone else had symptoms for this many days?


I have seen others on this sub mention back pain. I cant point you to specific posts but if you take the time to read thru them I'm sure you'll find them! Hope you feel better soon.

better soon.

Seaine 6h

Hello! I didn't experience back pain but I did have tingling like pins and needles in my back for several days after. I've had my second shot and I'm on day 5 still

with tingling back. I also had a multitude of other symptoms to include severe fatigue, nausea, headache, vertigo, injection site swelling (large area around it, 5inx5in), aches, and low fever. Some of the symptoms did last for at least 5 days from the first shot as well. Most people seem to experience far fewer side effects than us but it seems we're still within the range of normal, just on the more unfortunate side of it...










# COVID Vaccine To Be Required For LAUSD Students Prior To Returning To Campus

By CBSLA Staff
January 11, 2021 at 6:10 pm

Filed Under: COVID-19, Immuniations, LAUSD



Beutner did not suggest campuses remain closed until vaccines are available for students and staff, the Times reported.

During the briefing, Beutner reportedly compared the mandatory immunizations for staff and students as similar to those who "are tested for tuberculosis before they come on campus."

While teachers and other essential workers are slated to receive vaccines as early as next month, student vaccinations are still believed to be months away, according to the report.

Because of a lower risk of complications from COVID-19, children and young adults "are likely to be among the last to be vaccinated", the Times reported. LOS ANGELES (CBSLA) – Students at all Los Angeles Unified campuses will be required to get vaccinated for COVID-19 prior to their return to in-person learning, officials said Monday.

In a pre-recorded briefing cited by the Los Angeles Times, Supt. Austin Beutner said the requirement would be "no different than students who are vaccinated for measles or mumps".

Beutner did not suggest campuses remain closed until vaccines are available for students and staff, the Times reported.

During the briefing, Beutner reportedly compared the mandatory immunizations for staff and students as similar to those who "are tested for tuberculosis before they come on campus."

7h Like Reply

Yes, two weeks ago. Initially had a sore arm that radiated up to shoulder and neck then started with chills and hot flashes, that was day one. Day two swollen lymph nodes in neck and under jaw, lethargy, and headache. Day three lymph nodes going down, still have headache. A few days later in a full blown flare up. I've always been very sensitive to drugs and so I wasn't too surprised. Not looking forward to next one in a week but I'm getting it since I'm a frontline worker.

9h Like Reply





This is probably pure coincidence but I suffer from Rhuematoid Arthritis and am currently on Methotrexate . I'm always aching and in pain and really tired. Especially stiffness in the mornings.

However, I received the Pfizer jab last
Wednesday. No issues.

I woke up on Thursday morning and got out
of bed and it took me a while to twig on that

of bed and it took me a while to twig on that I had no stiffness aches or pained and felt incredibly well. It was as if my immune system was busy elsewhere and leaving my joints etc alone. This is Monday afternoon. I'm feeling better than I have in two years. I understand it won't last but enjoying the feeling of being 'normal'.

What the-

Um... that's incredible. May I share?

I'm not sure if you should . I wouldn't want to give people false hopes. It probably is just coincidence but it's a strange one. I'm not complaining though. If you think it is ok to share then go ahead.

> ldk. I'm sharing all the stories that I can. This is like a 1 in a million reaction. What a blessing!

That's if it isn't coincidence. Wouldn't it be amazing if this was an indication to another way of treating RA because this is a horrible disease ...

> I'm so sorry..... glad it's seemingly working to eliminate. That in your body. Please keep me up to date with your progress.

Yes I will. Thank you. Stay safe /



# Replied to your story



My aunt was in a nursing home and she died within 48 hours of having the first round. She was 97 and needed assistance with living, her mind was severely declining but she took a turn for the worst after the shot. In my gut I know it was the vaccine that sent her body over the edge. This is all so heartbreaking

My good friend is a neonatal nurse and right after she received the vaccine she broke out in hives, joints started to ache, ankles became so swollen she can't wear shoes. She has head-to-toe hives still, 3 weeks later. The palms of her hands have begun to peel so bad, layers of skin are sheeting off.

3:37 PM

Holy cow... for reals?!

Did she post about her experience? Did she report to VAERS?

7:34 PM

She did not post about her experience, but she said she did call public health officials to report her side effects

Friend who is in her 20s. Works in SC in adult icu and cares for covid pts when they are there. She texted me tonight after taking

and very high fever.

her 2nd Pfizer dose Saturday. She said she had not felt this horrible in "years." Sweating



Identical Twins

Are y'all's immune systems the same?

My twin was hospitalized after a vaccine reaction for a whole week and now my Dr says I shouldn't worry because we are different. She had no allergies or anything to think she shouldn't have the vaccine but we are the same DNA.


02

64 Comments









3d . 1

za Like kepiy



Can I ask what her reaction was?

2d Like Reply



Sandra Author Brianna B minutes after her shot she lost consciousness, stopped breathing, they gave epi pens and they didn't work. They started a line of Epinephrine. She woke up two days later and she have a mast cell crisis. Once they lighten up on medications she still goes to anaphylaxis. Today is Friday two weeks later just was released from the hospital

2d Like Reply



Main > All News > Technology & Health > Young man develops 'rare life-

#### Hadassah Hospital:

#### Young man develops 'rare life-threatening syndrome' after Covid-19 vaccine

23 year old sent to Hadassah Hospital found to have developed rare multisystem inflammatory syndrome 24 hours after getting Covid vaccine.



Arutz Sheva Staff, Jan 10, 2021 11:44 AM

24 hours after receiving the Covid-19 vaccine, a 23-yearold man developed a rare multisystem inflammatory syndrome, which causes, among other things, severe damage to heart function.

Prof. Dror Mevorach, director of the coronavirus department at Hadassah, tweeted on the matter, writing, "Rare life-threatening multi-system inflammatory syndrome (MIS) following BNT162b2 mRNA covid-19 vaccination in a 23 y old social worker was identified at our Department of Medicine B at Hadassah Medical Center, Jerusalem, Israel and reported to MOH and WHO."

Mevorach told Channel 12: "We found out that the young man had contracted the coronavirus asymptomatically before he was vaccinated. It may be accidental but I would not underestimate it. Care must be taken in vaccination of people who were sick with coronavirus in the past."



A nursing home in upstate New York is having a massive #Covid outbreak that has killed 24 residents, about 10%, including 11 since Jan. 6.

What's striking: the outbreak coincides with an aggressive vaccination program - 80% of residents were vaccinated beginning Dec. 22.

Coronavirus

Covid-19 outbreak at Auburn nursing home infects 137 residents, kills 24

I nere nad been no nursing nome Covid-19 deaths in Cayuga County until the first three deaths at the Commons were

#### By James T. Mulder | jmulder#syracuse.com

Auburn, N.Y. – A Covid-19 outbreak at a Cayuga County nursing home that began two weeks ago has infected 137 residents. 24 of whom have died.

The outbreak at The Commons on St.

The nursing home began vaccinating residents Dec. 22. So far 193 residents

The nursing home began vaccinating residents Dec. 22. So far 193 residents, or 80%, and 113 employees, or less than half the staff, have been vaccinated. The nursing home plans to do more vaccinations Jan. 12.

#### By James T. Mulder | jmulder@syracuse.com

Auburn, N.Y. – A Covid-19 outbreak at a Cayuga County nursing home that began two weeks ago has infected 137 residents, 24 of whom have died.

The outbreak at The Commons on St. Anthony in Auburn started Dec. 21 as a wave of post-Thanksgiving Covid-19 cases began hitting the county, said Julie Sheedy, an official of Loretto which operates the 300-bed nursing home.

Forty-seven employees have tested positive.

Since the outbreak began, 21 residents have died at The Commons and three in the hospital, Sheedy said. Eleven residents have died since Wednesday, she said.

There had been no nursing home Covid-19 deaths in Cayuga County until the first three deaths at the Commons were reported Dec. 29. The three other nursing homes in Cayuga have not reported any Covid-19 deaths.

"Our team is always deeply affected by any loss of life, and our hearts are with the families of these individuals," Sheedy said.


The total Covid-19 death toll in the county has increased from 13 on Dec. 21 to 44 as of Thursday. The nursing home deaths account for 54% of the county's Covid-19 fatalities.

Coronavirus

#### Covid-19 outbreak at Auburn nursing home infects 137 residents, kills 24

Updated Jan 09 2021: Posted Jan 09 2021





I had the Pfizer vaccine through my trust on 5/1/21 I had an anaphylaxis within 9 minutes and ended up in my own resus department then hospitalised, now been told I cannot have the second vaccine, which I understand, I've never had a reaction to anything before and have my flu vaccine yearly, I'm still suffering the side effects of either the covid jab or the anaphylaxis reaction, very scary at the time






ADE antibody dependent amplification, and pathogenic priming. This is the phenomenon whereby vaccines have left you more susceptible. Could also be an allergic reaction to polyethylene glycol PEG. These are two known risks with the

vaccine. Sorry to hear that you're

suffering &



I had my second vaccine today and about 5 minutes later had a tingling face and mouth and very flushed that progressed to mild difficulty swallowing. I was at work at the hospital and they sent me to the ER where I got 40mg Prednisone and 10mg Pepcid. Here I am on the gurney after meds waiting for discharge Iol. Now I'm just exhausted and want to sleep despite all the steroids. Anyone have a similar reaction?



Second dose of COVID vaccine @ 1000 on January 7, 2021. Woke up at around 0100 on January 8th with severe body aches, fever of 102.1 and generally feeling extremely terrible. It is 0500 on Jan 8th and I'm still fighting these symptoms after max tylonel etc. anyone have any suggestions?



116 Comments








1/2

So Thursday i got the covid vaccine and my left arm has been in pain since then. But today I woke up but couldn't really wake up fully. I kept falling back to sleep. But now that I'm actually up my legs and arms are killing me and I feel so week. I feel nauseous and faint and my body is hurting. Idk what to do? Should I go to the ER?





Ok all, tell me I'm not the only one! Received dose two of my Pfizer shot 36 hours ago, and I feel like death. Started the usual sore arm and slight aches 8 hours post, 12 hours post intense chills, no fever. Then severe body pain, fatigue, headache, one bout of nausea. Hopi g when I wake up in the morning it will be better, but that's only if I can fall asleep-it hurts too bad.



75 Comments







Stephanie

I passed up the first round of vaccines on 12/30 and have to decide if I want to get it on... See More



6 hrs · Facebook for Android · III

Wow they weren't kidding when they said you may feel lousy after the second dose of the vaccine. Got mine at 330pm yesterday and by 3am had body aches at work. Just woke up with terrible body aches, a headache, and a fever of 100.6. Legit feels like the flu

If this is a glimpse at what covid can feel like I'm even more happy that I got vaccinated.

Hoping by tomorrow I'm better Update: slept for almost 12 hours and I'm 90% back to normal. Still just tired and minor headache. Thank you everyone! Next time I will definitely be taking some prophylactic tylenol



60 Comments





Ann
Joni Yes only thing is I had covid i tested positive on the 19th of December then got the vaccine on Jan 7th. And they are saying u aren't supposed to get it until 90 days after ur positive text because it can cause serious health issues. But my

job had me get it anyway and didn't tell me that. They gave it to me at work.

36m Like Reply

Ann on, that's not good! That's right you are supposed to wait!

When you got it did they ask all those questions or did they just give it to you?

19m Like Reply

Ann Yes my job knew I had just had it

1m Like Reply



Hoping for advice if anyone else has been through this: i just tested covid positive yesterday 1/09 I had my first dose of the Pfizer vaccine on 12/23

Unfortunately my SO tested positive on 12/25 for covid. We quarantined immediately. I tested negative on 12/30. And i was cleared to go back to work on 1/06

I thought i was in the clear and was really crossing my fingers that first dose of the vaccine would cover me. Has anyone else in the group gotten covid after the first dose of the vaccine?

I'm set to recieve my second dose on Tuesday but i guess that won't be happening



6 Comments

















# Yes, you can still get infected with Covid-19 after being vaccinated. Here's why

By Eric Levenson

① Updated 2:41 PM ET, Fri January 8, 2021



Nurse Sandra Lindsay received the second dose of a Pfizer vaccine on Monday in New York City. She will not be immediately immune.

No vaccine is 100% effective, and the makers of coronavirus vaccines are still evaluating whether the shots protect against all infections, or just those that cause symptoms.

The CDC estimates that 40% of coronavirus infections don't cause symptoms, and the trials of both the Moderna and Pfizer/BioNTech vaccines looked only at whether the vaccines prevented symptomatic infections.

(CNN) — On December 18, a San Diego emergency room nurse was given a shot of the Covid-19 vaccine. A week later, he tested positive for the virus, CNN affiliate KGTV reported.

Stories like this will become more common as millions of Americans are administered the Pfizer-BioNTech and Moderna vaccines over the coming months. Over time, many who are vaccinated will still get infected with the novel coronavirus.

During trials, the vaccines were shown to be about 95% effective — which means some vaccinated people were still infected.

## Immunity doesn't kick in right away

It takes time for vaccines to build up immunity, and the two authorized coronavirus vaccines both require two doses, given several weeks apart, to train the body's immune system. People can be exposed to coronavirus right before being vaccinated, or right after, and there won't be time for the body to develop its defenses.



The Centers for Disease Control and Prevention says building immunity "typically takes a few weeks."

"That means it's possible a person could be infected with the virus that causes Covid-19 just before or just after vaccination and still get sick," the CDC says.

The 95% efficacy number for the Covid-19 vaccines also assumes some built-in wait time. Moderna measured the efficacy of its vaccine starting 14 days after the second dose, while Pfizer measured it starting seven days after the second dose.

#### Australia/New Zealand covid strategy:

- Make your island a fortress and lock everything down
- Declare victory over covid
- Covid returns
- 4. Lockdown
- Declare victory over covid
- 6. Covid returns
- 7. Lockdown
- Declare victory over covid
- Covid returns
- Lockdown...

#### UK covid strategy:

- 1. Lockdown
- Covid gets worse
- 3. Lockdown again, promising it will work this time
- Covid gets worse
- 5. Lockdown again, promising it will work this time
- 6. Covid gets worse
- 7. Lockdown again, promising it will work this time...



Sweden covid strategy:

- 1. Commit to staying open
- 2. Forget that nursing homes exist
- 3. Massive nursing home outbreak
- 4. Apologize for forgetting about nursing
- homes, but continue to forget
- Media blames nursing home deaths on staying open
- 6. Cave to media and permit lockdowns

10:41 AM · 1/10/21 · Twitter Web App



#### USA covid strategy:

- 1. Lockdown
- 2. Flood nursing homes with covid patients
- 3. Attain highest death rate in the world
- 4. Credit guy who caused nursing home crisis with defeating covid
- Blame states that didn't lockdown enough when nursing home deaths continue
- 6. Lockdown more



\*\*

North Korea covid strategy:

Shoot people who get covid
 Declare as reason as id.

Declare no more covid
 10:54 AM · 1/10/21 · Twitter Web App



Belgium covid strategy:

- 1. Lock everything down
- Covid deaths run wild anyway in world's worst outbreak
- Depend on the media to ignore your death toll because you locked down like you were supposed to & you're the political heart of the EU
- 4. Repeat same steps in the fall

10:49 AM · 1/10/21 · Twitter Web App

My aunt, who took a negative Covid test on the 31st before getting the vaccine the same day, just tested positive yesterday, the 9th.

She has also religiously worn her mask and stayed home.

(Feel free to share, but please block out my name! (3)

Thank you all for the text, calls and messages!!!

6 hours later and my reaction is fading. Ive had IV meds to calm my system.. Ive went Afib, tachycardia, red, on fire, swollen eyes and felt plain miserable!!!

I should have listened to my first thought and passed on the vaccine.. for some its great for some its NOT! Dont let the media... people.. or anything talk you into something you have doubts on.. stick with your gut and go with it.... only you know your body!

As far as the 2nd one.. NOPE! Today has been horrible!









### **Atrial Fibrillation** Irregular heart rhythm detected. Talk to your doctor about this result. Average heart rate 92 tom Therebelled While Hill Howy March Land Land













My family friend is a nurse and recently received the first dose of the covid vaccine. She broke out in a full body rash so intense that her parents had to take her to an ER in Birmingham, AL. They said the doctors there immediately identified it as a vaccine reaction.

After my sister received the first dose, she had trouble swallowing which triggered panic attacks

My mom had extreme heart palpitations three days after vaccine. She said she will no longer be getting the second does. She is an RN working with CV19 patients in nursing homes.



Yesterday at 6:32 AM · 🖪

I had a serious allergic reaction to the Moderna vaccine. Unfortunately, it's been recommended that I don't take the second dose.

Medical history includes allergies to cat, some dogs, environmental, Codeine, and a bad reaction to Ace Inhibitors(gained 8 pounds in 8 days).

I'm in good physical condition meaning that I can run 2 miles in a decent time but need to take a diuretic if I cease exercising to maintain blood pressure in the 120/80 range. I also have the genetic trait for Thalassemia. Meds include Triamteren-E-HCTZ 37.5-25 MG Any ideas why?







Nurse catches Covid three weeks after getting Pfizer vaccine



#### 'But it gives a false sense of security,' she told the BBC.

The nurse said she was told it would take 10 days for the vaccine to offer some protection and reduce the risk of transmission, but three weeks later she began to feel unwell.

She had 'quite severe symptoms' of a bad cough, high temperature and breathlessness and was 'shocked' when she tested positive.

Deputy Chief Executive of Hywel Dda health board, Dr Philip Kloer, said that while a Covid vaccine 'reduces your chance of suffering' from the virus, no vaccine is ever 100% effective.

Extending vaccine gap could help 'escaped mutant' of virus emerge





A nurse in Wales caught Covid three weeks after getting the vaccine, prompting warnings from experts that it takes time for immunity to build up.

The nurse, who has been working for the Hywel Dda University Health Board area, said that she contracted the virus while waiting for the second dose of the Pfizer-BioNtech jab.

The woman, who did not wish to be identified, said she was 'angry and heartbroken' to have caught Covid at this stage.

She said she was 'initially relieved' to have been offered an appointment and wanted to do the right thing for her family.

## CCV:D 19

# Vaccine Protocols Reveal That Trials Are Designed To Succeed

BY WILLIAM HASELTINE

https://www.forbes.com/sites/williamhaseltine/2020/09/23/covid-19-vaccine-protocols-reveal-that-trials-are-designed-to-succeed/?sh=4a2035852479

@ FREEDOMKEEPERSUNITED

#### Published Vaccine Protocols

MODERNA

https://tinyurl.com/modernatrial

DEIZED

https://tinyurl.com/pfizertrial

ASTRAZENECA

https://tinyurl.com/astrazenecatrial

JOHNSON + JOHNSON https://tinyurl.com/jandjtrial

It appears that all the pharmaceutical companies assume that the vaccine will never prevent infection. Their criteria for approval is the difference in symptoms between an infected control group and an infected vaccine group. They do not measure the difference between infection and noninfection as a primary motivation.

BY WILLIAM HASELTINE

https://www.forbes.com/sites/williamhaseltine/2020/09/23/covid-19-vaccineprotocols-reveal-that-trials-are-designed-to-succeed/?sh=4a2035852479

Prevention of infection is not a criterion for success for any of these vaccines. In fact, their endpoints all require confirmed infections and all those they will include in the analysis for success, the only difference being the severity of symptoms between the vaccinated and unvaccinated.

#### BY WILLIAM HASELTINE

https://www.forbes.com/sites/williamhaseltine/2020/09/23/covid-19-vaccineprotocols-reveal-that-trials-are-designed-to-succeed/?sh=4a2035852479

These protocols do not emphasize the most important ramifications of Covid-19 that people are most interested in preventing: overall infection, hospitalization, and death. It boggles the mind and defies common sense that the National Institute of Health, the Center for Disease Control, the National Institute of Allergy and Infectious Disease, and the rest would consider the approval of a vaccine that would be distributed to hundreds of millions on such slender threads of success.

BY WILLIAM HASELTINE

https://www.forbes.com/sites/williamhaseltine/2020/09/23/covid-19-vaccineprotocols-reveal-that-trials-are-designed-to-succeed/?sh=4a2035852479

The second surprise from these protocols is how mild the requirements for contracted Covid-19 symptoms are. A careful reading reveals that the minimum qualification for a case of Covid-19 is a positive PCR test and one or two mild symptoms. These include headache, fever, cough, or mild nausea. This is far from adequate. These vaccine trials are testing to prevent common cold symptoms.

BY WILLIAM HASELTINE

https://www.forbes.com/sites/williamhaseltine/2020/09/23/covid-19-vaccineprotocols-reveal-that-trials-are-designed-to-succeed/?sh=4a2035852479

"Vaccine efficacy is typically proved by large clinical trials over several years."

"The first surprise found upon a closer reading of the protocols reveals that each study intends to complete interim and primary analyses that at most include 164 participants."

BY WILLIAM HASELTINE

https://www.forbes.com/sites/williamhaseltine/2020/09/23/covid-19-vaccineprotocols-reveal-that-trials-are-designed-to-succeed/?sh=4a2035852479

We all expect an effective vaccine to prevent serious illness if infected. Three of the vaccine protocols—Moderna, Pfizer, and AstraZeneca—do not require that their vaccine prevent serious disease only that they prevent moderate symptoms which may be as mild as cough, or headache.

BY WILLIAM HASELTINE

https://www.forbes.com/sites/williamhaseltine/2020/09/23/covid-19-vaccineprotocols-reveal-that-trials-are-designed-to-succeed/?sh=4a2035852479



it?

41 comments

Like

Comment Comment

### Sharilyn 22 December at 14:41 · 🖃

Has anyone gotten the vaccine then found out they were positive? I got the vaccine on Friday. I felt fine except for a slight headache until Sunday afternoon. All of a sudden I felt

so tired and just needed a nap. I passed out for 2 hours. When I woke up I felt like I had some cold type symptoms. Feverish, but never a fever, stuffy/running nose, sinus pressure/headache, some body aches and a cough. Pretty much chalked it up to vaccine side effects except for the cough. I'm a former smoker so I do cough sometimes but this felt different. I talked to my Nurse Manager about it 872

cough. I'm a former smoker so I do cough sometimes but this felt different. I talked to my Nurse Manager about it when I got to work yesterday so she did a rapid test on me...low and behold, it came back positive. We were both shocked...but yet I kind of wasn't too.

I don't really think it's a false positive and everything I've found indicates that you won't get a positive result after the vaccine. I even wondered if they would rapid test us before we were vaccinated for this very reason, but they didn't.

I'm praying it's a mild case. So far my symptoms are all still the same. I didn't sleep well and kind of feel like I got smacked around a little but really no different than a cold at this point.

Also, what are your thoughts of getting the 2nd shot in 3 weeks? I'm thinking I should still get it as a booster!



. .

373



#### Vaccination Feedback

29m · 1

Day 9 after my vaccine I felt pons and needles in my finger. That was followed by the sensation of a tourniquet around the base of my finger. It swelled. It turned red. Then purple. Stayed purple the next day. Today I woke with some sensations in the finger—it had improved greatly. I think I threw a clot





I went to work today and ended up in the ER. Thank god I work at a hospital. I'm positive this episode is from the Covid19 vaccine. I had tachycardia. My heart beat was 239. I haven't felt right since I got the injection on Tuesday. I have had a headache ever since. I will not be getting the 2nd shot. This was my experience with the vaccine I felt I should share it.



Janine shared her first post.

\*\*New member · Yesterday at 22:44 · E

Thanks for adding me. I had the shot on December 17th. I started noticing

on December 17th. I started noticing swelling in my left arm and hand 4 days after I got shot I had stomach issues shortly after that. I had increased heart rate for several days now under control. I had chills. I was suppose to get the second injection 1/7/21. I did not get it. I had blood work done it shows that I have sars-covid Antibody IgG. Did anyone else have these symptoms?





## How are you all feeling after the second dose of the COVID vaccine?

Started feeling myalgias and a 99.8F temp about 20 hours after the shot. I'm in my 30's, First time in my life I'm glad I have a fever because it probably means my body is producing antibodies. How are all of you feeling?



Use App

yooperdoc MD 1h

I developed the same symptoms 12 hours after the second Pfizer dose. I did fine with the first one but I am flat on my back 36 hours later with the second one.

Temperature of 101 to 102, severe body aches and a horrible headache. Also nausea and severe axillary and supraclavicular pain on the side of the injection. This being said I'm so happy to have been able to receive the vaccine because if this is what covid-19 is like but for longer I have no interest in going there!

**公**8 ♥ □ Reply


🥙 Re

Retalihaitian Public Health Nurse 2h

2h \*\*

I'm getting my second dose today and I'm slightly worried this'll happen to me. First dose my arm wasn't even sore- I was a little dizzier than normal and my fingers were a tad tingly (which honestly happens sometimes). So I guess I'll just brace myself. Totally worth it, whatever happens.

公3 ♥ □ Reply



...



#### viveron 11h

I had a pretty annoying headache about 10 hours after and then 24 hours later felt just awful - headache, myalgias, chills, nausea. Most of my symptoms went away after 48 hours except for maybe a dull lingering headache.



I'm in the same boat now. I've got myalgias and a nasty headache. Also some funky tender lymphadenopathy

100 € □ Reply

### KindofCrunchy 10h

I had the lymphadenopathy with my first dose. Showed up 4 days after I received it and was very tender for three days.

介 52 ♥ □ Reply



I got some lymphadenopathy too after my first dose





#### DOdock05 10h

Pfizer, 1st vaccine literally nothing. 2nd one has wrecked me. Was feeling great until ~12 hours and woke up with fever, myalgias, sweating through sheets, and headache. Tonight ~36 hours still feel "flu-like" but much milder with some myalgias and stubborn headache. I'm glad I had two days off after vaccine.


I'm EM so glad I was able to get it and would sign up again.





I just got the second pfizer dose 7 hours ago. First dose I barely felt when they gave it to me and I had no lingering arm soreness. Second dose hurt quite a bit and my whole arm is still very sore.

Sorry you had a rough time, crossing my fingers I don't wake up feeling rotten.







#### **HEALTHCARE & PHARMACEUTICALS**

JANUARY 4, 2021 / 12:21 PM / UPDATED 3 DAYS AGO

# Most U.S. COVID-19 vaccines go idle as New York, Florida move to penalize hospitals

By Carl O'Donnell, Jonathan Allen



NEW YORK (Reuters) -More than two-thirds of the 15 million coronavirus vaccines shipped within the

In New York, hospitals must administer vaccines within a week of receiving them or face a fine and a reduction in future supplies, Governor Andrew Cuomo said, hours before announcing the state's first known case of a new, more infectious coronavirus variant originally detected in Britain.

"I don't want the vaccine in a fridge or a freezer, I want it in somebody's arm," the governor said. "If you're not performing this function, it does raise questions about the operating efficiency of the hospital."

New York hospitals on the whole have dispensed

New York hospitals on the whole have dispensed fewer than half of their allocated doses to date, but performance varied from one group of hospitals to another, Cuomo said. The NYC Health + Hospitals system, the city's main public hospital network, has only administered 31% of its allotment, compared with 99% for a few private hospitals in the state.

The U.S. Centers for Disease Control and Prevention (CDC) reported an even lower vaccine uptake for New York overall, saying fewer than one in five of the 896,000 doses shipped to the state since mid-December have been given.

In Florida, where officials have put senior citizens

# Most U.S. COVID-19 vaccines go idle as New York, Florida move to penalize hospitals

By Carl O'Donnell, Jonathan Allen

NEW YORK (Reuters) -More than two-thirds of the 15 million coronavirus vaccines shipped within the United States have gone unused, U.S. health officials said on Monday, as the governors of New York and Florida vowed to penalize hospitals that fail to dispense shots quickly.

First shot I just had a sore arm the next day.

2nd shot put me on my ass...low grade fever overnight, knot in my throat and body aches all day following it...had to take the day off. After that I felt fine though. I would liken the symptoms to a decent cold or very mild flu but only for 24 hours.



madeyoulookatmynuts 9h So anecdotally, I work in a hospital and we've had enough people get an anaphylactic reaction from the first shot that there are growing numbers of people who may opt out of the second dose. I think the anaphylactic piece is not really being talked about, but I suspect we're going to hear more about it. I myself felt dizzy and my blood pressure did drop after my first shot, didn't need the epinephrine since it was able to resolve on its own in a few minutes, but I'm incredibly frightened to get the second shot. I don't have any history of allergies outside of some sneezing in the spring and no cardiac issues at all.





**FOOTBALL** 



Have your newspaper delivered straight to your door and save 40% from the price

NEWS IN YOUR AREA WHAT'S ON RUGBY

Matt Hancock says people may need to have a Covid vaccine every six months

But Mr Hancock believes the national lockdowns will be the last

By Daniel Smith

16:21, 7 JAN 2021 UPDATED 16:24, 7 JAN 2021

1 2 4

On vaccines, Mr Hancock said: "I anticipate we will probably need to revaccinate because we don't know the longevity of the protection from these vaccines.

"We don't know how frequently it will be, but it might need to be every six months, it might need to be every year."



#### JADS

England Health Secretary Matt Hancock has told MPs that people may need to have a coronavirus vaccine every six months.

But he said he believed this would be the last lockdown that was required, because of the vaccines.

"There is absolutely no doubt that vaccines and testing will still be a feature next year," he told the Health and Social Care Committee.

"We will need both the surveillance testing to be able to understand where the virus is and we will need testing for people who have symptoms, in the same way that you get tested for all sorts of other things."





#### CORRESPONDENCE

## Open Schools, Covid-19, and Child and Teacher Morbidity in Sweden

January 6, 2021

DOI: 10.1056/NEJMc2026670

Metrics

#### TO THE EDITOR:

In mid-March 2020, many countries decided to close


DOI: 10.1056/NEJMc2026670

#### TO THE EDITOR:

Metrics

In mid-March 2020, many countries decided to close schools in an attempt to limit the spread of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2), the virus causing coronavirus disease 2019 (Covid-19).1,2 Sweden was one of the few countries that decided to keep preschools (generally caring for children 1 to 6 years of age) and schools (with children 7 to 16 years of age) open. Here, we present data from Sweden on Covid-19 among children 1 to 16 years of age and their teachers. In Sweden, Covid-19 was prevalent in the community during the spring of 2020.3 Social distancing was encouraged in Sweden, but wearing face masks was nou.3


The number of deaths from any cause among the 1,951,905 children in Sweden (as of December 31, 2019) who were 1 to 16 years of age was 65 during the pre-Covid-19 period of November 2019 through February 2020 and 69 during 4 months of exposure to Covid-19 (March through June 2020) (see the Supplementary Appendix). From March through June 2020, a total of 15 children with Covid-19 (including those with MIS-C) were admitted to an ICU (0.77 per 100,000 children in this age group) (Table 1), 4 of whom were 1 to 6 years of age (0.54 per 100,000) and 11 of whom were 7 to 16 years of age (0.90 per 100,000). Four of the children had an underlying chronic coexisting condition (cancer in 2, chronic kidney disease in 1, and hematologic disease in 1). No child with Covid-19 died.



Относно ваксината Ковид-19 искам да споделя какво в момента се случва с ваксинираните от миналата седмица- от вчера всички ваксинирани мои колежки, както и пациентите, са с положителни тестове и симптоми. Изводът е, че ваксината ги разболя. Ще следя ситуацията и пак ще се включа с информация. Потресена съм.

Regarding the Covid-19 vaccine, I want to share what is currently happening to those vaccinated from last week - since yesterday, all vaccinated colleagues of mine, as well as patients, have tested positive and symptoms. The conclusion is that the vaccine made them sick. I will monitor the situation and will still be involved with information. I'm shocked.

Translated from Bulgarian



healthy' Miami doctor, 56, who died of a blood disorder 16 days after getting Pfizer Covid-19 vaccine is certain it was triggered by the jab, as drug giant investigates first death with a suspected link to shot

By Ben Ashford For Dailymail.com 23:54 06 Jan 2021, updated 00:29 07 Jan 2021 afterwards, even cancer, and there was absolutely nothing else wrong with him.'

Pfizer told DailyMail.com Wednesday that it was aware of Dr. Michael's 'highly unusual' death and was investigating further.

However a spokesman cautioned: 'We don't believe at this time that there is any direct connection to the vaccine.'



AA





The love of my life, my husband Gregory Mi...



### Heidi Neckelmann

14 hrs - 🚱



The love of my life, my husband Gregory Michael MD an Obstetrician that had his office in Mount Sinai Medical Center in Miami Beach Died the day before yesterday due to a strong reaction to the COVID vaccine.

He was a very healthy 56 year old, loved by everyone in the community delivered hundreds of healthy babies and worked tireless through the pandemic.

He was vaccinated with the Pfizer vaccine at MSMC on December 18, 3 days later he saw a strong set of petechiae on his feet and hands which made him seek attention at the emergency room at MSMC. The CBC that was done at his arrival showed his platelet count to be 0 (A normal platelet count ranges from 150,000 to 450,000 platelets per microliter of blood.) he was admitted in the ICU with a diagnosis of acute ITP caused by a reaction to the COVID vaccine. A team of



The love of my life, my husband Gregory Michael MD an Obstetrician that had his office in Mount Sinai Medical Center in Miami Beach Died the day before yesterday due to a strong reaction to the COVID vaccine.... More




emergency room at MSMC. The CBC that was done at his arrival showed his platelet count to be 0 (A normal platelet count ranges from 150,000 to 450,000 platelets per microliter of blood.) he was admitted in the ICU with a diagnosis of acute ITP caused by a reaction to the COVID vaccine. A team of expert doctors tried for 2 weeks to raise his platelet count to no avail. Experts from all over the country were involved in his care. No matter what they did, the platelets count refused to go up. He was conscious and energetic through the whole process but 2 days before a last resort surgery, he got a hemorrhagic stroke caused by the lack of platelets that took his life in a matter of minutes.

He was a pro vaccine advocate that is why he got it himself.

I believe that people should be aware that side effects can happened, that it is not good for everyone and in this case destroyed a beautiful life, a perfect family, and has affected so many people in the community

Do not let his death be in vain please save more lives by making this information news.





#### Heidi Neckelmann



## Heidi Neckelmann





# 



Hi there,

My name is Paty Fernandez and I'm a digital relational organizer with Main Street One. I'm reaching out to share a paid partnership opportunity to share your voice about what the COVID vaccine means to you!

We're looking for Maine-based social media users to voice their support for a vaccination against COVID. We would have you respond to the following questions in the form of a social media post (Instagram, Facebook, TikTok, etc):

- Can you use a personal story to explain why you're blocking out misinformation around the COVID vaccine and prioritizing the health of your community? Why are you confident that vaccines are both safe AND effective?

-Why is vaccination an individual responsibility that we all share; one necessary to eliminate this virus? What happens if we fail to do our part?

-What does a post-COVID world look like to you? Why is vaccination our best shot at a return to normal?















# Primary







Hi Alex,

First of all, I wanted to express my sincere gratitude and personally thank you for all the work you've done reporting data-driven facts, logic and reason throughout this virus. You've been the voice of reason providing sanity amongst the panic purveyors this past year, and I can't thank you enough for that. Especially enjoyed your Rogan appearance - job well done.

Friend of mine is an "influencer" on Instagram (10k+ followers) and is Also very skeptical of the covid response and rush to vaccine distribution. She received the attached email gauging interest in a partnership - common for someone with a following over 5-6k. This inquiry, however, was looking specifically to engage in a paid partnership with influencers to share support of and positive experiences with the COVID vaccine. Paying someone to speak positively about the vaccine seems extremely sketchy if not unethical, and speaks to the greater issue of public doubt in the safety of














# **Main Street One**


@MainStreet\_One

Main Street One repairs harmful narratives and advances positive ones on behalf of causes, campaigns, and companies.

New York, NY & mainstreet.one Joined April 2018



AA







## HOUSTON\*CHRONICLE

Subscribe | Sign In

#### **LOCAL // HOUSTON & TEXAS**

Houston Methodist announces \$500 bonuses for healthcare workers who get COVID vaccine



Julian Gill Jan. 5, 2021 Updated: Jan. 5, 2021 4:42 p.m.



Dr. Faisal Masud, director of critical care at Houston Methodist Hospital, left, Dr. Steven Hsu, center and Dr. Dharamvir Jain, pose for a photo after receiving a COVID-19 vaccination... more

Houston Methodist is offering \$500 bonuses in March for healthcare workers who get vaccinated for COVID-19, according to a letter from President and CEO Dr. Marc Boom.

Boom noted that the country is in the midst of another surge of infections and will likely face one more before vaccinations begin to suppress the virus. The next wave "will likely be even more taxing for our organization as we have sustained this stress and this high level of focus for many, many months," he said.

The bonuses, he said, are intended to give workers something to look forward to over the next couple of months. Eligibility will require workers to get a COVID vaccination, which Boom said fulfills "our obligation as healthcare workers to lead the community."

Vaccination is not mandatory for employees but will be in the future, he said. He said Houston Methodist recognizes "the vital importance of all of us getting vaccinated to protect our patients, our community, ourselves and our family and friends."

He said further discussion is ongoing about a small number of employee who cannot safely get the vaccine.





CORONAVIRUS CALIFORNIA

# 1 dead, 60 infected in COVID-19 outbreak at San Jose Kaiser hospital



Tuesday, January 5, 2021 4:42PM



SHARE



TWEET



EMAIL





SAN JOSE, Calif. (KGO) -- Kaiser Permanente is investigating a COVID-19 outbreak that has killed one and infected dozens of employees at a San Jose hospital after Christmas.

The hospital told ABC7 News that the spread "may" have been connected to an employee who appeared briefly in the emergency department wearing an "air-powered costume" on Christmas Day.

Fifty-one staff members at Kaiser Permanente San Jose Medical Center's emergency department tested positive for COVID-19 between Dec. 27 and Jan. 5, according to a statement released Tuesday by the Public Health Department.



We asked UCSF infectious disease expert Dr. Peter Chin-Hong about how an inflatable costume could contribute to the spread of the virus.

"These random air currents from the leak, in concert with the random movements creates an unpredictable flow," said Chin-Hong. "Airflow on droplets can give these droplets super powers, make them smaller and lighter, and keep them suspended in the air and potentially blow them around. That's what we call aerosol generation."

Erika
So I got my vaccine the 18th and tested

positive on the 25th. My employer said to go ahead and take the second vaccine.

01

27m Like Reply

Rosetty

Damn...idk about this one...

25m Like Reply

Summer Liberation

I have the exact same question. My situation almost exactly.

19m Like Reply

Ask your doctor.

15m Like Reply

Melissa America

This is scary. I got the 1st dose of the vaccine on the 29th and tested positive on the 5th.



Got my moderna vaccine today. Had a very weird reaction about 15 minutes afterwards. I started getting a very bizarre tingling feeling in my toes that quickly climb to the top of my head. I had trouble speaking. My blood pressure went sky-high up to 210 / 106. They say my face turned bright red and my nose and cheeks started to get swollen. They started an IV gave me some Pepcid and Benadryl and about 30 minutes later my blood pressure came down and the tingling started to go away. Very strange. Not sure if they're going to let me get the second dose or not



47 Comments



Two people die in Norway

Home > World

after being vaccinated with Pfizer

by Bhavi Mandalia — January 5, 2021



Earlier it was reported that in Portugal, two days after vaccination against COVID-19 with Pfizer, a 41-year-old health worker died. At the Portuguese Institute of Oncology in Porto, where the woman worked, they said that she did not complain about her health after the vaccination.

Meanwhile, the Deputy Minister of Health of the Russian Federation Viktor Fisenko said today that the Sputnik V coronavirus vaccine demonstrates effectiveness and safety during clinical trials and the vaccination that has begun.

...

Tags: Coronavirus Vaccine Norway Pfizer

In Norway, two people have died after being vaccinated against coronavirus using a drug made by the American company Pfizer and its German partner BioNTech.

Two residents of a nursing home in Oslo were vaccinated a few days before they died. Local authorities have already begun investigating the incident to determine if the death of the elderly is related to a previously received drug.

Note that vaccination using the drug from Pfizer /
BioNTech began in Norway on December 27 last year.
Residents of a nursing home in Oslo were the first to be vaccinated in the country.

I had the Moderna Vaccine last Wednesday and have been having numbness and weakness in my legs for 5 days, I contacted my PCP and she has another patient with the same symptoms and will see me Monday if it doesn't get worse before. Anyone else have this symptom? I have fibromyalgia and autoimmune thyroid issues. I got a fibromyalgia flare and weird heart rate issues the first few days. That went away and now the numbness scares me.





79 Comments



I know 10 people personally that have gotten their first vaccine and have now gotten COVID19. (I am not saving the vaccine gave them COVID19) I'm just surprised. Is it possible susceptible





support. We appreciate you.

On December 26th my husband received the Moderna Covid Vaccine. Shortly after, he developed a slight fever and general exhaustion. The following day came with incredible challenges that resulted in my husband being bed ridden. Whole body exhaustion, incredibly high fevers, chills, headaches, nausea. He could barley pick his arm up...

Enter Monday, 12/28. On 1,000mg of Tylenol and 800mg of Motrin (ibuprofen) he was throwing temperatures higher than 104. I brought him to a local emergency room where he was told to treat his symptoms like Covid until proven otherwise... they gave him IV fluids and sent him on his way...

While waiting for his ultimately negative results (he does not have Covid) I called numerous urgent care centers who refused to see him, on-call doctors for ECHN who refused to provide medical advice over the phone to an

and then hung up. There was no guidance for treatment, no recommendations for who to seek help from... nothing more than "I hope you feel better". Fast forward a bit. Symptoms continued to worsen and I

said to report symptoms online for tracking purposes

ultimately brought him to a privately held highly regarded emergency room in Hartford CT for further care. Without sharing specifics, I'll share that my husband was and continues to be so incredibly ill, the hospital has been testing every potential cause for his symptoms which has included 20+ tests and counting: - Countless X-rays,

- Spinal taps for meningitis, and

Multiple Ultrasounds,

- Regular ongoing blood work for blood bacteria, to name a few.

Doctors and nurses from Infectious Disease have been consulting with each other to try and best identify potential trial treatments to see what works and what

refused to provide medical advice over the phone to an ECHN patient (isn't that their job?! Said doctor also informed me 104 fevers were not dangerous and the ice packs and cold cloths we were placing on his body were "only going to make me feel better and won't do anything for him".) We were left alone with minimal guidance from professionals in the field my husband has been working in for over a decade...

who refused to see him, on-call doctors for ECHN who

and then hung up. There was no guidance for treatment, no recommendations for who to seek help from... nothing more than "I hope you feel better".

Fast forward a bit. Symptoms continued to worsen and I ultimately brought him to a privately held highly

regarded emergency room in Hartford CT for further care. Without sharing specifics, I'll share that my

You may be thinking, why didn't you call the vaccine hotline? We did. It was our first call. They picked up and said to report symptoms online for tracking purposes

little interest in sharing the details of our lives publicly but through our experience is has become clear that information to help those suffering from the Covid Vaccine is minimal. Public groups to share experiences with the vaccine have been actively deleting posts describing my husbands experience as it doesn't follow

Before jumping in, I'd like clarify that my husband is a frontline worker in healthcare and has been serving his community in various ways for 10+ years. I'd also like to say thank you to every single individual who has reached out to my husband and I to offer comfort and support. We appreciate you.

the message they want you to hear.

On December 26th my husband received the Moderna Covid Vaccine. Shortly after, he developed a slight fever and general exhaustion. The following day came with incredible challenges that resulted in my husband being bed ridden. Whole body exhaustion, incredibly high

Two days ago I saw a big push to get the vaccine on the news with a tempting promise of a "normal fall" if we all get vaccinated... please take our experiences into consideration as you decide what is best for you and your family.

And if you've taken some time out of your day to read through this, please SHARE. There is little information available for those suffering. And if for any reason you become increasingly ill, please seek help from the best hospital you can as soon as you can.

If you have any questions regarding my husband, his experience or mine, please reach out. I want you to be armed with information about ALL side effects from the vaccine so you can make the best decisions for you and your families.

With every wish that you and yours stay safe and well,

my nuspand after four days still remains in the hands of caring, interested and well researched professionals who are the ONLY professionals who have taken a general interest in helping, researching and trying.

At the end of the day, I am beyond thankful for this privately held highly regarded Hartford based hospital but am very concerned about how little is being shared in regards to Covid vaccine symptoms and their severity. Two days ago I saw a big push to get the vaccine on the news with a tempting promise of a "normal fall" if we all get vaccinated... please take our experiences into consideration as you decide what is best for you and your family.

And if you've taken some time out of your day to read through this, please SHARE. There is little information available for those suffering. And if for any reason you become increasingly ill, please seek help from the best hospital you can as soon as you can.



My grandmother was given Covid vaccine Monday December 28th. She died January 1st. My mom found

out from her roommate that she took the shot. Nobody comes forward and tells you these things and my mon did ask and they said yes. Her roommate told my mom that she was doing just fine and was herself before the vaccine. Just wanted to get it out there that this is real and also wanted to let everyone know that I believe it gave her Bell's palsy. Her face was to the side and she had no control over her facial movements or limbs!







Preprints are preliminary reports that have not undergone peer review. They should not be considered conclusive, used to inform clinical practice, or referenced by the media as validated information.

# Corona children studies "Co-Ki": First results of a Germany-wide registry on mouth and nose covering (mask) in children

#### Silke Schwarz

University of Witten/Herdecke

#### **Ekkehart Jenetzky**

University of Witten/Herdecke

#### Hanno Krafft

University of Witten/Herdecke https://orcid.org/0000-0002-8199-8874

#### **Tobias Maurer**

University of Witten/Herdecke

#### David Martin ( David.Martin@uni-wh.de )

University of Witten/Herdecke

#### Research Article

Keywords: Mouth and nose protection, community masks, mask obligation, pediatrics, COVID-19

DOI: https://doi.org/10.21203/rs.3.rs-124394/v1

License: 6 1 This work is licensed under a Creative Commons Attribution 4.0 International License.

Read Full License

## Abstract

**Background:** Narratives about complaints in children and adolescents caused by wearing a mask are accumulating. There is, to date, no registry for side effects of masks.

**Methods:** At the University of Witten/Herdecke an online registry has been set up where parents, doctors, pedagogues and others can enter their observations. On 20.10.2020, 363 doctors were asked to make entries and to make parents and teachers aware of the registry.

Results: By 26.10.2020 the registry had been used by 20,353 people. In this publication we report the results from the parents, who entered data on a total of 25,930 children. The average wearing time of the mask was 270 minutes per day. Impairments caused by wearing the mask were reported by 68% of the parents. These included irritability (60%), headache (53%), difficulty concentrating (50%), less happiness (49%), reluctance to go to school/kindergarten (44%), malaise (42%) impaired learning (38%) and drowsiness or fatigue (37%).

**Discussion:** This world's first registry for recording the effects of wearing masks in children is dedicated to a new research question. The frequency of the registry's use and the spectrum of symptoms registryed indicate the importance of the topic and call for representative surveys, randomized controlled trials with various masks and a renewed risk-benefit assessment for the vulnerable group of children: adults need to collecticely reflect the circumstances under which they would be willing to take a residual risk upon themselves in favor of enabling children to have a higher quality of life without having to wear a mask.

# **Background And Questions**

The question of a certificate of exemption from the obligation to wear a mouth and nose cover (hereinafter referred to as "mask") is a new phenomenon in pediatric practice. Parents, educators and doctors are increasingly reporting problems and health complaints in children in connection with wearing a mask. There are no manufacturer-independent studies on the use of masks for children and adolescents that are certified as medical products for occupational safety in professional applications. In addition, due to the unknown materials used, there are no findings on the potential protective effects or side effects of the often home-made "everyday masks" worn by the majority of children. In view of the ongoing measures to contain the COVID-19 pandemic, and in particular the varying obligations for children and adolescents to wear masks in school over a longer period of time, there is an urgent need for research.





#### HEALTHCARE & PHARMA

JANUARY 2, 2021 / 8:12 AM / UPDATED 10 HOURS AGO

# Mexican doctor hospitalized after receiving COVID-19 vaccine

By Noe Torres





skin rash.

"The initial diagnosis is encephalomyelitis," the Health Ministry said in a statement released on Friday night. Encephalomyelitis is an inflammation of the brain and spinal cord.

The ministry added that the doctor has a history of allergic reactions and said that there is no evidence from clinical trials that anyone has developed an inflammation of the brain after the vaccine's application.

Pfizer and BioNTech could not immediately be reached for comment.

MEXICO CITY (Reuters) - Mexican authorities said they are studying the case of a 32-year-old female doctor who was hospitalized after receiving the Pfizer-BioNTech COVID-19 vaccine.

The doctor, whose name has not been released, was admitted to the intensive care unit of a public hospital in the northern state of Nuevo Leon after she experienced seizures, difficulty breathing and a skin rash.

"The initial diagnosis is encephalomyelitis," the
Health Ministry said in a statement released on
Friday night. Encephalomyelitis is an inflammation
of the brain and spinal cord.

I received my 1st Moderna vaccination on 12/23/2020.

On 01/01/2021, I received a positive Covid test result. As we can infer, I was most likely asymptomatic and had already been exposed to Covid at the time I received my first vaccination.

I'm scheduled to receive my 2nd Moderna vaccination on 01/20/2021. What is the recommendation with me testing positive? Do I get the second vaccination?

Any advice is greatly appreciated. Thank you.

Weird question, have always been healthy, take no medications, I was sitting in the sun with Pants on for about 15 minutes (which I love my sun) and went to the bathroom and noticed this on my legs. No itchy, not raised, no other issues but now my PCP wants to run an ANA blood test on Monday, only thing I did different was the Pfizer COVID vaccine 12/21. Any one seen this rash after vaccine? Never been dx positive with Covid. Feel fine.







So in Israel, where vaccinations are furthest along, four people have died shortly after being vaccinated (out of 650,000, but this is VERY shortly afterwards). Three quickly deemed unrelated, including this case - judge for yourself how they can be sure.



northern hometown

The Health Ministry said a preliminary investigation indicated that his death did not appear to be connected to the shot. The man suffered from heart disease and cancer, and had suffered a number of previous heart attacks, the ministry said.

investigation indicated that his death did not appear to be connected to the shot. The man suffered from heart disease and cancer, and had suffered a number of previous heart attacks, the ministry said.

The Health Ministry said a preliminary

The man's family also asked not to link his death to the vaccine, Hebrew media reported.

Health Ministry Director-General Chezy Levy nonetheless announced the formation of a committee of inquiry to investigate the incident.



# THE TIMES OF ISRAEL



According to the Kan public broadcaster, there have been four cases where people in Israel have died shortly after receiving the vaccination, but three of the four were deemed by the Health Ministry, as well as by both family members and doctors, to have been unrelated to the shots. The fourth case, an 88-year-old man who had serious preexisting health problems, is currently being investigated.

#### THE TIMES OF ISRAEL



On Monday, a man, 75, received a vaccine shot in his northern hometown of Beit She'an. After waiting an obligatory half an hour at the medical clinic, he



A woman receives a COVID-19 vaccine at a Maccabi Healthcare Services vaccination center in Modiin on December 24, 2020. (Yossi Aloni/Flash90)

was released home, saying he felt fine.
Some time after getting home, he lost consciousness and was later pronounced dead as a result of heart failure.



I spent my first shift in the covid vaccine clinic today...
monitoring people for reactions. We had about 8 out of 169
people... curious if anyone else has had a similar position
and what sort of reactions you found? We had the phizer
vaccine




Like

Answer







MDs/RNs and ICU MDs/RNs 20 Like Reply 1h re available where I back and forth on it. 1h e what experiences the country. count the vaccine. be getting mine 3 3/3 34m I hope to get mine as soon as I can.



Write an answer...







reactions we saw were "a weird feeling", metal taste in the mouth. tingling, or cold hands/feet. The more serious reactions were hypertension and high heart rate. Most reactions resolved within 3-5 minutes.

1h Like Reply

6



were VS taken before the vaccine was given? Just curious if HTN/ tachycardia could also be attributed anxiety related to getting a new vaccine??

1h Like Reply 11



They absolutely could, but these were pretty high. Like 180/80's and HR 140's

1h Like Reply



And they resolved within several minutes. Except the two people who had to go to the ER



3 hrs . m

Thoughts? Pfizer vaccine 12/28-30 min later 99 degree temp and extreme fatigue. Took a three hour nap and woke up feeling like I had the flu. I have not had covid. 100 degree temp.congestion, aches, horrible sore throat. Tested neg for covid 12/29 and 12/30. Fever has broken, but still have all other symptoms. Dr and health dept do not think it's vaccine related of course family does. Negative for flu and strep. This is still better than having covid I'm just confused if I even need to get my second dose.



Got my Covid Vaccine on Monday and tested positive on Wednesday! Who else have experience this?







## Replied to your story



I talked to a paramedic yesterday who said he's been giving covid vaccines all week to other first responders, but won't be getting it himself.

Well.. it's his job, right? Like... does he have an option?


Yeah, he said he's opting out. In California I'm shocked he has the option to!

### Daily **Mail**

# Up to 60% of US health workers are refusing to get COVID-19 vaccines




# **NUMBER OF UNUSED DOSES AVAILABLE**





945

# HOW MANY FRONTLINE WORKERS ARE REFUSING COVID-19 VACCINES?




My friends sister was so excited to be 34 weeks and to be "allowed" to get her Covid vaccine to protect her and her baby. Her baby passed away pre-birth 48 hours later. They are still waiting on autopsy results.





14m



#### [Largest Healthcare Fraud]

The largest health care fraud settlement in the history of the United States Department of Justice was \$2.3 billion. This Pharmaceutical company falsely advertised 4 different drugs— Bextra; Geodon, an anti-psychotic drug; Zyvox, an antibiotic; and Lyrica, an anti-epileptic drug—and submitted them to government health care programs for uses that were not medically accepted indications and therefore not covered by those government programs.

The company is

Pfizer.



Diane Wheat-Stephenson
My friends sister was so excited to be
34 weeks and to be "allowed" to get her
Covid vaccine to protect her and her
baby. Her baby passed away pre-birth

48 hours later. They are still waiting on autopsy results.

#### SPECIAL REPORT

## Ego, ambition, and turmoil: Inside one of biotech's most secretive startups

By DAMIAN GARDE @damiangarde SEPTEMBER 13, 2016 Reprints



Stéphane Bancel spent most of his career in sales and operations before becoming CEO of biotech startup Moderna Therapeutics.

ARAM BOGHOSIAN FOR STAT

Moderna's technology promised to subvert the whole field, creating therapeutic proteins inside the body instead of in manufacturing plants. The key: harnessing messenger RNA, or mRNA.

In nature, mRNA molecules function like recipe books, directing cellular machinery to make specific proteins. Moderna believes it can play that system to its advantage by using synthetic mRNA to compel cells to produce whichever proteins it chooses. In effect, the mRNA would turn cells into tiny drug factories.

It's highly risky. Big pharma companies had tried similar work and abandoned it because it's exceedingly hard to get RNA into cells without triggering nasty side effects. But if Moderna can get it to work, the process could be used to treat scores of diseases, including cancers and rare diseases that can be death sentences for children.

Despite having never worked with RNA before, Bancel said he sat around the table with his core team in the early days of the company, dreaming up experiments. As a result, he is listed as a co-inventor on more than 100 of Moderna's early patent applications, unusual for a CEO who is not a PhD scientist.

Though he's been here several years now,
Bancel stands out in the freewheeling startup
hub of Kendall Square. He prefers tailored
suits over the industry's fleece-heavy wardrobe,
and he doesn't shy away from sweeping
promises that might trouble CEOs more
concerned with managing expectations.


Under Bancel, Moderna has been loath to publish its work in Science or Nature, but enthusiastic to herald its potential on CNBC and CNN, taking part in segments on the world's most disruptive companies and the potential "cure for cancer."



It took a Freedom of Information request but @Covid19DataUK acquired 2017-2019 averages for England hospitalizations.

2020 had 18% fewer hospitalizations than prior years.

All around the world, using hospital data without context of prior years is just a fear generating lie.





CALIFORNIA

# Some healthcare workers refuse to take COVID-19 vaccine, even with priority access



Syringes filled with the Moderna COVID-19 vaccine at a Los Angeles fire station. Some healthcare workers are opting not to take COVID-19 vaccine. (Gary Coronado / Los Angeles Times)

By COLLEEN SHALBY, EMILY BAUMGAERTNER, HAILEY BRANSON-POTTS, ALEJANDRA REYES-VELARDE, JACK DOLAN

DEC. 31, 2020 5 AM

April Lu, a 31-year-old nurse at Providence Holy Cross Medical Center, said she refused to take the vaccine because she was not convinced it was safe for pregnant women. She is six months pregnant.

Clinical trials have yet to be conducted on pregnant women who take the vaccine, but experts believe the vaccine is unlikely to pose a specific risk, according to the Centers for Disease Control. The agency says pregnant women may choose to be vaccinated.

#### ADVERTISEMENT

"I'm choosing the risk — the risk of having COVID, or the risk of the unknown of the vaccine," Lu said. "I think I'm choosing the risk of COVID. I can control that and prevent it a little by wearing masks, although not 100% for sure."

They are frontline workers with top-priority access to the COVID-19 vaccine, but they are refusing to take it.

At St. Elizabeth Community Hospital in Tehama County, fewer than half of the 700 hospital workers eligible for the vaccine were willing to take the shot when it was first offered. At Providence Holy Cross Medical Center in Mission Hills, one in five frontline nurses and doctors have declined the shot. Roughly 20% to 40% of L.A. County's frontline workers who were offered the vaccine did the same, according to county public health officials.

So many frontline workers in Riverside County have refused the vaccine — an estimated 50% — that hospital and public officials met to strategize how best to distribute the unused doses, Public Health Director Kim Saruwatari said.

"I feel like the perception of the public with healthcare workers is incorrect. They might think we're all informed of all of this. They might think that because we work in this environment," Ruiz said. "But I know there's a lot of people that have the same mentality as the public where they're still afraid of getting it."

In Fresno County, interim Public Health Officer Dr. Rais Vohra said Tuesday that some "people who are qualified to get the vaccine are not ready to get it." Such healthcare workers, including those who are pregnant or want to become pregnant, have been hesitant as questions about the long-term effects arise.

To persuade reluctant workers, many hospitals are using instructional videos and interactive webinars showing staff getting vaccinated. At an Orange County hospital, Anthony Wilkinson, an intensive care nurse who cares for coronavirus patients, said he had co-workers who had "lost faith in big pharma and even the CDC."

Respondents to the Kaiser Family Foundation survey who said they probably wouldn't get the vaccine said they worried about side effects; they lacked trust in the government to ensure the vaccines were safe; they had concerns about the role of politics in the development of the vaccines; or they believed the dangers of COVID-19 had been exaggerated.

In online forums, some healthcare workers throughout the country have expressed frustration over going first — a status some have associated with experimentation.


Nicholas Ruiz, an office assistant at Natividad Medical Center in Salinas, Calif., said healthcare workers wrestled with the same doubts, fears and misinformation about the disease as the public. Though he interacts with nurses who treat COVID-19 patients, he's not taking it and knows many others who aren't.

Some of her co-workers have also declined to take the vaccine because they've gone months without contracting the virus and believe they have a good chance of surviving it, she said. "I feel people think, 'I can still make it until this ends without getting the vaccine," she said.

The extent to which healthcare workers are refusing the vaccine is unclear, but reports of lower-than-expected participation rates are emerging around the country, raising concerns for epidemiologists who say the public health implications could be disastrous.

#### ADVERTISEMENT

A recent survey by the Kaiser Family Foundation found that 29% of healthcare workers were "vaccine hesitant," a figure slightly higher than the percentage of the general population, 27%.



Lmao I am currently admitted into the hospital over a severe reaction to the vaccine #

197 comments

scared of the vaccine... this zn

View replies (1) ~



kaylyn1211

I got mine two days ago... 16 hours later shaking uncontrollably, 102 fever, body aches so bad it hurt to touch my skin 20h

Liked by creator



dariencbell · Creator

I'm so sorry. Did you go to the ER too? That is what happened to me starting Monday night so about 16 hours after the shot also 20h



X

# Had a baby and received my COVID vaccine all in the same day! AND breastfeeding! #yayforbabies #yayforscience





## What does this mean for me?

Here are the key points you should consider until we have more evidence:

- if you are pregnant you should not be vaccinated – you can be vaccinated after your baby is born
- if you think you may be pregnant you should delay vaccination until you are sure you are not
- if you are planning to get pregnant in the next three months, you should delay your vaccination
- if you know you are not pregnant you can start the two-dose course now and you should avoid getting pregnant until at least two months after the second dose
- if you have had the first dose and then become pregnant you should delay the second dose until after your baby is born

Vaccination, helping to protect those most vulnerable.



Public Health Agency 12-22 Linenhall Street, Belfast BT2 8BS. Tel: 0300 555 0114 (local rate). www.publichealth.hscni.net

Find us on:







If you are breastfeeding you should wait until you have finished breastfeeding and then have the vaccine. If you were breastfeeding when you had the first dose you are advised not to have the second dose until you have finished breastfeeding.

This advice is precautionary until additional evidence is available to support the use of this vaccine in pregnancy and breastfeeding. It may then be possible to have the Pfizer-BioNTech vaccine. Until that advice is changed you may be able to have one of the other COVID-19 vaccines that are expected.



© Crown Copyright 2020. This information was originally developed by Public Health England and is used under the Open Government Licence v3.0





Because of the new formulation

MHRA wants to see more non-

of this particular vaccine the

clinical data before finalising

the advice in pregnancy.

It is standard practice

when waiting for such

data on any medicine,

11.7

#### D-19 vaccination

n of childbearing age, ently pregnant, planning icy or breastfeeding

#### You must read this before you go for vaccination


The Pfizer-BioNTech COVID-19 vaccine is a new type of vaccine that has been shown to be effective and to have a good safety profile. It has not yet been assessed in pregnancy, so it has been advised that until more information is available, those who are pregnant should not have this vaccine.

Many vaccines can be given safely in pregnancy so why am I being advised against this vaccine?

Evidence so far reviewed by the MHRA raises no concerns for safety in pregnancy.

**COVID-19 immunisation** 

to avoid its use in those who may become pregnant or who are breastfeeding. This will be kept under review as more evidence becomes available.




...

Mike
Got mine Christmas eve! Approximately
12 hours after injection I woke up with
massive chills body aches and
fever...much worse than when I actually
had covid 5 months ago. I believe this
was a successful immune response. It
truly sucked and ruined Christmas for
me lol the first episode was the worst
but in total it lasted about 24 hours and
slowly got better as the day went.

Definitely gonna take the 2nd dose but maybe make sure I'm off the next day.

1h Like Reply

02



10m Like Reply



Write a reply...





#### Nurse tests positive for COVID-19 shortly after getting vaccinated



"We know from the vaccine clinical trials that it's going to take about 10 to 14 days for you to start to develop protection from the vaccine," Ramers said.

Even after those 10 to 14 days, patients still need a second vaccine dose for full protection. "That first dose we think gives you somewhere around 50%, and you need that second dose to get up to 95%," Ramers added.

#### MORE: Prisons should be COVID-19 vaccine priority: Health experts

Another possibility: Since the incubation period for COVID-19 can be as long as 14 days, it's also possible that Matthew was infected prior to receiving the vaccine on Dec. 18.

Both potential scenarios are a reminder that vaccines aren't a panacea. Instead, experts say, stemming the

The story of an emergency room nurse who tested positive for COVID-19 after getting the vaccine is a reminder that hand washing, social distancing and masks are still going to be crucial in 2021.

Matthew W., a 45-year-old nurse in San Diego, received the Pfizer vaccine Dec. 18 and told **ABC News San Diego affiliate KGTV** that the only vaccine side effect he experienced was arm soreness.

Six days later, after working a shift in the COVID-19 unit, Matthew had chills, muscle pain and fatigue. A drive-up hospital test confirmed he was positive for COVID-19.

#### MORE: Prisons should be COVID-19 vaccine priority: Health experts

Another possibility: Since the incubation period for COVID-19 can be as long as 14 days, it's also possible that Matthew was infected prior to receiving the vaccine on Dec. 18.

Both potential scenarios are a reminder that vaccines aren't a panacea. Instead, experts say, stemming the pandemic will take time and continued adherence to fundamental public health practices like social distancing, masks and hand washing.

"You hear health practitioners being very optimistic about it being the beginning of the end, but it's going to be a slow roll, weeks to months as we roll out the vaccine." Ramers said.




© Yuki Iwamura/Reuters

A Walgreens pharmacist holds the Pfizer-BioNTech COVID-19 vaccine at The New Jewish Home in New York, Dec. 21, 2020.

The scenario isn't unexpected, Dr. Christian Ramers, an infectious disease specialist with Family Health Centers of San Diego, told KGTV.

Patients don't immediately develop COVID-19 protection after being vaccinated.



Anyone test positive after getting their vaccine? My husband is sick today—he didn't get the vaccine I did— (he's getting tested on Wednesday) and I'm worried it is COVID.

My second vaccine isn't scheduled until 1/12 Seriously we've gone 9 months without getting it, what're the

chances we get it now 😑 #annoyed

@cv19vaccinereactions



Justine




I know of 2 people now tested positive after getting vaccine. They say it's not from the vaccine but yea im not buying it. I did not vaccinate. Waiting to see how it works on others and I'm kinda glad I did. I hope you and your husband are well.

10 m Like Reply


Justine it's not possible to get covid from the vaccine lol. I'm not worried about that. Im worried about me getting it and having to get the second part of the vaccine still.

8 m Like Reply



### I heard he got the COVID vaccine... and posted about it on Instagram.






Like


1/2


💭 Comment






3 d Like Reply









vaccine tested positive for covid. We are thinking the shot just accelerated their positivity..they must have already had it.

4 d Like Reply



Natalie Sarah same, the first one was injected a week ago, felt crummy and thought it was the vaccine, felt so bad that he went and got tested over the weekend and tested positive.

@cv19vaccinereactions

Kristi



I thought they were testing before giving the vaccine?

Like Reply

Sarah Kristi



3 d Like Reply


Sarah

1 of mine was in the first Natalie 24 hours. We told her to come to work we would test her that it could just be a side effect. And she tested positive.

3 d Like Reply

Natalie yeah, it was weird. Sarah

3 d Like Reply



I got my first covid vaccine last Friday, I went back to work today and tested positive for covid @

@cv19vaccinereactions

ர் Like

Comment Comment

**@ 17** 

1/2

Christina :


Do you think you were exposed before or after vaccine? How are you feeling?


3 d Like Reply

Erika

Christina s it could have been either or really. I worked with covid patients the whole week before and the day I got it.

I had really bad side effects the next day after the vaccine so I'm thinking maybe I already had the virus when I got the vaccine





Has anyone gotten the vaccine then found out they were positive? I got the vaccine on Friday. I felt fine except for a slight headache until Sunday afternoon. All of a sudden I felt so tired and just needed a nap. I passed out for 2 hours. When I woke up I felt like I had some cold type symptoms. Feverish, but never a fever, stuffy/running nose, sinus pressure/headache, some body aches and a cough. Pretty much chalked it up to vaccine side effects except for the cough. I'm a former smoker so I do cough sometimes but this felt different. I talked to my Nurse Manager about it when I got to work yesterday so she did a rapid test on me...low and behold, it came back positive. We were both shocked...but yet I kind of wasn't too.

@cv19vaccinereactions

I don't really think it's a false positive and everything I've found indicates that you won't get a positive result after the vaccine. I even wondered if they would rapid test us before we were vaccinated for this very reason, but they didn't.

I'm praying it's a mild case. So far my symptoms are all still the same. I didn't sleep well and kind of feel like I got smacked around a little but really no different than a cold at this point.


Also, what are your thoughts of getting the 2nd shot in 3 weeks? I'm thinking I should still get it as a booster!












@cv19vaccinereactions

Anyone else who had covid 19 get the Moderna vaccine and feel like you have covid all over again? I got my vaccine at 10a yesterday as advised by my pcp and employee-health even though I was sick 11/29-12/11 with covid. I had arm soreness by dinner time (like a tetanus shot) which was expected, however, by 10p, I had terrible chills body aches. I woke up around 1am with a headache, body aches, nausea and temp is 101.4. I took ibuprofen and temp is down to 99. I feel like I have covid again &

1 14 Comments

Like Comment







The @cdcgov is listing COVID vaccine adverse events in its VAERS system. They only update these

numbers every Friday (apparently). What are the stats so far? CDC reports 5 "life-threatening" events, 79 ER visits, and 4 hospitalizations, which is low since more have been publicly reported.

### FAQ Help Contact Us WONDER Search

### The Vaccine Adverse Event Reporting System (VAERS) Results



#### Messages:

- VAERS data in CDC WONDER are updated every Friday. Hence, results for the same query can change from week to week.
  - These results are for 81 total events.
- Rows with zero Events Reported are hidden. Use Quick Options above to show zero rows.

Event Category •	⇒ Events Reported	Percent (of 81)
Life Threatening		6.17%
Hospitalized		4.94%
Emergency Room *	79	97.53%
Total	88	108.64%

Note: Submitting a report to VAERS does not mean that healthcare personnel or the vaccine caused or contributed to the adverse event (possible side effect).



nvtimes.com

AA

Moderna's Covid Vaccine

The patient, who has a severe shellfish allergy, recovered quickly with treatment. Until now, reports of severe reactions had been linked to the Pfizer vaccine.

of its distribution in the United States.

Officials with the Food and Drug Administration and the Centers for Disease Control and

Prevention had discussed the reactions involving some of the Pfizer cases, but have not determined whether an ingredient in the

vaccine caused the allergic responses. A few health care workers in Britain had also experienced anaphylaxis after receiving the Pfizer vaccine earlier this month

Sadrzadeh, a geriatric oncologist at Boston Medical Center, who has a severe shellfish allergy and had an appointment to get the Moderna shot in the afternoon. In an interview,

The incident on Thursday involved Dr. Hossein

Dr. Sadrzadeh said he experienced a severe

Ray Jordan, a spokesman for Moderna, said on Thursday evening that the company could not comment publicly on an individual case. On

Friday, Mr. Jordan added that the company's medical safety team would look into the matter, and he referred further questions to officials at Operation Warp Speed, the federal program overseeing vaccine distribution.

The F.D.A. would not comment on the new report on Friday.

Tom Skinner, a spokesman for the C.D.C., said

that information on reactions to the new vaccines would be posted to the agency's website starting next week. Belsie González, a spokeswoman for the C.D.C., referred further questions to local public health authorities.



By Katherine J. Wu

Dec. 25, 2020

company's shots.

A Boston physician said he developed a severe allergic reaction minutes after receiving Moderna's coronavirus vaccine on Thursday, in the first week of the nationwide rollout for the

The case was the first of its kind reported to be linked to Moderna's vaccine. Federal agencies are investigating at least six cases involving people who suffered anaphylaxis after receiving the Pfizer-BioNTech vaccine, which contains similar ingredients, during the first few weeks

of its distribution in the United States.

allergy and had an appointment to get the Moderna shot in the afternoon. In an interview, Dr. Sadrzadeh said he experienced a severe reaction almost immediately after he was

Dr. Sadrzadeh said he experienced a severe reaction almost immediately after he was inoculated, feeling dizzy and with his heart racing.

In a statement, David Kibbe, a spokesman for Boston Medical Center, confirmed that Dr.

Sadrzadeh had received Moderna's vaccine on Thursday. The statement said that Dr.
Sadrzadeh "felt he was developing an allergic reaction and was allowed to self-administer his personal EpiPen. He was taken to the Emergency Department, evaluated, treated, observed and discharged. He is doing well today."

Until every person in the U.S. can get a COVID-19 vaccine, continue to wear a mask, keep at least 6 feet between yourself and others, avoid crowds, and wash your hands often. Learn more about who should get vaccinated first while supplies are limited: bit.ly/3mrAhik.



cdc.gov

12:18 PM - 12/23/20 - Twitter Web App

The Coronavirus Outbreak >



Maps and Cases

### How Much Herd Immunity Is Enough?

Scientists initially estimated that 60 to 70 percent of the population needed to acquire resistance to the coronavirus to banish it. Now Dr. Anthony Fauci and others are quietly shifting that number upward.





The Coronavirus

Outbreak >

In the pandemic's early days, Dr. Fauci tended to cite the same 60 to 70 percent estimate that most experts did. About a month ago, he began saying "70, 75 percent" in television interviews. And last week, in an interview with CNBC News, he said "75, 80, 85 percent" and "75 to 80plus percent."

In a telephone interview the next day, Dr. Fauci acknowledged that he had slowly but deliberately been moving the goal posts. He is doing so, he said, partly based on new science, and partly on his gut feeling that the country is finally ready to hear what he really thinks.

Hard as it may be to hear, he said, he believes that it may take close to 90 percent immunity to bring the virus to a halt — almost as much as is needed to stop a measles outbreak.









#### **LOCAL NEWS**

## Study investigates effects of COVID-19 vaccine on male fertility

Kristi Krueger, Anchor/Health Reporter
Kathleen Corso, Special Projects Producer

Published: December 20, 2020, 10:22 am

Tags: News, Local, Health, Coronavirus



**MIAMI** – The University of Miami is investigating the possible effects of the coronavirus vaccine on male fertility.

Lead researchers Dr. Ranjith Ramasamy, a reproductive urologist with U Health, initiated an earlier study which found the virus was present in the testicles for up to six months following infection.

That spurred his team to question the virus' effect on sperm and reproduction.

His team is now looking at the potential impact of the vaccine as well.


His team is now looking at the potential impact of the vaccine as well.

"We're evaluating the sperm parameters and quality before the vaccine and after the vaccine. From the biology of the COVID vaccine we believe it shouldn't affect fertility but we want to do the study to make sure that man who want to have kids in the future to assure them it's safe to go ahead and get the vaccine," Ramasamy said.

Study participants must have a fertility evaluation before receiving the vaccine.

To protect fertility, some men may want to consider freezing their sperm prior to vaccination.

Copyright 2020 by WPLG Local10.com - All rights reserved.



"Don't be afraid of Covid."



"Don't be afraid of CV19 Vaccine adverse reactions."



Posted 2:48 PM Updated at 4:08 PM

### Maine reports first allergic reaction to COVID-19 vaccine

The unidentified worker is doing well after being treated and observed at the hospital overnight.









HOLIDAY SALE | \$1 FOR 4 MONTHS!

One NYC healthcare worker had 'significant allergic reaction' to COVID vaccine, out of 30,000 administered: city Health Dept.

> By MICHAEL GARTLAND NEW YORK DAILY NEWS DEC 23, 2020 AT 10:26 AM









JUST IN: First reported severe allergic reaction following COVID-19 vaccine in Alabama happened in Decatur Tuesday



First reported severe allergic reaction following COVID vaccine happens in Decatur

# How it started... (swipe ->)

Our World in Data



Q Search...

Latest

All charts Sustainable Development Goals Tracker

Coronavirus pandemic: daily updated research and data.

### Emerging COVID-19 success story: Germany's strong enabling environment


This is a guest post from Lothar Wieler (Robert Koch Institute), Ute Rexroth (Robert Koch Institute), and René C Frankfurt am Main) as part of the Exemplars in Global Health platform.

June 30, 2020

Inis article is one of a series focused on identifying and understanding Exemplars in the response to the Coronavirus pandemic. It is hosted by the Exempla

Exemplars in Global Health is a coalition of experts, funders, and collaborators around the globe, supported by Gates Ventures and the Bill & Melinda Gate can help drive better resource allocation, policy, and implementation decisions. The Exemplars in Global Health platform was created to help decision-maken capital challenges.

# How it's going.







1/ Remember: the severe allergic

In other vaccines those run at 1 per million. The mRNA vaccines cause them at orders of magnitude higher -

reactions are truly the tip of the iceberg.

somewhere between 1 in 2,500 and 1 in 40,000 for the first shot, based on the early data.

### 3:51 AM · 12/23/20 · Twitter for iPhone

#### 147 Retweets 11 Quote Tweets 404 Likes











2/ Those DON'T include the systemic grade 3/4 reactions that follow in the first week, and which occur far, far more frequently, according to the clinical trials.

Q3

1736

♥ 235





Alex Berenson @ @AlexBerenson · 3h
3/ So when you hear supposed experts like
@meganranney say "1 hospitalization after
600,000 doses," know that they are making
provably false statements, by orders of
magnitude.




Table 1 Salar Salar

### The Moderna Vaccine's Antibodies May Not Last As Long As We Hoped

William A. Haseltine Contributor ①

Healthcare





Charts describing the duration of neutralizing... NEW ENGLAND JOURNAL OF MEDICINE

[+]

A significant determinant of vaccines' effectiveness in controlling a pandemic is antibody duration—how long the antibodies last in a person's system. For those 18-55 years old, the majority only show a slight decrease in neutralizing antibodies in the three months following their second vaccine dose. Two of the 34 patients in this age group saw a significant drop in neutralizing antibodies. Due to the limited number of participants in this study, we cannot draw conclusions from these outliers until further data becomes available.

## **≡** Forbes



YORK, ENGLAND - DECEMBER 22: Nikki Brown, a... GETTY IMAGES

[+]

With the rollout of Covid-19 vaccines finally underway across the United States, data on the vaccines' effectiveness is starting to become more available. But one key piece of information is still relatively unknown: how long the vaccines' effectiveness will last. While only a preliminary analysis, a new study by the New England Journal of Medicine (NEJM) suggests that the longterm efficacy of Moderna's mRNA-1273 vaccine, specifically the neutralizing antibody count, may be less than we were hoping for.

## Herd Immunity Before October 2020

Herd immunity (also called herd effect. community immunity, population immunity, or social immunity) is a form of indirect protection from infectious disease that occurs when a sufficient percentage of a population has become immune to an infection during a sufficient or minimum time (which means that a number of immunized individuals are needed for a given time to achieve the goal of collective immunity), whether through vaccination or previous infections, thereby reducing the likelihood of infection for individuals who lack immunity.[1][2] Immune individuals are unlikely to contribute to disease transmission, disrupting chains of infection, which stops or slows the spread of disease. The greater the proportion of immune individuals in a community during a certain time, the smaller the probability that nonimmune individuals will come into contact with an infectious individual

# Herd Immunity After October 2020

'Herd immunity', also known as 'population immunity', is a concept used for vaccination, in which a population can be protected from a certain virus if a threshold of vaccination is reached.

Herd immunity is achieved by protecting people from a virus, not by exposing them to it.

Vaccines train our immune systems to create proteins that fight disease, known as 'antibodies', just as would happen when we are exposed to a disease but – crucially – vaccines work without making us sick.

Vaccinated people are protected from getting the disease in question and passing it on, breaking any chains of transmission

"On just the same ground I dread government in the name of science. That is how tyrannies come in. In every age the men who want us under their thumb, if they have any sense, will put forward the particular pretension which the hopes and fears of that age render most potent. They 'cash in'. It has been magic, it has been Christianity. Now it will certainly be science.

C.S. LEWIS



So this is cute. @cdcgov is reporting the number of vaccinations in near-real time.

But they AREN'T (as far as I can find) reporting the adverse events they receive. We haven't had an update on those since Friday.

Way to build trust.

### COVID-19 Vaccinations in the United States

Doses Distributed 4,624,325

Doses Administered 614,117

CDC | Updated: 12/21/2020 As of 9:00am ET


View and Download COVID-19 Case



## IM @ianmSC · 6m

It is media malpractice that the contrast of California & Florida is not the lead story of every major media outlet in the country right now

One of the most locked down places on earth has MORE THAN DOUBLE the case rate of one of the least locked down & there is complete silence











3,150 out of 112,807 have reported as being "unable to perform normal daily activities, unable to work, [or] required care from doctor or health care professional" post CV-19 vaccination.



May the odds be ever in your favor!



**Dolly Parto** politicians vaccine rollou

MTA sees 'brain drain' as

senior managers rush to

retire

CDC confirms 6

cases of severe

allergic reaction to Pfizer's COVID vaccine — out of 272,000 shots given so far



Northwell Health, Director of Employee Health Services Dr. Michelle Chester holds a small bottle containing 5 doses of Pfizer Covid-19 vaccine. Health officials are closely monitoring six people who experienced severe side effects from Pfizer's coronavirus vaccine in the U.S., where more than a quarter million shots have been given so far. (Luiz C. Ribeiro/for New York Daily News)

The CDC asked vaccine providers to make sure they have plenty of epinephrine, which the agency said is "the first-line treatment for anaphylaxis and should be administered immediately."

Health authorities also urged providers and patients to report any serious reactions to the <u>Vaccine Adverse Event Reporting System</u>, an online reporting tool.

But officials still don't know what component of the shots prompted the anaphylactic reactions. The formula for Moderna's vaccine includes similar components, raising concerns among members of an independent committee advising the CDC and the Food and Drug Administration.

"While the totality of data at this time continue to support vaccinations under the Pfizer (authorization) without new restrictions, these cases underscore the need to remain vigilant during the early phase of the vaccination campaign," FDA vaccine expert Doran Fink said at a meeting Saturday, according to The Washington Post.





•••

1/ As of Friday afternoon, @CDCgov had already learned of 3,150 people who'd received the vaccine had already been "unable to perform normal daily activities, unable to work, [or] required care from doctor or health care professional"...

cdc.gov/vaccines/acip/.

7:59 PM · 12/19/20 · Twitter Web App

1,595 Retweets 245 Quote Tweets 2,605 Likes


















### **ACIP COVID-19 Vaccines Work Group**

Anaphylaxis Following m-RNA COVID-19 Vaccine Receipt



Thomas Clark, MD, MPH December 19, 2020



## Anaphylaxis in UK Following COVID-19 Vaccination

- December 8, 2020 UK initiated vaccination with Pfizer-BioNTech COVID-19 vaccine
- December 9 UK authorities confirmed 2 cases of anaphylaxis after vaccination
- Prescribing information for both Pfizer-BioNTech and Moderna COVID-19 vaccines contains information on anaphylaxis
  - Severe allergic reaction (e.g., anaphylaxis) to any component of the vaccine is a contraindication to vaccination
  - Appropriate medical treatment used to manage immediate allergic reactions must be immediately available in the event an acute anaphylactic reaction occurs following administration of the vaccine

#### other partners

 Published Interim Considerations: Preparing for the Potential Management of Anaphylaxis at COVID-19 Vaccination
 Sites (<a href="https://www.cdc.gov/vaccines/covid-19/info-by-product/pfizer/anaphylaxis-management.html">https://www.cdc.gov/vaccines/covid-19/info-by-product/pfizer/anaphylaxis-management.html</a>)

### V-safe Active Surveillance for COVID-19 Vaccines


	Dec 14	Dec 15	Dec 16	Dec 17	Dec 18
Registrants with recorded 1st dose	679	6,090	27,823	67,963	112,807
Health Impact Events**	3	50	373	1,476	3,150
Pregnancies at time of vaccination	5	29	103	286	514

<sup>\*</sup>Dec 18, 5:30 pm EST

### CDC Assessment and Further Actions

- Post-authorization pharmacovigilance systems have detected and confirmed 6 anaphylaxis cases following vaccination
  - Notifications received have been timely
  - Notifications ruled out suggests systems are sensitive
- Reinforce measures to recognize, respond, and report anaphylaxis
- Persons with anaphylaxis following COVID-19 vaccination should not receive additional doses of COVID-19 vaccine

<sup>\*\*</sup>unable to perform normal daily activities, unable to work, required care from doctor or health care professional







#### CORONAVIRUS VACCINE

Suburban Hospital Temporarily Pauses Vaccinations 'Out of Abundance of Caution' Following Adverse Reactions

By Becca Wood • Published December 18, 2020 • Updated on December 19, 2020 at 9:23 am



## **№**5 CHICAGO



A suburban hospital temporarily suspended coronavirus vaccinations Friday after four team members experienced adverse reactions.

Since Thursday, Advocate Condell Medical Center in Libertyville said four people who received the COVID-19 vaccine experienced tingling and elevated heartrate shortly after the injection.

"Out of an abundance of caution, we are temporarily pausing vaccinations at Condell, which will allow us time to better understand what may have caused these reactions," the health center said in a statement.



#### Alaska News

### 3 more Alaska health workers have adverse reactions to COVID-19 vaccine, bringing total to 5

Author: Morgan Krakow
 ● Updated: 14 hours ago

 ■ Published 1 day ago



A Fairbanks health care worker was treated for a "probable" serious allergic reaction on Thursday after she received the COVID-19 vaccine, according to the Foundation Health Partners care system.

Additionally, on Friday evening, Providence Alaska reported that two caregivers who received the COVID-19 vaccine experienced non-life-threatening, mild reactions.

In total, five Alaskans have experienced adverse reactions this week after receiving the vaccine. Two Bartlett Regional Hospital employees in Juneau experienced reactions after the vaccine, one serious and one mild.

Providence Alaska spokesman Mikal Canfield said that due to privacy laws, they could not provide additional Providence Alaska spokesman Mikal Canfield said that due to privacy laws, they could not provide additional information. But the three other health workers who experienced reactions to the vaccine all are doing well. None are still hospitalized, and the three workers have recommended that others continue to receive the vaccination — which is expected to be one of the most important tools in ending the pandemic, officials say.

The Fairbanks worker started to show what hospital officials described as "traditional anaphylactic symptoms," including tongue swelling, voice hoarseness and difficulty breathing, roughly 10 minutes after getting vaccinated, Foundation Health Partners spokeswoman Kelly Atlee wrote in an emailed statement Friday morning.

She was taken to the Fairbanks Memorial Hospital

Dr. Anne Zink, the state's chief medical officer, said that she hopes people put the events into a greater context. She received her first dose of the vaccine Friday at Mat-Su Regional Medical Center, where she practices emergency medicine.

"Being exposed to this virus, it's kind of like playing Russian roulette," Zink said. "You might be fine, but you

COVID-19 is a "wild card" while a rare, adverse reaction

is both treatable and manageable.

might really not be fine."

An adverse reaction to the vaccine, on the other hand, is something doctors are used to treating.

Plus, she noted while waiting the specified 15 minutes after her vaccination, allergic reactions can happen in

She was taken to the Fairbanks Memorial Hospital emergency department and treated with epinephrine before being discharged six hours later. The worker does not have a history of allergies, but did have a reaction to a bee sting that was not confirmed as an allergic reaction, Atlee said. Thursday was the first anaphylactic event that the worker experienced.

The vaccine has been safely administered to thousands of Americans nationwide this week. Health officials have emphasized that allergic reactions are rare.

Dr. Anne Zink, the state's chief medical officer, said that she hopes people put the events into a greater context. She received her first dose of the vaccine Friday at Mat-



Got my #CovidVaccine today as a 35 weeks pregnant anesthesiologist. Will pass antibodies to baby. Grateful to science, knowledge, & the confidence to be part of ending the pandemic. To those waiting: have patience. To those who are unsure: read primary sources, ask, & don't give into fear. @JPCodyMD @VHC\_Hospital



#### Decision

# Information for Healthcare Professionals on Pfizer/BioNTech COVID-19 vaccine

Updated 16 December 2020

#### Contents

Regulation 174 Information for UK healthcare professionals

- 1. Name of the medicinal product
- 2. Qualitative and quantitative composition
- 3. Pharmaceutical form
- A Official management











rachellyle for me -> this was the right decision.

27 weeks pregnant.

28 days until second dose.

#covidvacccine #covid\_19 #covidvaccinepregnancy



# ■ selfservehosteu.pfizer.com

# FACT SHEET FOR HEALTHCARE PROVIDERS ADMINISTERING VACCINE (VACCINATION PROVIDERS)

### EMERGENCY USE AUTHORIZATION (EUA) OF THE PFIZER-BIONTECH COVID-19 VACCINE TO PREVENT CORONAVIRUS DISEASE 2019 (COVID-19)

The U.S. Food and Drug Administration (FDA) has issued an Emergency Use Authorization (EUA) to permit the emergency use of the unapproved product, **Pfizer-BioNTech COVID-19 Vaccine**, for active immunization to prevent COVID-19 in individuals 16 years of age and older.

#### SUMMARY OF INSTRUCTIONS FOR COVID-19 VACCINATION PROVIDERS

Vaccination providers enrolled in the federal COVID-19 Vaccination Program must report all vaccine administration errors, all serious adverse events, cases of Multisystem Inflammatory Syndrome (MIS) in adults and children, and cases of COVID-19 that result in hospitalization or death following administration of Pfizer-BioNTech COVID-19 Vaccine. See "MANDATORY REQUIREMENTS FOR PFIZER-BIONTECH COVID-19 VACCINE ADMINISTRATION UNDER EMERGENCY USE AUTHORIZATION" for reporting requirements.

The Pfizer-BioNTech COVID-19 Vaccine is a suspension for intramuscular injection administered as a series of two doses (0.3 mL each) 3 weeks apart.

See this Fact Sheet for instructions for preparation and administration. This Fact Sheet may have been updated. For the most recent Fact Sheet, please see <a href="https://www.cvdvaccine.com">www.cvdvaccine.com</a>.

For information on clinical trials that are testing the use of the Pfizer-BioNTech COVID-19 Vaccine for active immunization against COVID-19, please see www.clinicaltrials.gov.

# Vaccines and Related Biological Products Advisory Committee Meeting December 10, 2020

**FDA Briefing Document** 

Pfizer-BioNTech COVID-19 Vaccine

Sponsor: Pfizer and BioNTech



It turns out, five nurses in El Paso, did not receive the COVID-19 vaccine Tuesday at University Medical Center. CBS4 noticed a discrepancy when the second nurse went to be vaccinated. The syringe used was empty.

SEE VIDEO

More:



Mishap occurs during COVID-19 vaccination of UMC nurses cbs4local.com

1036

# Health Care Worker In Alaska Hospitalized For Serious Allergic Reaction To Pfizer's Coronavirus Vaccine



(Photo by Frank Augstein - Pool / Getty Images)

## DAILY CALLER

An Alaskan health care worker was hospitalized with a serious allergic reaction after receiving Pfizer's coronavirus vaccine Tuesday, three people familiar with the person's condition told The New York Times.

The worker remained in the hospital
Wednesday and had no serious history of drug
allergies, though it was unclear if he or she had
a history of any allergies overall, according to
the Times.

## DAILY CALLER

The Alaskan worker's reaction was believed to be anaphylactic, similar to two reactions witnessed in the United Kingdom last week after each person received the vaccine jointly developed by Pfizer and BioNTech. Though serious, both people in the U.K. have since fully recovered.

Though Pfizer's 40,000-person clinical trial reported no serious allergic reactions caused by its vaccine, it did report temporary side effects including aches, fevers and nausea.

## Pfizer CEO Albert Bourla will wait to get COVID-19 vaccine

Dec 15, 2020 | 9:54 AM ET

Grace Dean



won't "cut the line" to get a COVID-19 vaccine,
Bourla told CNBC Monday.

"I'm 59 years old, in good health, I'm not working
on the frontline, so my type it is not recommended

to get vaccination now," he told CNBC.

Pfizer executives, including its CEO Albert Bourla,

- But Bourla noted that polls conducted by Pfizer suggest that people would be more willing to take the vaccine if he, as the company's CEO, got the shot.
- "I'm trying to find a way that I will get vaccinated, despite if it is not my time, just to demonstrate the confidence of the company," he said.



Meet the Press @ @MeetThePress · 2h
"Everything still applies until all of us gets

"Everything still applies until all of us gets that two-dose regimen. We don't think that'll happen til June or July." — @VinGuptaMD

748

281

1744

Į.



Meet the Press

"Right now, we still don't have definitive proof that vaccination protects you from any type of infection, just the severe forms of illness that lead you to the ICU."

@VinGuptaMD

#MTPDaily